



CONTENTS

	PAGE
Fungus Index	1
Host Index	87

Fungus.	Host.	Locality.
<i>Cercospora diffusa</i> E. et E. ...	<i>Physalis minima</i> ...	Lahore.
<i>Dioscoreae</i> Ell. et Matt	<i>Dioscorea</i> ...	Harwan, Kashmir; Nilphamari, Rangpur.
<i>Dolichi</i> Ell. et Ever...	<i>Dolichos</i> sp. ...	Bhagalpur, Bihar.
	<i>Dolichos Lablab</i> ...	Kanaighat, Sylhet, Assam; Pusa; Poona, Bombay; Arrah, Bihar.
	<i>Dolichos lignosis</i> ...	Pusa.
	<i>Dolichos typica</i> (Prain) ...	Pusa.
<i>dōbia</i> (Diess.) Wint.	<i>Artiplex hortensis</i> L. ...	Karachi Bal, Srinagar, Kashmir.
	<i>Chenopodium album</i> ...	Karachi Bal, Srinagar, Kashmir.
<i>euphorbiaecola</i> Atk. ...	<i>Euphorbia</i> ...	Badamtam, Darjeeling.
<i>euphorbiae</i> Kell et Swing.	<i>Euphorbia</i> .	Dehra Dun; Surat, Bombay; Nadiad, Bombay.
	<i>Euphorbia nerifolia</i> ...	Dohad, Bombay.
	<i>Euphorbia Tiracalli</i> ...	Pusa.
<i>exitiosa</i> Syd. ...	<i>Tilia platyphylla</i> ...	Brandenberg.
<i>Feuillenauboisii</i> Sacc.	<i>Solanum Melongena</i> ...	Ranibennur Bombay.
(<i>U. Solani</i> Theum.)	<i>Solanum nigrum</i> ...	Pusa; Manjri Farm.
<i>Foeniculi</i> P. Magn. ...	<i>Foeniculum vulgare</i> ...	Agrail, Muzaffarpur; Pusa.
<i>Glycines</i> Cke. ...	<i>Glycine Soja</i> ...	Saharanpur Dist. U. P.
<i>gossypina</i> Cke. ...	<i>Gossypium</i> ...	Pusa; Dacca.
	<i>Gossypium</i> (tree cotton) ...	Pusa; Cawnpore.
<i>Heliotropii</i> E. et E....	<i>Heliotropium indicum</i> ...	Lyallpur, Punjab.
<i>helvola</i> Sacc. ...	<i>Trifolium alexandrinum</i> ...	Pusa.
<i>Hibisci</i> Tr. & Earle...	<i>Hibiscus esculentus</i> ...	Nagpur, C. P.; Pusa.
<i>leucosticta</i> E. et Ever.	<i>Melia Azedarach</i> ...	Poona, Bombay; Dehra Dun; Pusa; Fatehgarh, U. P.; Amritsar; Coimbatore, Madras.
	<i>Melia Azadirachta</i> ...	Bassein Fort, Bombay; Pusa; Coimbatore.
<i>longipes</i> Butl. ...	<i>Saccharum officinarum</i> ...	Barhagah Estate, Saran, Bihar; Samalkot, Madras; Cawnpore; Surat; Nawalta, Rohtak, Punjab; Burdwan, Bengal; Pusa; Kasandra, Ahmedabad.
<i>Menispermii</i> Ell. et Holw.	<i>Menispermum canadensis</i> ...	Ontario, Canada.
	<i>Menispermum cordifolium</i> ...	Lakoali, Mysore; Dacca.
<i>moricola</i> Cooke ...	<i>Morus</i> ...	Pusa.
<i>Morindae</i> Syd. ...	<i>Morinda tinctoria</i> ...	Coimbatore.
<i>nebulosa</i> Sacc. ...	<i>Althea rosea</i> ...	Verinag, Kashmir.
<i>neriella</i> Sacc. ...	<i>Nerium odoratum</i> ...	Pusa; Kirkee, Poona; Dehra Dun; Janakpur, Bihar.
<i>Nicotianae</i> Ell. et Ev.	<i>Nicotiana Tabacum</i> ...	Rangpur; Pusa; Peth, Bombay; Shehadpur, Darbhanga; Patansongae, C. P.
<i>Oryzae</i> Miyake ...	<i>Oryza sativa</i> ...	Hmawbi Farm, Burma.
<i>pantoleuca</i> Syd. ...	<i>Clitoria ternatea</i> ...	Coimbatore, Madras.
<i>Patouillardii</i> Sacc. et D. Sacc.	<i>Calotropis gigantea</i> ...	Lahore.
	<i>Calotropis procera</i> ...	Lahore, Punjab
<i>personata</i> (B. & C.) Ellis. (Septogloeum Arachidis Racib.)	<i>Arachis hypogaea</i> ...	Govt. Farm, Poona; Ranchi; Cuttack Farm; Pusa; Manila; Myingyan, Burma; Shillong Farm; Nagpur, C. P.; Manjri, Bombay.

Fungus.	Host.	Locality.
<i>Colletotrichum Ficus</i> Koordess. (<i>Gloeosporium Elasticæ</i> Cks. & Mass.) <i>gloeosporioides</i> Penz.	<i>Ficus elastica</i> ... Various citrus leaves and stems. <i>Citrus Aurantium</i> ... <i>Citrus medica</i> ... <i>Mangifera Indica</i> ... <i>Hibiscus esculentus</i> ... <i>Canavalia ensiformis</i> ...	Mandalay, Burma; Maymyo, Burma; Pusa. Gujranwala; Pusa; Poona. Pusa; Nagpur, C. P.; Nasik, Bombay; Arbhavi, Belgaum, Bombay. Pusa Pachmari, C. P. Rio Piedras, Porto Rico. Nadiad Farm, Bombay. Pusa.
<i>Hibisci Pollacii</i> . <i>Lindemuthianum</i> (Sacc. et Magn.) Br. & Cav.	<i>Dolichos Lablab</i> ... <i>Phaseolus vulgaris</i> ... <i>Vicia Faba</i> ... <i>Vigna Catjang</i> ...	Poona, Bombay; Mandalay, Burma; Pusa; Dharwar Farm. Dehra Dun. Saharanpur, U. P. Dacca Farm.
<i>Lincola Corda.</i> ...	<i>Andropogon halepense</i> ... <i>Andropogon Sorghum</i> ...	Lyallpur; Ranchi Farm; Harwan, Kashmir. Yelwaj, Mysore; Malda, Bengal; Burdwan, Bengal; Yelvigi, Dharwar; Hoshiarpur; Dehra Dun; Mandalay, Burma; Pusa; Poona; Siripur, Hathwa; Garhin, Kashmir; Madras; Hassan, Mysore; Surat, Bombay.
<i>Malvarum</i> (Br. & Casp.) South. <i>Mangiferae</i> Butl. ...	<i>Sida spinosa</i> ... <i>Mangifera Indica</i> ...	Dacca Farm. Moulmein, Burma; Maymyo, Burma; Birbhum, Bengal.
<i>Melongenae</i> Butl. ... <i>nigrum</i> Ell. et Hals	<i>Solanum Melongena</i> ... <i>Capsicum sp.</i> ... <i>Capsicum annuum</i> ... <i>Piper nigrum</i> ...	Sibpur, Bergal. Kavaksi, Burma. Patory, Darbhanga; Saharanpur. Madras.
<i>phomoides</i> Sacc. ... <i>Coltricia benguetensis</i> Murr.	<i>Solanum Melongena</i> ... <i>Pinus insularis</i> ...	Pusa. Benguet, Luzon, Philippine Islands.
<i>Comstricha suksdorfii</i> Ellis <i>Coniophora arida</i> (Fr.) Cooke ...	<i>Morus</i> On wood (Pine?) ...	Iowa City, U. S. A. Pusa. Dehra Dun.
<i>Coniosporium Arundinis</i> (Corda.) Sacc.	<i>Arundo Donax versicolor</i> ... <i>Saccharum fuscum</i> ... <i>Phragmitis Karka</i> ... <i>Thysanolaena acarifera</i> ...	Mussoorie, U. P. Dehra Dun. Pusa. Dehra Dun.
<i>Bambusae</i> (B. & T.) Sacc. <i>punctiforme</i> Sacc. ... <i>virosum</i> (B. & C.) Sacc.	<i>Bambusa</i> ... <i>Phyllostachys bambusoides</i> ... <i>Saccharum officinarum</i> ...	Pusa; Insein, Burma. Mino, Japan. Cabancalan, Negros, Philippine Islands.
<i>Coniothecium chomatosporum</i> Corda. <i>effusum</i> Corda. ... <i>Questieri</i> Desm. ...	<i>Pyrus Malus</i> ... <i>Pinus excelsa</i> ... <i>Pyrus Malus</i> ...	Ramgarh, Kumaon; Chawai, (Kulu), Punjab. Archibal, Kashmir. Dubgaon, Kashmir.

Fungus.	Host.	Locality.
<i>Dacalia subconfragosa</i> Murr.	Nhatrang and vicinity.
<i>suberosa</i> Massee ...	Wood	Koppa, Mysore; Solebile, Mysore.
<i>tenuis</i> Berk.	Benquet, Bataan, Luzon.
<i>unicolor</i> Fr. ...	<i>Populus trichocarpa</i> ...	Missoula, Montana.
<i>Daldinia concentrica</i> (Bolt.) Ces. et De Not.	Old wood ...	Pusa; Bilin, Burma; Durbhanga; Poona; Bulsar, Bombay; Anda Tode, Wynaad; Fok How, Ootacamund; Cherrapunji, Assam; Cadiz, Negroes O.
	<i>Citrus Aurantium</i> ...	Nagpur, Central Provinces.
	<i>Dalbergia Sissoo</i> ...	Pusa.
	<i>Excoecarifera acerifolia</i> ...	Dehra Dun.
<i>Darluca Filum</i> (Biv.) Cast. ...	On Uredo of <i>Puccinia paludosa</i> Plow. on <i>Carex panicea</i> .	Schleswing-Holstein.
	<i>Panicum</i> sp. ...	Usagara.
<i>Dasyscypha bicolor</i> (Bull.) Fuck.	<i>Fagus silvatica</i> ...	Thuringen.
<i>distinguenda</i> (Karst.) Sacc.	<i>Tilia-stump</i> ...	Brandenburg.
<i>fuscescens</i> (Pers.) Rehm.	<i>Fagus silvatica</i> ...	Thuringen.
<i>pulverulenta</i> (Lib.) Sacc.	<i>Pinus sylvestris</i> Linn. ...	Brandenburg, Germany.
<i>resinifera</i> v. Holm. ...	On barked pine props. ...	Mark Brandenburg, Germany.
<i>Dematium hispidulum</i> (Pers.) Fr.	On the leaves of different grasses.	Brandenburg, Germany.
<i>Dendrodochium affine</i> Sacc.	<i>Pinus sylvestris</i> Linn. ...	Brandenburg, Germany.
<i>Dendrophoma Jasmini</i> Syd. ...	<i>Jasminum arborescens</i> ...	Pusa.
<i>vitigena</i> Sacc. ...	<i>Vitis odoratissima</i> ...	Brandenburg.
<i>Dendryphium penicillatum</i> (Corda) Fr.	<i>Papaver</i> ...	R. B. G., Calcutta.
<i>Dermatea Carpini</i> (Pezizula <i>carpinea</i> (Pers.) Tul.)	<i>Carpinus Betulus</i> ...	Yangferweide, Germany.
<i>Diachaea splendens</i> Pk. ...	Bark of some tree ...	Dehra Dun.
<i>Diaporthe ontariensis</i> Ell. et Ev.	<i>Acer nigrum</i> ...	Ontario, Canada.
<i>taxicola</i> Sacc. et Syd.	<i>Taxus baccata</i> ...	Larjeeling.
<i>tuberculosa</i> (Ell.) Sacc.	<i>Amelanchier canadensis</i> ...	Ontario, Canada.
(Euapothecia) <i>viticola</i> Nittis	<i>Vitis vinifera</i> ...	Poona, Bombay.
<i>Diatrype albo-pruinosa</i> (Schw.) Cke.	<i>Salix</i> sp. ...	N. Dakota, S. America.
var. <i>salicina</i> Rehm.		
<i>chlorosarcea</i> B. et Br. ...	<i>Bambusa</i> " ...	Tellicherry; Kanouth, Tellicherry; Palghar, Bombay.
	Dead twigs ...	Dehra Dun; Palghat, Malabar; Pullivanur, Travancore.
<i>Diderma crustaceum</i> Pk.	Iowa City.
<i>Didymella applanata</i> (Niessl) Sacc.	<i>Rubus Idaeus</i> Linn. ...	Brandenburg, Germany.
<i>Kariana</i> Sacc. ...	<i>Polygonum</i> ...	Muscorie.
<i>Didymium squamulosum</i> (Alb. et Schw.) Fr. ...	On dried grass ...	Verinag, Kashmir.
<i>Didymosphaeria striatula</i> Penz. & Sacc.	Sablang, Benguet, Luzon.
<i>Dimerina Graffi</i> Syd. ...	<i>Gmelina philippinensis</i> ...	Bataan, Luzon.
<i>Podocarpi</i> Syd. ...	<i>Podocarpus macrophyllus</i> ...	Mino, Japan.
<i>Dimerium Wattii</i> Syd. et Butl. ...	<i>Camellia Thea</i> ...	Darjeeling.

Fungus.	Host.	Locality.
<i>Fomes lucidus</i> (Leyb) Fr. ...	<i>Acacia arabica</i> ...	Sirhind Canal; Upper Chenab Canal; (Punjab).
	<i>Albizzia</i> sp. ...	Berar.
	<i>Areca Catechu</i> ...	Kanaighat, Sylhet, Assam; Hosangadi, Mysore; Haidibari, Jalpaiguri.
	<i>Cajanus indicus</i> ...	Nadiad, Bombay.
	<i>Cedrela Toona</i> ...	Kangra, Punjab.
	On the ground at the base of <i>Casuarina</i> tree. ...	R. B. G., Calcutta.
	<i>Dalbergia Sissoo</i> ...	Changa-manga, Punjab; Sirhind Canal, Punjab.
	<i>Saccharum officinarum</i>	Gardaspur, Punjab.
McGregori Bres.	Mt. Pulong, Benguet, Luzon.
<i>melanopus</i> Mont.	Batasan, Luzon.
<i>menopodes</i> var. <i>melanopodoides</i> Ck.	Cagayan, Luzon.
<i>nigricans</i> Fr. ...	<i>Betula alba</i> Linn ...	Brandenburg, Germany.
<i>Pappianus</i> Bres. ...	<i>Acacia arabica</i> ...	Baldana, Berar; Hyderabad, Sindh.
	<i>Acacia Catechu</i> ...	Berar; Jhansi.
<i>pectinatus</i> Kl.	Cagayan East Coast, Luzon.
<i>Pini</i> (Brot) Lloyd. ...	<i>Larix occidentalis</i> ...	Priest River, Idaho.
<i>podens</i> Berk. ...	On the ground, arising from roots of buried wood. ...	Wahjain, Assam.
<i>rhodophoeus</i> Lev.	Sablang Benguet, Luzon.
<i>Ribes</i> (Schum) Fr. ...	<i>Ribes Grossularia</i> ...	Brandenburg, Germany.
<i>rimosus</i> Berk.	Cagayan East Coast, Luzon; Nha-trang and Vicinity; East Kurnool District, Madras.
	<i>Morus</i> ...	Harwan, Kashmir.
	<i>Robinia pseudacacia</i> ...	Weirtown, Indiana.
<i>semilacatus</i> Berk.	Cagayan, Luzon.
<i>ungulatus</i> (Schaeff) Sacc.	Baguio Benguet, Luzon.
(<i>subungulatus</i> Murr.) ...	<i>Pinus insularis</i> ...	Baguio, Benguet, Luzon; Benguet, Luzon.
<i>williamsii</i> Murr.	Mindoro.
<i>Fuligo Ovata</i> Schaeffer. ...	<i>Bombax malabaricum</i> ...	Pusa.
(<i>Aethalium segricum</i> Andorum)	On Needles of <i>Pinus excele.</i>	Achibal, Kashmir.
<i>Fusarium heterosporum</i> Nees. ...	<i>Lolium perenne</i> ...	Thuringen, Germany.
<i>lateritium</i> Nees. ...	<i>Morus</i> ...	Dubgaon, Kashmir.
<i>Limonia</i> Brisei ...	<i>Citrus</i> ...	Pusa.
	<i>Citrus Aurantium</i> ...	Pusa; Nagpur; Chenoi, Kulu, Punjab.
	On roots of <i>Citrus Medica</i> var. <i>Limonia</i> (Lemon).	Partabgarh, United Provinces.
<i>Lini</i> Bolley... ..	<i>Linum usitatissimum</i> ...	Manjri, Bombay.
<i>Lycopersici</i> Sacc. ...	<i>Lycopersicum esculentum</i> ...	Jullandhur, Punjab; Poona, Bombay; Dacca.
<i>Pelargonii</i> Crou. ...	<i>Pelargonium Zonale</i> ...	Naini Tal, United Provinces.
<i>roseum</i> Link ...	<i>Lupinus mutabilis</i> ...	Dahlem, Germany.
	<i>Panicum javanicum</i> ...	Ranchi.
	<i>Zinnia</i> ...	Victoria Gardens, Bombay.

Fungus.	Host.	Locality.
<i>Gloeosporium cylindrosporum</i> (Bon.) Sacc. Elasticæ Oke. & Massee. (Conidial stage of <i>Necozimmermannia</i> Elasticæ Koordass.)	<i>Alnus glutinosa</i> ... <i>Ficus elastica</i> ...	Brandenberg, Germany. Maymyo, Burma; Poona, Bombay Wahjain, Assam.
<i>fructigenum</i> Berk. Graffii Syd. ... intermedium Sacc. var. <i>subramulosum</i> Sacc. <i>Lindemuthianum</i> Sacc. et P. Magn.	<i>Pyrus Malus</i> ... <i>Aglaonema densinervii</i> ... <i>Citrus Aurantium</i> (Pinedica.)	Kashmir. Philippine Islands. Shillong, Assam.
<i>Mangae</i> Noack ...	<i>Phaseolus nanus</i> ... <i>Phaseolus vulgaris</i> ... <i>Mangifera indica</i> ...	Brandenburg, Germany. Dahlem, Germany. Pusa; Sabour, Bhagalpur.
<i>Manihotis</i> P. Henn. <i>Musatam</i> Cooke et Mass.	<i>Manihot utilisima</i> ... <i>Musa sapientum</i> ...	Pullianur, Travancore. Dehra Dun.
<i>paradoxum</i> (De Not) Fuck. <i>piperatum</i> E. & E. <i>Raciborskii</i> P. Henn. <i>Tabernaemontanae</i> Speg. <i>Terminaliae</i> Syd. et Butl. variable Laubert	Fruits of <i>Musa</i> ... <i>Hedera Helix</i> ... <i>Capsicum</i> ... <i>Mangifera indica</i> ... <i>Tabernaemontana</i> Wallichii. <i>Terminalia Catappa</i> .. <i>Ribes alpinum</i> Linn ... <i>Gossypium</i> ...	Pusa. Harwan, Kashmir. Pusa. Dehra Dun; Bombay. Pusa. Insein, Burma. Hassen-Nassad; Germany. Amherst (Burma); Pusa.
<i>Glomerella Gossypii</i> (South) Bdg. rufo-maculans (Berk) Spauld. & Schenk.	<i>Pyrus Malus</i> ...	Ramgarh, Kumaon, U. P.
<i>Gnomonia acerina</i> Starb. ... perversa Rehm. ... <i>Gnomoniella vulgaris</i> (Ces. et De Not), Sacc. <i>Gonatobotryum maculicolum</i> (Wint.) Sacc. <i>Goniosporium puccinoides</i> (Kze.) et Schm. Lk.	<i>Acer campestre</i> Linn. ... <i>Alnus Oregona</i> ... <i>Corylus Avellana</i> ... <i>Parrottia Jacquemontiana</i> ... On dead <i>Catex</i> leaves ...	Thuringen, Germany. Bellingham, Washington. Thuringen, Germany. Harwan, Kashmir; Achhal, Kashmir. Thuringen, Germany.
<i>Graphiola applanata</i> Syd. et Butl. Borassi Syd. et Butl. ... Phoenixis (Mong) Poit	<i>Phoenix sylvestris</i> ... <i>Borassus flabellifer</i> ... On Palm ... Phoenix ... <i>Phoenix acaulis</i> ...	Dehra Gopipur, Harwar, Punjab Sarat. Kalanka, Cocoanada, Madras Pusa; Madras; Arrah, Bihar Bezwaia; Bombay; Godagari Bengal; Suri, Birbham, Bengal. Bombay. Raipur, C. P.; Bins, C. P. Kumaon.

Fungus.	Host.	Locality.
<i>Helminthosporium calicioides</i> B et Br.	<i>Erythrina</i> ...	Tellicherry, Madras.
<i>flagelloideum</i> Atk.	<i>Panicum</i> ...	Pusa.
<i>gigasporum</i> B. & Br.	<i>Hedelia biflora</i> ...	Cabancalan, Negros.
<i>gramineum</i> Rabh.	<i>Hordeum vulgare</i> ...	Dehra Dun ; Orai, U. P. ; Pusa ; Taru, Peshawar ; Agra.
<i>macrocarpum</i> Grav.	<i>Tilia platyphylloides</i> ...	Brandenburg.
<i>nodulosum</i> B. & C.	<i>Eleusine aegyptiaca</i> ...	Pusa.
	<i>Eleusine coracana</i> ...	Wynaad, Madras ; Pusa ; Coim- batore ; Chota Nagpur ; Almora, Kumaon.
<i>obclavatum</i> Sacc.	Dead stem ...	Pusa, Mussoorie, U. P.
<i>Oryzae</i> Miyabe and Hori	<i>Oryza sativa</i> ...	Maldah, Bengal ; Pusa.
<i>ravenelii</i> B. & C.	<i>Sporobolus elongatus</i> ...	Benguet, Luzon.
<i>Sacchari</i> Butl.	<i>Saccharum officinarum</i> ...	Pusa.
<i>sativum</i> (P.) K. & B.	<i>Triticum vulgare</i> ...	Pusa.
<i>teres</i> Sacc. ...	<i>Hordeum vulgare</i> ...	Pusa ; Chamta, Monghyr.
<i>turcicum</i> Pass.	<i>Sorghum vulgare</i> ...	Lyallpur ; Amritsar.
	<i>Zea Mays</i> ...	Pusa ; Kelgari Farm, Dharwar ; Maldah, Bengal ; Pareik, Man- dalay, Burma.
<i>Helotium citrinum</i> (Hedw) Fr. ...	<i>Robinia Pseudacacia</i> ...	Brandenburg, Germany.
<i>conformatum</i> Karst. ...	<i>Quercus pedunculata</i> Ehrh.	Brandenburg, Germany.
<i>conscriptum</i> Karst. (var. <i>oblong-sporum</i> Rehm.)	<i>Salix cinerea</i> Linn. ...	Mark Brandenburg, Germany.
<i>epiphyllum</i> (Pers) - Fr. var. <i>minus</i> .	<i>Fagus silvatica</i> ...	Harz.
<i>Humuli</i> (Lasch) De Not.	<i>Humulus Lupulus</i> ...	Brandenburg, Germany.
<i>imberbe</i> (Bull.) Fr. ...	On twigs of <i>Quercus sessiliflora</i> Salisb.	Brandenburg, Germany.
<i>salicellum</i> Fries ...	<i>Salix vitellina</i> ...	Brandenburg, Germany.
<i>virgultorum</i> (Vahl) Karst.	<i>Corylus Avellana</i> Linn ...	Brandenburg, Germany.
<i>Helvella crispa</i> (Scoop) Fr. ...	Ground ...	Achibal, Kashmir ; Simla.
<i>Hemileia Canthii</i> B. et Br. ...	<i>Canthium parviflorum</i> Schlecht. (<i>Randia malabarica</i> Lam.)	Yelwal, Mysore.
	<i>Canthium Rheedii</i> ...	Bombay.
	<i>Electronia peduncularis</i> ...	San Pedro, Macati, Rizal, Luzon.
<i>Holarrhenae</i> Syd. ...	<i>Holarrhena antidysenterica</i> ...	Dapoli, Bombay ; Sitakund, Chit- tagong ; Syndai, K. & J. Hills, Assam.
<i>vastatrix</i> B. et Br. ...	<i>Coffea</i> sp. ...	Bontoc, Luzon ; Polybetta, Coorg.
	<i>Coffea arabica</i> ...	Tellicherry, Madras ; Nagalur, Sheveroy Hills, Madras ; Bar- guat, Hassan ; Siddrabunna ; Sirai, Bombay.

Fungus.	Host.	Locality.
<i>pusillum</i> Batsch. ...	Ground ...	Dehra Dun.
<i>Wrightii</i> B. & C.	N. Dakota.
(<i>Fr. Wrightii</i> Berk.)	On the ground ...	Dehra Dun.
<i>Lysurus Australiensis</i> C. & M. ...	On the ground ...	Dehra Dun.
<i>Macrophoma Boussingaultiae</i> Syd. et. Butl. ...	<i>Boussingaultia baselloides</i> ...	Kistna Dist., Madras.
<i>Cajani</i> Syd. et. Butl. ...	<i>Cajanus indicus</i> ...	Pusa.
<i>Caryotae</i> Syd. ...	<i>Caryota</i> ...	Poona, Bombay.
<i>Calophylli</i> Syd. ...	<i>Calophyllum inophyllum</i> ...	Kistna Dist., Madras.
<i>celastrina</i> Died. ...	<i>Celastrus</i> ...	Pusa.
<i>Coronillae</i> (Desm.) Neger. ...	<i>Asphondylia Mayeri</i> ...	Sachsen, Germany.
<i>Dianthi Gabotto</i> ...	<i>Sarothamnus scoparius</i> ...	Sachsen, Germany.
<i>Mirbelii</i> (Tr.) Berl. et Vogl. ...	<i>Dianthus</i> ...	Bangalore.
<i>Musae</i> (Cke) Berl. & Vogl. ...	<i>Buxus arborescens</i> ...	Brandenburg, Germany.
	<i>Musa sapientum</i> ...	Pusa ; Coimbatore, Madras
		Dehra Dun ; Tellicherry, Madras
		Savanur, Dharwar, Bombay
		Insein, Burma ; Suri, Birbhum
<i>phaeocolina</i> F. Tassi ...	<i>Vigna Catjang</i> ...	Pusa.
<i>piperina</i> Syd. ...	<i>Piper nigrum</i> ...	Kanaigbat, Sylhet, Assam.
<i>syceophila</i> (Mass.) Sacc. et D. Sacc. ...	<i>Ficus religiosa</i> ...	Narpur, Kangra, Punjab.
<i>Macrosporium Brassicae</i> Berk. ...	<i>Brassica oleracea</i> ...	Harwan, Kashmir.
<i>cladosporioides</i> Desm. ...	<i>Allium Cepa</i> ...	Govt. Garden, Saharanpur.
<i>culmorum</i> Cke. & Harkn. ...	<i>Sorghum vulgare</i> ...	Orai, U. P.
<i>Lycopersici</i> Plowr. ...	<i>Lycopersicon esculentum</i> ...	Pusa.
<i>Symplocarpi</i> Syd. ...	<i>Symplocarpus foetidus</i> ...	Sapporo, Japan.
<i>tabacinum</i> Ell. & Ev. ...	<i>Nicotiana Tabacum</i> ...	Pusa.
<i>Marasmius congregatus</i> Mont.	Peradeniya, Ceylon.
<i>sarmentosus</i> Berk. ...	<i>Shorea robusta</i> ...	Parasnath, Bengal ; Saili, Dusa
		Assam.
<i>Marsonia acerina</i> (West) Bres. ...	<i>Acer Pseudoplatanus</i> ...	Bayern.
<i>Betulae</i> (Lib.) Sacc. ...	<i>Betula alba</i> Linn. ...	Brandenburg, Germany.
<i>Coronariae</i> Sacc. et Dearn. ...	<i>Pyrus coronaria</i> ...	Ontario, Canada.
<i>Juglandis</i> (Lib.) Sacc. ...	<i>Juglans cinerea</i> ...	Brandenburg, Germany.
	<i>Juglans regia</i> ...	Achibal, Kashmir.
<i>nigricans</i> Ell. et Ever ...	<i>Saxx alba</i> ...	Harwan, Kashmir.
<i>Populi</i> (Lib.) Sacc. ...	<i>Populus tremuloides</i> ...	Darby, Montana ; Missoula, Mo
		tana.
<i>Rosae</i> (Bonord) Br. & Cav. (<i>Actinonema Rosae</i>). ...	<i>Rosa</i> ...	Ranchi ; Mymyo, Burma ; Kol
		Gold Mines, Mysore.
<i>Massaria marginata</i> Fuck ...	<i>Rosa</i> ...	Harwan, Kashmir.
<i>Massarina usambarensis</i> (P. Henn) V. Hohnel. ...	Dead stem ...	Chaumuhani, Noakhali, Bengal.
	<i>Feronia elephantum</i> ...	Chittagong, Bengal.
	<i>Citrus Aurantium</i> ...	Moulmein, Burma.
	<i>Mangifera indica</i> ...	Chittagong, Bengal.
<i>Mastigosporium album</i> Riess ...	<i>Alopecurus pratensis</i> ...	Thuringen, Germany.
	<i>Dactylis glomerata</i> Linn. ...	Hessen-Nassau, Germany.
	<i>Calamagrostis Epigejos</i> Roth. ...	Brandenburg, Germany.

Fungus.	Host.	Locality.
<i>lamproa acidioides</i> (DC.) Schroet.	<i>Populus alba</i> ...	Schlesien.
<i>albertensis</i> Arth. ...	<i>Pseudotsuga taxifolia</i> ...	Darby, Montana.
<i>Albi-Salici-albae</i> Kleb.	<i>Salix alba</i> ...	Suket, Punjab.
<i>arctica</i> Rostr. ...	<i>Salix Fendleriana</i> ...	Sumpter, Oregon.
<i>Bigelowii</i> Thuem. ...	<i>Salix lasiandra</i> ...	America, Bor.
<i>cingens</i> Syd. ...	<i>Bridelia tomentosa</i> ...	Guimaras Island.
<i>ciliata</i> Borel.	<i>Populus ciliata</i> ...	Dubgaon, Kashmir.
<i>epitea</i> (Kunz. & Sch.) Thum. (Salicis) Caprae (Pers.) Barclay).	<i>Salix sp.</i> ...	Harwan, Kashmir.
<i>Euphorbiae-dulcis</i> Oth.	<i>Salix tetrasperma</i> ... <i>Euphorbia virgata</i> ...	Ranikhet, Kumaon ; Mussoorie. Brandenberg, Germany.
<i>Euphorbiae-Peppli</i> W. Muller ...	<i>Euphorbia Peplus</i> ...	Brandenberg, Germany.
<i>farinosa</i> (Pers.) Schroet.	<i>Salix sp.</i> ... <i>Salix tetrasperma</i> ...	Srinagar, Kashmir. Bageshwar, Kumaon ; Hangu, Kohat.
<i>Gelmii</i> Bresad. ...	<i>Euphorbia dendroides</i> ..	Mallorca.
<i>Helioscopiae</i> (Pers.) Cast.	<i>Euphorbia dracunculoides</i>	Pusa ; Lyallpur ; Sabour.
	<i>Euphorbia helioscopia</i> ...	Indora ; Nurpur, Kangra, Punjab ; Batala ; Gurdaspur, Punjab ; Lahore ; Tarnab Farm, Peshwar.
	<i>Euphorbia pilosa</i> ...	Ranikhet, Kumaon ; Mussoorie ; Dharumghar, Kumaon ; S me- swar, Kumaon ; Harwan, Kash- mir.
	<i>Euphorbia Rothiana</i> ...	Mahableshwar, Bombay.
	<i>Euphorbia Thyrsoides</i> ...	Harwan, Kashmir.
<i>Hypericum</i> (DC.) Schroet.	<i>Hypericum Androsaemum</i> Linn. (<i>Androsaemum officinale</i> All.)	Gallia. Gallia.
<i>Ilexiae</i> Miyabe ...	<i>Ilexia polycarpa</i> ...	Japan.
<i>Linii</i> (DC.) Tul. ...	<i>Linum usitatissimum</i> ...	Khwang, Sopor, Kashmir ; Pusa ; Noakhali ; Jubbulpur ; Dohad Farm ; Saharanpur.
<i>Medusae</i> Thum. ...	<i>Populus trichocarpa</i> ...	Darby, Montana.
<i>populina</i> (Jacq.) Lev.	<i>Populus nigra</i> ...	Dahlem, Germany.
<i>Ricini</i> (Biv.-Bern) Pass.	<i>Ricinus communis</i> ...	Poona ; Nagpur, C. P. ; Dharwar Farm, Bombay ; Coimbatore, Madras.
<i>Saxifragarum</i> (DC.) Schroet.	<i>Saxifraga granulata</i> ...	Brandenburg, Germany.
<i>Yoshinagai</i> P. Henn.	<i>Wikstroemia canescens</i> ...	Verinag, Kashmir ; Mussoorie.
<i>apocorella</i> Blechni Syd. ...	<i>Blechnum Spicant</i> Rth ...	Helvetia.
<i>Caryophyllacearum</i> (DC.) Schroet.	<i>Abies alba</i> Mill. ...	Bavaria.
<i>Cernatii</i> (Pers.) Schroet.	<i>Abies pectinata</i> ...	Germany.
<i>Disteliana</i> Syd. ...	<i>Polypodium vulgare</i> ...	Gallia.

Fungus.	Host.	Locality.
<i>Melampsorella elatina</i> (A. & S.) Arth. (Peridermium elatinum S. & K.) Ricini Biv.-Bern	<i>Abies lasiocarpa</i> ...	Coolin, Idaho.
<i>Melampsoridium Betulae</i> (Schum)	<i>Ricinus communis</i> ...	Poona, Bombay.
Diet.	<i>Betula occidentalis</i> ...	Priest River, Idaho.
<i>Melampsoropsis Pyrolae</i> (DC.)	<i>Pyrola secunda</i> ...	Evarto, Montana.
Arth.		
<i>Melanconium Sacchari</i> Masse ...	<i>Saccharum</i> sp. ...	Singanallur, Coimbatore, Madras.
	<i>Saccharum officinarum</i> ...	Pusa; Jorhat Farm, Bihar; Cherrry, Malabar, Madras; Bagah Estate, Saran; Bilin, Thurma; Dacca.
<i>Trichosphaeria Sacchari</i> (Masse.)	<i>Saccharum officinarum</i> ...	Siraba, Champaran; Bihar.
<i>Melanogaster durissimus</i> Cke	Simla.
<i>Melanomma citricola</i> Syd. et Butl.	<i>Citrus medica</i> ...	Chittagong, Bengal.
<i>glumarum</i> Miyake ...	<i>Oryza sativa</i> ...	Chittagong, Bengal.
<i>Melanopsichium austro-americanum</i> (Speg.) G. Reek.	<i>Polygonum alatum</i> ...	Ootacamund.
	<i>Polygonum chinense</i> ...	Takvar, Darjeeling.
<i>Melanospora parasitica</i> Tul. ...	<i>Polygonum glabrum</i> ...	Pusa; Lahore.
<i>Zamia</i> Corda ...	<i>Coffea arabica</i> ...	Mysore.
<i>Melasma Cudrariae</i> Mass. (Hy-menopsis Cudrariae Mass. Sclerodiscus nitens Pat.)	<i>Oryza sativa</i> ...	Noakhali, Bengal.
<i>Empetrum</i> P. Magn. ...	<i>Cudrania javanensis</i> ...	Dehra Dun Tonkin. Synd & J. Hills, Assam.
<i>Lonicera</i> Jacz. ...		
<i>Meliola Abietis</i> (Cke.) Sacc. ...	<i>Empetrum nigrum</i> ...	Schleswig-Holstein, Germany.
<i>alstoniae</i> Koord. ...	<i>Lonicera purpurascens</i> ...	Sikkim, Himalaya.
<i>amphitricha</i> Fr. ...	<i>Abies grandis</i> ...	Washington.
	<i>Alstonia scholaris</i> ...	Sablang, Benguet, Luzon.
	<i>Olea</i> ...	Kasouth, Tellicherry, Madras.
	<i>Sapindus saponaria</i> ...	Calanan, Laguna, Luzon.
	<i>Terminalia Cattappa</i> ...	Wynnad, Malabar, Madras.
	<i>Zanthoxylum vulifolium</i> ...	Talguppa, Mysore.
<i>asterinoides</i> Wint. ...	<i>Canthium umbellatum</i> ...	Matheran, Bombay.
var. <i>major</i> Gail.		
<i>bicornis</i> Wint. ...	<i>Webera corymbosa</i> ...	Bilikere, Mysore.
Butleri Syd. ...	<i>Desmodium</i> ...	Bassein, Burma.
	<i>Citrus</i> ...	Dhalghat, Chittagong, Bengal.
	<i>Citrus decumana</i> ...	Kya-in, Amherst, Burma.
	<i>Citrus medica</i> var. <i>acida</i> ...	Chittagong, Bengal.
<i>Camelliae</i> (Catt.) Sacc. ...	<i>Citrus</i> ...	Pusa; Dehra Dun.
<i>cladotricha</i> Lev. ...	<i>Eugenia Jambolana</i> ...	Cottamunda, Wynnad.
	<i>Coriaceous leaves</i> ...	Kya-in, Amherst, Burma.
<i>clavulata</i> Wint. ...	<i>Argyrea hirsuta</i> ...	Balehonnur, Mysore.
	<i>Ipomoea</i> ...	Tellicherry, Madras; Pulli Travancore.
<i>Clerodendricola</i> P. Henn.	<i>Clerodendron infortunatum</i> ...	Chaumuhani, Noakhali.
<i>Diospyri</i> Syd. ...	<i>Diospyros montana</i> ...	Sidrabunna, Koppa, Mysore.
<i>geniculata</i> Syd. et Butl.	<i>Odina Wodier.</i> ...	Pulliyavur, Travancore.
<i>indica</i> Syd. ...	<i>Barringtonia acutangula</i> ...	Dacca.
<i>jasminicola</i> P. Henn.	<i>Jasminum</i> ...	Matheran, Bombay; Burma.
	<i>Jasminum malabaricum</i> ...	Sirsi, N. Canara, Bombay.

Fungus.	Host.	Locality.
<i>Mycesphaerella Alocasiae</i> Syd. ...	<i>Alocasia indica</i> ...	Philippine Islds.
<i>bambusifolia</i>		
Miyake et Hara	<i>Phyllostachya reticulata</i> ...	Mino, Japan.
<i>Fragariae</i> (Tul.)	<i>Fragaria Vesca</i> ...	Solon, Punjab.
Lind.		
<i>Roureae</i> Syd.	<i>Rourea erecta</i> ...	Bataan, Luzon.
<i>Mykosyrinx arabica</i> (P. Henn.)		
Penz. ...	<i>Vitis quadrangularis</i> ...	Coimbatore, Madras.
<i>Myliitta lapidescens</i> Horan. ...	On dead wood ...	Droog Nilgiris, Madras.
	On the ground ...	Droog Nilgiris, Madras.
<i>Myriangium Durieui</i> Mont. et Berk. ...	<i>Dalbergia Sissoo</i> ...	Pusa.
<i>Myxosporium Rosae</i> Fock. ...	<i>Rosa</i> ...	Pusa.
<i>Naemacyclus nivens</i> (Pers.) Sacc.	<i>Pinus contorta</i> ...	Evato, Montana.
<i>Naevia pusilla</i> (Lib.) Rehm. ...	<i>Juncus balticus</i> ...	Schleswig-Holstein, Germany.
	<i>Juncus effusus</i> ...	Schleswig-Holstein, Germany.
<i>tithymalina</i> (Kunze) Rehm.	<i>Euphorbia Cyparissias</i> ...	Brandenburg, Germany.
<i>Napioladium Crataevae</i> Syd. ...	<i>Crataeva religiosa</i> ...	Government Farm, Coimbatore.
<i>Nectria Bolbophylli</i> P. Henn. ...	<i>Cajanus indicus</i> ...	Dehra Dun.
	<i>Capsicum annuum</i> ...	Dacca.
	<i>Cocos nucifera</i> ...	Pulliyannur, Travancore.
	<i>Oryza sativa</i> ...	Chittagong; Insein, Burma.
	<i>Piper Betle</i> ...	Shiggaon, Bombay.
	<i>Piper nigrum</i> ...	Cadmaney, Est.; Mysore; Vay.
		Auca Tode (Wynaad); T.
		paramba Farm, Madras.
<i>cinnabarina</i> (Tode) Fr. ...	<i>Camellia Thea</i> ...	N. E. India.
	<i>Populus ciliata</i> ...	Harwan, Kashmir; Veri
		Kashmir.
	<i>Prunus armeniaca</i> ...	Achibal, Kashmir.
	<i>Pyrus communis</i> ...	Lansdowne, U. P.
<i>diversispora</i> Petch ...	<i>Hevea brasiliensis</i> ...	Mergui, Burma.
<i>heterosperma</i> Kalch. et Cke. ...		
	<i>Citrus Aurantium</i> ...	Sagaing, Burma.
	<i>Citrus twigs</i> ...	Jailong, Sylhet, Assam.
	Dead wood ...	Dehra Dun; Pusa.
<i>tjibodensis</i> Penz. et Sacc.	<i>Guazuma tomentosa</i> ...	Pusa.
<i>verrucosa</i> (Schw.) Sacc. ...	<i>Morus rubra</i> ...	Ontario, Canada.
<i>Neobardleya natalensis</i> Syd. ...	<i>Eugenia Heyneana</i> ...	Poona, Bombay.
	<i>Eugenia Jambolana</i> ...	Droog, Nilgiris, Madras.
<i>Neocosmospora vasinfecta</i> Smith	<i>Cajanus indicus</i> ...	Pusa.
	<i>Cicer arietinum</i> ...	Bannu, N. W. F. Prov.; P.
		Coimbatore, Madras.
	<i>Crotalaria juncea</i> ...	Samalkota; Pusa.
	<i>Cyamopsis psoralioides</i> ...	Pusa.
	<i>Dolichos biflorus</i> ...	Pusa.
	<i>Dolichos Lablab</i> ...	Pusa.
	<i>Gossypium</i> ...	Nagpur, C. P.
	<i>Gossypium sp. abasshi</i>	Mirpur Khas, Sind.
	<i>variety.</i>	
	<i>Indigofera</i> ...	Moniarh, Saran.
	<i>Indigofera arrecta</i> ...	Pusa.
	<i>Indigofera sumatrana</i> ...	Bettiah, Bihar.
	<i>Saccharum officinarum</i> ...	Pusa.
	<i>Vigna Catjang</i> ...	Rajshahi Farm.
	<i>Zingiber officinale</i> ...	Nilphamari, Rangpur.
<i>Neopeckia Coulteri</i> (Pk.) Sacc. ...	<i>Pinus monticola</i> ...	Idaho, U. S. A.
<i>Nyctera Callunae</i> Syd. ...	<i>Calluna vulgaris</i> ...	Schleswig-Holstein, Germany.

Fungus.	Host.	Locality.
<i>Ophiobolus nipae</i> P. Henn. ...	<i>Nipa fruticans</i> ...	Bago, Negros.
<i>Oryzae</i> Miyake ...	<i>Oryza sativa</i> ...	Noakhali, E. Bengal.
<i>porphyrogonus</i> (Tode.) Sacc. ...	<i>Vigna Catjang</i> ...	Pullianur, Travancore.
<i>Ophiodothis paspali</i> P. Henn. ...	<i>Paspalum</i> sp. ...	Manila and Vicinity, Luzon.
<i>sclerotica</i> (Pat.) P. Henn. ...	<i>Andropogon contortus</i> ...	Belgaum; Charodi, (Bombay.)
<i>vorax</i> (B. et C.) Sacc. ...	<i>Andropogon Nardus</i> ...	Kondapetta, Kistna, Madras.
(var. <i>pilulaeformis</i> (B. et C.) Sacc.) ...	<i>Andropogon Schoenanthus</i> ...	Erramacella, Wynaad.
<i>Orbilia lasia</i> (B. et Br.) Sacc. ...	<i>Apluda aristata</i> ...	Vayitri, Wynaad.
<i>Otidea onotica</i> (Pers.) Fuck ...	<i>Panicum sp.</i> ...	Dehra Dun.
<i>Ovaria obliqua</i> (Cke.) Oud. ...	<i>Panicum distachyum</i> ...	Bangalore.
<i>veronicae</i> (Fuck.) Sacc. ...	<i>Panicum prostratum</i> ...	Coimbatore.
<i>Paapalopsis deformans</i> Syd. ...	<i>Panicum prostratum</i> ...	Kistna Dist, Madras.
<i>Panaculus campanulatus</i> Lev. ...	<i>Pyrus Malus Lima</i> ...	Brandenburg, Germany.
<i>Panus ochraceus</i> Massce ...	Ground ...	Priest River, Idaho.
<i>rudis</i> Fr. ...	<i>Rumex</i> sp. ...	Dahlem.
<i>torulosus</i> Fr. ...	<i>Veronica agrestis</i> Linn. ...	Thuringen, Germany.
<i>Papulopora sepeonioides</i> Preuss. ...	In the anthers of <i>Rubus</i> sp. ...	Thuringen, Germany.
<i>Paranthostomella Capparidis</i> Syd. et Butl. ...	Grass lands ...	Manila.
	<i>Fasciculate</i> on dead wood ...	Dehra Dun.
	Old wood ...	Pollok Harbor, Mindanao.
	<i>Camillia Thea</i> ...	Dehra Dun.
	<i>Capparis</i> sp. ...	Tezpur, Dist. Darjeeling.
	<i>Capparis spinosa</i> var. <i>leucophylla</i> ...	Khulna; Pusa; Poona, Bombay.
<i>Parodiella perisporioides</i> (B. & C.) Sacc. ...	<i>Crotalaria filipes</i> ...	Pusa.
<i>grammodes</i> (Ke.) Cke. ...	<i>Crotalaria Leschenaultii</i> ...	Koondapur, S. Canara, Madras.
<i>perisporioides</i> (B. & C.) Speg. ...	<i>Desmodium</i> ...	Lampdon's peak, Coimbatore.
	<i>Desmodium triflorum</i> ...	Dehra Dun.
	<i>Desmodium rufescens</i> ...	Manila and Vicinity, Luzon.
	<i>Indigofera</i> ...	Taliparamba, N. Malabar; Sikkim, Nagpur.
	<i>Indigofera trifoliata</i> ...	Wahjain, Assam.
	<i>Medicago lupulina</i> ...	Deolali, Bombay.
<i>Pellicularia Koleroga</i> Cke. ...	<i>Coffea arabica</i> ...	Kondapalli, Kistna, Madras.
	<i>Coffea liberica</i> ...	Bassein, Bombay.
<i>Penicillium glaucum</i> Link. ...	Crude Lac ...	Dehra Dun.
<i>olivaceum</i> Wehm. ...	<i>Citrus Aurantium</i> ...	Koppa, Mysore; Barguni Estate, Sakiespur, Mysore.
<i>Peniophora carnosia</i> Burt. ...	<i>Thuja plicata</i> ...	Dauracherra, Sylhet, Assam.
<i>crassa</i> Burt. ...	<i>Pinus monticola</i> ...	Pusa.
<i>glebulosa</i> Brea. ...	<i>Thuja plicata</i> ...	Tirhoot.
<i>gigantea</i> (Fr.) Karst. ...	<i>Pinus sylvestris</i> Linn. ...	Priest River, Idaho.
<i>Periconiella velutina</i> (Wint.) Sacc. ...	<i>Brabeum stellatifolium</i> ...	Priest River, Idaho.
<i>Peridermium brevius</i> Bara. (Aecidium brevius Bara.) ...	<i>Pinus excelsa</i> ...	Priest River, Idaho.
<i>Cedri</i> Bara. ...	<i>Cedrus Deodara</i> ...	Brandenburg, Germany.
<i>complanatum</i> Bara. ...	<i>Pinus excelsa</i> ...	Africa.
		Chakrata; Mussooria.
		Kathiyau Jaunsar; Kulu, Punjab.
		Kulu, Punjab.

Fungus.	Host.	Locality.
<i>Peronospora parasitica</i> (Pers.) De By.	<i>Eruca sativa</i> ...	Pusa.
	<i>Raphanus sativus</i> ...	Dehra Dun.
	<i>Sisymbrium Irio L.</i> ...	Tarnab Farm, Peshawar.
<i>Potentillae</i> De Bary....	<i>Potentilla sterilis</i> ...	Thuringen, Germany.
<i>Rumicis</i> Cda. ...	<i>Rumex vesicarius</i> ...	Ranibennur, Bombay.
<i>Trifoliorum</i> De By. ...	<i>Glycine hispida</i> ...	Bij Behara, Kashmir.
	<i>Medicago denticulata</i> ...	Lyallpur, Punjab.
	<i>Medicago lupulina</i> ...	Dehra Dun ; Pusa.
	<i>Medicago sativa</i> ...	Sargodha, Panjab.
	<i>Melilotus albus</i> Desr. ...	Brandenburg, Germany.
	<i>Melilotus alba</i> ...	Pusa.
	<i>Melilotus indica</i> ...	Lyallpur ; Pusa.
<i>Viciae</i> (Berk.) de Bary.	<i>Melilotus parviflora</i> ...	Jullandhar ; Gujranwala.
	<i>Lathyrus sativus</i> ...	Lyallpur ; Cawnpore ; Orsi, U. I.
	<i>Pisum arvense</i> ...	Pusa.
	<i>Pisum sativum</i> ...	Pusa.
	<i>Trigonella polycerata</i> ...	Jullandhar.
<i>viticola</i> de By. ...	<i>Vicia hirsuta</i> ...	Pusa.
	<i>Vitis vinifera</i> ...	Gr. Lichterfelde.
<i>Pestalozzia depazeoides</i> Oth. ...	<i>Rosa moschata</i> ...	Achibal, Kashmir.
<i>funerea</i> Desm. ...	<i>Cunninghamia sinensis</i> ...	Dehra Dun.
	<i>Cupressus sempervirens</i> ...	South India.
<i>funerea</i> Desm. ...	<i>Rosa</i> ...	Pusa ; Almora, Kumaon.
<i>funerea</i> (var. <i>Mangifera</i> Saco.)	<i>Mangifera indica</i> ...	Maymyo, Burma ; Pusa ; Poona ; Bombay ; Chittagong ; Dehra Dun.
<i>Guepini</i> Desm. ...	<i>Camellia Thea</i> ...	Nilgiri Hills ; Jorhat ; Bisnath Assam ; Hoogri Jan, Assam ; Bagarkote, Western Duars ; Wynad ; Mijka Jan, Assam ; Bordeobam Assam ; Gopaldbari Estate, Darjeeling ; Assam ; Balamtam, Darjeeling ; Sigr Pakri, Assam ; Negoriting, Darjeeling ; Moabund Estate Assam ; Tochlai, Assam.
	<i>Citrus decumana</i> ...	Kirke, Poona.
	<i>Rhododendron campanulatum</i> .	Banikhet, Kumaon.
<i>longi-aristata</i> Maub.	<i>Eriobotrya japonica</i> ...	Maymyo, Burma ; Pusa.
<i>Mangifera</i> Butl. ...	<i>Mangifera indica</i> ...	Dehra Dun ; Pusa ; Mandalay, Burma.
<i>Palmarum</i> Cke. ...	<i>Camellia Thea</i> ...	Peradeniya, Ceylon.
	<i>Cocos nucifera</i> ...	Tellicherry, Malabar, Madras ; Nilphamari, Rangpur ; Channuhani, Noakhali Dist. ; Polillo Islds. ; Serampur
<i>pinnarum</i> Butl. ...	<i>Palm</i> ...	Dehra Dun.
	<i>Phoenix</i> ...	Poona.
	<i>Phoenix sylvestris</i> ...	Wassi, Baasein, Bombay ; Pusa ; Jala, Darbhanga.
<i>Paidii</i> Pat. ...	<i>Paidium Guyava</i> ...	Dharwar Farm ; Mandalay, Burma.
<i>Pezizella turgidella</i> (Karst.) Saco.	<i>Carex southiformis</i> ...	Brandenburg, Germany.
<i>Phacidium lacerum</i> Fr. ...	<i>Pinus sylvestris</i> ...	Brandenburg, Germany.

Fungus.	Host.	Locality.
<i>Phacidium symplocinum</i> Syd. ...	<i>Symplocos</i> ...	Darjeeling.
<i>Phaeosphaeria Oryzae</i> Miyake ...	<i>Oryza sativa</i> ...	Jorhat Farm.
<i>Phakopsora cronartii-formis</i> (Barc.) Diet.	<i>Vitis ? himalayana</i> ...	Mussoorie.
<i>Phyllanthi</i> Diet. ...	<i>Phyllanthus distichus</i> Muell.	Kamgarh, Kumaon.
<i>Vitis</i> (Thunb.) Syd. ...	<i>Vitis Flexuosa</i> Thunb. ...	Chinnagodawalli, Godaveri, Madras; Tanjore, Madras; Palghat, Malabar, Madras; Dacca.
<i>Zizyphi-vulgaris</i> (P. Henn.) Die.	<i>Zizyphus Jujuba</i> Lam. ...	Mt. Takado near Tokyo, Japan.
<i>Phialea clavata</i> (Pers.) Gill. ...	<i>Hypericum Perforatum</i> ...	Nagpur, C. P.; Pusa; Nagb Farm, Peshawar; Birbhum, Bengal; Jalalpur, Punjab.
<i>acuum</i> (Alb. et Schw.) Rehm.	<i>Pinus Sylvestris</i> Linn. ...	Brandenburg, Germany.
<i>grisella</i> Rehm. ...	<i>Pteris aquilina</i> ...	Brandenburg, Germany.
<i>incertella</i> Rehm. ...	<i>Koeleria Ciliata</i> ...	Mecklenberg, Germany.
<i>turbinata</i> Syd. ...	<i>Kanunculus</i> sp. ...	Thuringen, Germany.
<i>Phlebia reflexa</i> Berk. ...	Old wood ...	Heasen-Nassau, Germany.
(<i>Auricularia</i> Butleri Massee).		Gumagan River, Negros.
<i>Phleospora Jaapiana</i> P. Magn. ...	<i>Statice Limonium</i> ...	Deira Dun.
<i>Mori</i> (Lev.) Sacc. ...	<i>Morus alba</i> ...	Schleswig-Holstein.
<i>Phoma Ampelocarpa</i> Pass. ...	<i>Vitis vinifera</i> ...	Dubgaon, Kashmir.
<i>Casuarinae</i> F. Tassi. ...	<i>Casuarina</i> sp. ...	Achibal, Kashmir.
<i>Fourcroyae</i> Thunb. ...	<i>Fourcroya Gigantea</i> ...	Karwar.
<i>glumarum</i> Ell. et Try. ...	<i>Oryza Sativa</i> ...	Shillong, Assam; Wahjain, Assam.
<i>hysterella</i> Sacc. ...	<i>Taxus baccata</i> Linn. ...	Kirkee, Poona; Dharwar, Bombay; Dumaraon; Hmawbi Farm; Achibal, Kashmir.
<i>macrophoma</i> MoAlp. ...	<i>Citrus</i> ...	Brandenburg, Germany; Thuringen, Germany.
<i>nigerrima</i> Syd. ...	<i>Citrus decumana</i> ...	Nagpur.
<i>l'ardentii</i> Died. ...	<i>Citrus medica</i> var. <i>Limetta</i> ...	Nagpur.
<i>picea</i> (Pers.) Sacc. ...	<i>Rumex Acetosa</i> ...	Nagpur.
<i>pitella</i> Sacc. ...	<i>Pardenthus chinensis</i> ...	Schleswig-Holstein, Germany.
<i>Polyanthus</i> Died. ...	<i>Artemisia maritima</i> ...	Pusa.
<i>Saccharina</i> Syd. ...	On twigs of <i>Larix leptolepis</i> Hork. ...	Schleswig-Holstein.
<i>salicina</i> West ...	<i>Polyanthus tuberosa</i> ...	Brandenburg, Germany.
<i>Sambucina</i> Sacc. ...	<i>Saccharum officinarum</i> ...	Pusa.
<i>Tabifica</i> Prill ...	<i>Salix</i> ...	Pusa.
<i>verbae cola</i> (Schw.) Cke. ...	<i>Sambucus racemosa</i> ...	Harwan, Kashmir; Achibal, Kashmir.
<i>Phomatopora therophila</i> (Desm.) Sacc.	<i>Beta vulgaris</i> ...	Thuringen, Germany.
<i>Phomopsis alb ans</i> (Rob. et Desm.) Ar tii (Lasch.) Trav....	<i>Verbascum nigrum</i> ...	Tarnab Farm, Peshawar.
<i>Artabotrydis</i> Syd. ...	<i>Juncus</i> ...	Brandenburg, Germany.
<i>Cajani</i> Syd. ...	<i>Leontodon hispidus</i> ...	Luberow.
	<i>Arctium Lappa</i> ...	Schleswig-Holstein, Germany.
	<i>Artabotrys Odoratissimus</i> ...	Thuringen, Germany.
	<i>Cajanus indicus</i> ...	Poona, Bombay.
		Pusa.

Fungus.	Host.	Locality.
<i>Phomopsis Onchostoma</i> (Thuem.) V. Hoh.	<i>Robinia Pseudacacia</i> ...	Brandenberg.
<i>Pandani</i> Died. ...	<i>Pandanus</i> ...	Poona, Bombay.
<i>Pterocaryae</i> (Syd.) Diedicke.	<i>Pterocarya caucasica</i> ...	Brandenberg, Germany.
<i>subordinaria</i> (Desm.) Trav.	<i>Plantago lanceolata</i> ...	Schleswig-Holstein, Germany.
<i>Thujae</i> Diedicke ...	<i>Plantago medica</i> ...	Thuringen, Germany.
<i>Vexans</i> Hart. (Phyllosticta hortorum Speg.)	<i>Thuja occidentalis</i> ...	Bradenberg, Germany.
	<i>Solanum Melongena</i> ...	Surat, Bombay; Achibal, Kashmir; Washington, Pusa.
<i>Phragmidium albidum</i> (Kuhn.) Ludw.	<i>Rubus fruticosus</i> L. ...	Helvetia.
<i>assamense</i> Syd. ...	<i>Rubus</i> sp. ...	Gallia.
<i>Barclayi</i> Diet. ...	<i>Rubus lasiocarpus</i> ...	Shillong; Khasia Hills; (Assam).
	<i>Rubus</i> sp. ...	Achibal, Kashmir.
	<i>Rubus lasiocarpus</i> ...	Kumaon; Castle Hill Estate, Mussoorie; Harwan, Kashmir; Simla.
<i>Barnardi</i> Plowr. et Wint.	<i>Rubus parvifolius</i> L. ...	Australia.
<i>burmanicum</i> Syd.	<i>Rubus lasiocarpus</i> ...	Maymyo, Burma.
<i>Butleri</i> Syd. ...	<i>Rosa macrophylla</i> ...	Kumaon, Deoben.
<i>egenulum</i> Syd. et Butl.	<i>Rosa Beggeriana</i> ...	Harwan, Kashmir.
<i>incompletum</i> Barcl.	<i>Rosa Webbiana</i> ...	Verinag, Kashmir.
(<i>Hamaspora</i>) Korn.	<i>Rubus paniculatus</i> ...	Kumaon, Mussoorie.
(longis s i m u m Thum).	<i>Rubus</i> sp. ...	Vayitri, Wynaad, Madras; Syndai, K. and J. Hills, Assam.
<i>orientale</i> Syd. ...	<i>Rubus ellipticus</i> ...	Ranikhet, Kumaon.
<i>Potentillae</i> (Pers.) Karst.	<i>Potentilla fragarioides</i> ...	Achibal, Kashmir.
<i>Rosae-alpinae</i> (D C.) Wint.	<i>Rosa alpina</i> ...	Bayern, Elsas.
<i>Rosae-moschatae</i> Diet.	<i>Rosa</i> ...	Taru, Peshawar; Ramgarh, Kumaon; Dharampur, Punjab.
... ..	<i>Rosa centifolia</i> ...	Tarnab Farm, Peshawar.
... ..	<i>Rosa moschata</i> ...	Sabathu; Ranikhet; Mussoorie; Kherna, Kumaon; between Erki and Namoli; Beri Nag, Kumaon; Simla; Kasauli; Almora; Harwan, Kashmir.
... ..	<i>Rosa Webbiana</i> ...	Harwan, Kashmir.
<i>Rosae pimpinellifoliae</i> (Rab.) Diet.	<i>Rosa pimpinellifoliae</i> ...	Schleswig-Holstein, Germany.
<i>Rubi</i> (Pers.) Wirt.	<i>Rubus fruticosus</i> ...	Harwan, Kashmir.
<i>Speciosum</i> (Fr.) Cka.	<i>Rosa heliophylla</i> ...	N. Dakota, S. America.
<i>subcorticium</i> (Schrank) Wint.	<i>Rosa damascena</i> ...	Servia.
<i>tuberculatum</i> J. Muell.	<i>Rosa trachyphylla</i> Rac. ...	Bohemia.

Fungus.	Host.	Locality.
<i>Phyllachora fimbriatylicola</i> Speg.	<i>Fimbriatylis</i> ...	Dauracherra, Assam.
Graminis (Pers.) Fk.	<i>Fimbriatylis dichotoma</i> ...	Kanaighat, Assam.
	Cabancalan, Negros.
	<i>Andropogon</i> sp. ...	Koppa, Mysore.
	<i>Andropogon serratus</i> ...	Dehra Dun.
	<i>Andropogon triticeus</i> ...	Matheran, Bombay.
	<i>Anthistiria</i> ...	Pandra; Wynaad; Erramacolla, Wynaad; Mussoorie.
	<i>Chloris barbata</i> ...	Gimbatore.
	<i>Eleonurus hirsutus</i> ...	Hoshangabad, G. P.
	<i>Oryzopsis</i> sp. ...	Panora, Wynaad; Ranikhet, Kumaon.
	<i>Panicum</i> sp. ...	Parnoa, Wynaad.
	<i>Panicum</i> ? colonum. ...	Champaran.
	<i>Panicum patens</i> ...	Kanaighat, Assam.
	<i>Panicum ramosum</i> ...	Wahjain, Assam.
	<i>Pollinia grata</i> ...	Moulmein, Burma.
<i>Ischaemi</i> Syd. ...	<i>Ischaemum laxum</i> ...	Bilin, Thaton, Burma.
<i>Ixora</i> Thiers. et Syd. (demersa (Corda.) Sacc.).	<i>Ixora</i> sp. ...	Matheran, Bombay.
	<i>Ixora polyantha</i> ...	Matheran, Bombay.
<i>Junci</i> (Fr.) Fuck. ...	<i>Juncus conglomeratus</i> Linn.	Hessen-Nassau, Germany.
<i>Iuzonensis</i> P. Henn.	<i>Milletia</i> sp. ...	Laguna.
<i>malaharensis</i> Syd. et Butl.	<i>Bambusa</i> ...	Wynaad, Madras.
<i>permixta</i> Syd. ...	<i>Schima Wallichii</i> ...	Maymye, Burma.
<i>Podagrariae</i> (Roth.) Karst.	<i>Aegopodium Podagraria</i> Linn.	Brandenburg, Germany.
<i>Pogonatheri</i> Syd. ...	<i>Pogonatherum saccharoi-</i> deum.	Kumaon, U. P.
<i>Pongamiae</i> (B. et Br.) Petch (Pongamiae P. Henn.).	<i>Pongamia glabra</i> ...	Madras; Poona, Bombay; Coconada, Godavari; Challisser, S. Malabar; Bandra; Dharwar, Bombay.
<i>Pongamiae</i> P. Henn.	<i>Pongamia mitis</i> ...	Palawan.
<i>Rottboelliae</i> Syd. et Butl.	<i>Rottboellia exaltata</i> ...	Droog, Nilgiris, Madras.
<i>Sacchari</i> , P. Henn.	<i>Saccharum</i> ...	Cabancalan, Negros.
	<i>Saccharum officinarum</i> ...	Syndai, Assam.
	<i>Saccharum spontaneum</i> ...	Martapur, Borneo.
		Philippine Islands, Los Banos, Laguna, Luzon.
<i>Sacchari-spontanei</i> Syd. (Cyperi Rehm. var. <i>Donacis</i> Berl. et F. Sacc.	<i>Saccharum spontaneum</i> ...	Pusa, Billin, Thaton, Burma; Kottapetta, Godavari; Suri, Bir- bhum.
<i>shiraiana</i> Syd. ...	<i>Arundinaria</i> ...	Wahjain, Assam.
	<i>Bambusa</i> ...	Dapoli, Bombay.
<i>Sorghi v. Hohn.</i> ...	<i>Sorghum vulgare</i> ...	Sabour, Bihar.
<i>spissa</i> Syd. ...	<i>Dalbergia</i> ...	Syndai, K. and J. Hills, Assam.
	<i>Dalbergia Sissoo</i> ...	Pusa; Wynaad, Madras.
<i>transiens</i> Syd. et Butl.	<i>Euraya acuminata</i> ...	Kumaon, U. P.
<i>Phyllachorella Michelliae</i> Syd. ...	<i>Michelia nilagirica</i> ...	Ootacamund, Nilgiris.

Fungus.	Host.	Locality.
<i>Phyllactinia Corylea</i> (Pers.) Karst.	<i>Dalbergia Sissoo</i> ...	Dehra Dun; Poona, Bombay; Pusa; Nagpur; Siwaliks near Dehra Dun.
	<i>Indigofera Gerardiana</i> ...	Verinag, Kashmir.
	<i>Juglans regia</i> ...	Verinag, Kashmir.
	<i>Morus</i> sp. ...	Pusa.
	<i>Morus alba</i> ...	Pusa; Muzbug garden, Dubgaon Kashmir.
<i>suffulta</i> (Blent) Sacc.	<i>Pyrus communis</i> ...	Shillong.
	<i>Pyrus pashia</i> ...	Mussoorie.
	<i>Amelanchier alnifolia</i> ...	Missoula, Montana.
	<i>Fagus sylvatica</i> Linn. var. <i>atropurpurea</i> .	Brandenburg, Germany.
<i>Phyllosticta alcidis</i> Sacc. ...	<i>Populus trichocarpa</i> ...	Priest River, Idaho.
<i>Ambrosioides</i> Thum.	<i>Oenopodium album</i> ...	Mussoorie, U. P.
<i>amicta</i> Ell. et Ev. ...	<i>Arctostaphylos manzanita</i> .	Grants Pass, Oregon.
<i>Arecae</i> Died. ...	<i>Areca Catechu</i> ...	Bilin, Thaton, Burma.
<i>Artocarpina</i> Syd. et Butl.	<i>Artocarpus integrifolia</i> ...	Bomtay.
<i>Betulae</i> Oud. ...	<i>Betula occidentalis</i> ...	Lolo, Montana.
<i>Buddleiae</i> Syd. ...	<i>Buddleia</i> ...	Dehra Dun.
<i>Buteae</i> Syd. ...	<i>Butea frondosa</i> ...	Pusa.
<i>Cajani</i> Syd. ...	<i>Cajanus indicus</i> ...	Muzafferpur.
<i>Capparidicola</i> Speg.	<i>Capparis</i> ...	Burdwan, Bengal.
<i>Catappae</i> Syd. ...	<i>Terminalia Catappa</i> ...	Maymyo, Burma.
<i>Chrysanthemi</i> Ell. et Dear.	<i>Chrysanthemum</i> ...	Pusa.
<i>Clerodendri</i> Syd. et Butl.	<i>Clerodendron</i> ...	Nadiad, Bombay.
<i>Cocos</i> Cks. ...	<i>Caryota</i> ...	Dacca.
<i>codiaeicola</i> Died. ...	<i>Codiaeum</i> ...	Ganeshkhind, Poona.
<i>coffeicola</i> Speg. ...	<i>Coffea arabica</i> ...	Koppa, Mysore.
	<i>Coffea liberica</i> ...	Vayitri, Wynaad, Madras.
<i>cruenta</i> (Fr.) Kx. ...	<i>Polygonatum</i> ...	Shiskar, near Basti, Kumaon; Harwan, Kashmir.
<i>cycadina</i> Passer. ...	<i>Cycas revoluta</i> ...	Poona, Bombay; Bombay.
<i>desmodiicola</i> Died. ...	<i>Desmodium</i> ...	Mussoorie.
<i>Liedickei</i> Nubak. et Syd.	<i>Fraxinus excelsior</i> ...	Thuringen, Germany.
<i>Diospyri</i> Syd. et Butl.	<i>Dispyros Embryopteris</i> ...	Pusa.
<i>Dolichi</i> Brun. ...	<i>Dolichos biflorus</i> ...	Pusa.
<i>Eriodendri</i> Died. ...	<i>Eriodendron anfractuosum</i>	Ganeshkhind, Poona.
<i>exigua</i> Syd. ...	<i>Quercus</i> ...	Shana Odyar, Kumaon.
<i>Fraxini</i> Ell. et Mart.	<i>Fraxinus Oregona</i> ...	Grant Pass, Oregon.
<i>Gaultheriae</i> Ell. et Ev.	<i>Gaultheria shallon</i> ...	Grant Pass, Oregon.
<i>Glycini</i> Thum. ...	<i>Glycine hispida</i> ...	Verinag, Kashmir.
<i>Glycosmidis</i> Butl. ...	<i>Glycosmis pentaphylla</i> ...	Dehra Dun; Wahjain, Assam; Khulna; Pulliyannar, Travancore; Calcutta.
<i>Grewiae</i> Died. ...	<i>Grewia</i> ...	Dehra Dun.
<i>Hibisci</i> Peck. ...	<i>Hibiscus cannabinus</i> ...	Cuttack.
<i>hortorum</i> Speg. (Phomopsis vexans Hart).	<i>Solanum Melongena</i> ...	Surat, Bombay; Achibal, Kash- mir.
<i>Hoyae</i> Died. ...	<i>Hoya</i> ...	Pusa.
<i>Humuli</i> Sacc. et Speg.	<i>Humulus lupulus</i> ...	Dubgaon, Kashmir.

Fungus.	Host.	Locality.
Phyllosticta <i>Ingae—dulcis</i> Died.	<i>Inga</i> (<i>Pithecelobium</i>) <i>dulce</i> .	Cocoasada, Godavary, Madras.
<i>Ipomoeae</i> E. et Kell.	<i>Ipomoea</i> ...	Kirkee, Poona.
<i>marmorata</i> Cke. ...	<i>Mallotus philippinensis</i> ...	Dehra Dun.
<i>Miurae</i> J. Miyake. ...	<i>Oryza sativa</i> ...	Meharpur, Bengal.
<i>Persicae</i> Sacc. ...	<i>Prunus persica</i> ...	Harwan, Kashmir; Tukva Darjeeling, Bengal.
<i>phrina</i> Sacc. ...	<i>Pyrus Malus</i> (Wild apple)	Harwan, Kashmir.
<i>Pongamiae</i> Syd. ...	<i>Pyrus communis</i>	Lyallpur; Darjeeling.
<i>prunicola</i> (Opiz?) Sacc.	<i>Pongamia glabra</i> ...	Dacca, Bengal.
	<i>Prunus Armeniaca</i> ...	Achibal, Kashmir.
	<i>Prunus Avium</i> ...	Verinag, Kashmir.
	<i>Prunus communis</i> ...	Verinag, Kashmir.
<i>prunicola</i> Sacc. ...	<i>Prunus persica</i> ...	Pusa.
<i>Putranjivae</i> Syd. ...	<i>Putranjiva Roxburghii</i> ...	Pusa.
<i>religiosa</i> Syd. ...	<i>Ficus religiosa</i> ...	Poona, Bombay.
<i>rhamnigena</i> Sacc. ...	<i>Rhamnus cathartica</i> ...	Brandenburg, Germany.
<i>rhoicola</i> Ell. et Ev.	<i>Rhus toxicodendron</i> ...	Spokane, Washington.
<i>salicicola</i> Thum. ...	<i>Salix</i> ...	Priest River, Idaho.
<i>Sambuci</i> Desm. ...	<i>Sambucus glauca</i> ...	Missoula, Montana.
<i>Sesbaniae</i> Syd. ...	<i>Sesbania</i> ...	Pusa.
<i>Shiraiana</i> Syd. ...	<i>Quercus acuta</i>	Japan.
<i>Sissoc</i> Died. ...	<i>Dalbergia Sissoo</i> ...	Pusa.
<i>Sorghina</i> Sacc. ...	<i>Sorghum vulgare</i> ...	Manaparai, Trichinopoly, Madras.
<i>Symploci</i> Syd. ...	<i>Symplocos</i>	Droog, Nilgiris, Madras.
Take Miyake & Hara.	<i>Phyllostachys bambu-</i> <i>soides</i> .	Japan.
<i>Tectonae</i> Syd. et Butl.	<i>Tectona grandis</i> ...	Puttimari, Assam.
<i>Tricoloris</i> Sacc. ...	<i>Viola odorata</i> ...	Ganeshkhind, Poona.
<i>Violae</i> Desm. ...	<i>Viola odorata</i> ...	Pusa.
Phyllostictina <i>Murrayae</i> Syd. ...	<i>Murraya Koenigii</i> ...	Dehra Dun.
Physalospora <i>Calami</i> Syd. ...	<i>Calamus tenuis</i> ...	Chittagong, Bengal.
<i>Malbranchei</i> Karst.	<i>Tilia platyphylla</i> ...	Brandenburg, Germany.
<i>Piperina</i> Syd. ...	<i>Piper nigrum</i> ...	Vayitri, Wynaad, Madras.
<i>Ramosii</i> P. Henn. ...	<i>Derris</i> sp. (aff. <i>D. ellip-</i> <i>tica</i>).	Mindoro.
<i>transversalis</i> Syd. ...	<i>Cocos nucifera</i> ...	Billin, Thaton, Burma.
<i>ventricosa</i> (Dur. et Mont.) Cke. ...	<i>Ricinus communis</i> ...	Pusa.
<i>xanthocephala</i> Syd. et Butl.	<i>Cajanus indicus</i> ...	Pusa.
Physarum <i>cinereum</i> (Batsch) Pers. <i>contextum</i> Pass.	Iowa city.
<i>nefroideum</i> Rost ...	<i>Piper nigrum</i> ...	Iowa city.
<i>sinuosum</i> (Bull.) Wint.	Wynaad, Malabar, Madras.
Physoderma <i>Schroeteri</i> Krieg. ...	<i>Scirpus</i> ...	Iowa city.
	<i>Scirpus Supinus</i> ...	Lahore, Punjab.
<i>Zoeae-Maydis</i> Shaw.	<i>Zea-Mays</i> ...	Pusa.
Physopella <i>Fici</i> (Cast) Arth. (Uredo <i>Fici</i> Cast).	<i>Ficus carica</i> ...	Duars, Bengal.
Phytophthora <i>Arecae</i> (Colem.) <i>Pethyb.</i>	<i>Areca Catechu</i> ...	Santiago, Cuba.
<i>colocasias</i> Rac. ...	<i>Colocasia</i> sp. ...	Siddrabunna, Koppa, Mysore.
	<i>Colocasia antiquorum</i> ...	Pulliyannur, Travancore; Hmawbi Burma; Comilla, Bengal.
		Godagiri, Bengal; Pusa; Ran- pur; Dehra Dun.

Fungus.	Host.	Locality.
<i>Phytophthora Fabari</i> Manbl. ..	<i>Carica Papaya</i> ...	Burma.
<i>infestans</i> (Mont.) De By.	<i>Lycopersicum esculentum</i> ...	Jorhat Farm, Rangpur.
<i>parasitica</i> Dastur.	<i>Solanum tuberosum</i> ...	Upper Shillong Farm; Jorhat Farm; (Assam); Sabour; Rangpur.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.) Arth.	<i>Ricinus communis</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Sesamum indicum</i> ...	Lahore, Punjab.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Rhus diversiloba</i> ..	Waldo, Oregon.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Digitaria sanguinalis</i> ..	Ontario, Canada.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Oryza sativa</i> ...	Noakhali, E. Bengal; Sibi, Baluchistan; Palampur, Kangra, Ranchi; Hansi; Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Croton Tiglium</i> ...	Philippine Islands; Sablang Benguet, Luzon.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Cucumis Melo</i> ...	Lyallpur, Punjab.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Luffa acutangula</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Luffa aegyptiaca</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Trichosanthes cucumerina</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Trichosanthes dioica</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Anthriscus sylvestris</i> Hoffm.	Brandenburg, Germany.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Impatiens</i> ...	Dehra Dun.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Impatiens Balsamina</i> ...	Kasauli; Poona, Bombay;
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Vitis vinifera</i> ...	Mandalay, Burma;
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Justicia</i> sp. ...	Pusa. Chittagong.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Peristrophe bicalyculata</i> ...	Pusa, Bombay.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Euphorbia Tirucalli</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Ilex? diphyrena</i> ...	Ranikhet, Kumaon.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Capparis</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Dalbergia Sissoo</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Gossypium</i> ...	Pusa.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Allium Schoenoprasum</i> ...	Brandenburg, Germany.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Salicornia herbacea</i> ...	Thuringen, Germany.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Astragalus</i> ...	Achibal, Kashmir.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Borassus flabellifer</i> Linn.	Calcutta.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Prunus dimissa</i> ...	Missoula, Montana.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Nicotiana Tabacum</i> ...	Rangpur Farm, East Bengal.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Sandy Soil</i> ...	Chatrapur, Ganjam, Madras.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Ground</i> ...	Anand, Kaira, Bombay.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Mushrooms</i> ...	Nadiad, Bombay.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Pyrus Malus</i> ...	Mirpur, Matholo, Sindh.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Crataegus Oxyacantha</i> ...	Harwan, Kashmir; Lahore; Thet Garden, Srinagar; Ramgarh, Kumaon.
<i>Uromyces Toxicodendri</i> (Berk. et Rav.)	<i>Oxyacantha</i> (DC.) De By.	Brandenburg, Germany.

Fungus.	Host.	Locality.
<i>Polyporus adustus</i> Fr.	<i>Populus trichocarpa</i> ...	Missoula, Montana.
<i>arcularius</i> (Bätsch) Fr.	Old wood ...	Dehra Dun.
<i>atypus</i> Lev.	Cagayan, Luzon.
<i>aurantiscus</i> Pk.	<i>Pseudotsuga taxifolia</i> ...	Priest River, Idaho.
<i>bicolor</i> Jungh.	Bataan, Luzon.
<i>borealis</i> Wahlbg.	<i>Picea Engelmanni</i> ...	Priest River, Idaho.
<i>brumalis</i> Pers.	<i>Fagus americana</i> ...	Weirtown, Indiana.
<i>celebicus</i> P. Henn.	Bataan, Luzon.
<i>colosus</i> Fr.	On a tree trunk ...	Thana, Bombay; Dehra Dun.
<i>corvialis</i> Berk.	<i>Meana ferrea</i> ...	Sibesar, Assam.
<i>corrugatus</i> Pers.	Ild. of Pokhla.
<i>dichorus</i> Fr.	<i>Thuja plicata</i> ...	Priest River, Idaho.
<i>durus</i> Jungh.	Nueva Vizcaya, Luzon; Sablan- Benguet, Luzon.
<i>gilvus</i> Schw.	<i>Quercus marylandica</i> ...	Scottsburg, Indiana.
<i>gramm.cephalus</i> Berk.	Lanao, Bataan, Luzon.
<i>miniatus</i> Jungh.	San Antonio, Laguna, Luzon.
<i>sourinus</i> Lev.	Lanao, Bataan, Luzon.
<i>pseudo-radiatus</i> Pat.	Benguet, Luzon.
Var. <i>acutulosus</i> Bres.
<i>pterygodes</i> Fr.	Bosoboso, Rizal, Luzon.
<i>rhodophæus</i> Lev.	Bataan, Luzon.
<i>rubidus</i> Berk.	Antipolo, Rizal, Luzon; Ild. Halcon, Mindoro.
<i>rutilans</i> (Pers.) Fr.	<i>Betula verrucosa</i> ...	Brand-nburg, Germany.
<i>sanguinearius</i> Kl.	<i>Sorbus Aucuparia</i> ...	Brandenburg, Germany.
<i>scirposus</i> Fr.	Old wood ...	Cagayan, Luzon.
<i>semilacatus</i> Berk.	Dehra Dun; Bilsar, Bombay.
<i>shoreae</i> Wake.	<i>Shorea robusta</i> ...	Lanao Bataan, Luzon.
<i>sulphureus</i> (Ball.) Fr.	<i>Larix occidentalis</i> ...	Rajabhatkawa, Bengal; Son- pur Forest, Kheri Divn. U. P.
<i>tomentosus</i> Fr.	<i>Shorea</i> sp. ...	Priest River, Idaho.
<i>zonalis</i> Berk.	Decayed logs. ...	Neuros.
.....	Ground ...	Priest River, Idaho.
.....	Ild. of Pokhla, Sablan- Benguet, Luzon.
<i>Polyrhizon Terminaliae</i> Syd.	<i>Terminalia Catappa</i> ...	Pottomulha, Wyand.
(Dothidea, Terminali- iae Syd.)
<i>Polydictus abietinus</i> Fr.	Banguio, Benguet, Luzon.
<i>affinis</i> Nees.	Cagayan, Luzon; Mindoro. B. ann, Luzon; Calauab, Laguna, Luzon.
<i>affinis</i> (Br. et Nees)	Sablang, Cagayan, Luzon.
Fr. f. <i>nitidior</i>
<i>atypus</i> Lev.	Pataan, Luzon.
<i>badius</i> Jungh.	Sablang, Benguet, Luzon; Kell- ley, Lake Lanao, Mindanao.
<i>Bogoriensis</i> (Holt.)	Nhatrang & Vicinity, Ind.
Sacc. et Syd.	China.
<i>cervino-gilvus</i> Jungh.	Lanao, Bataan, Luzon; Buh- cao, Mindoro.
<i>crenatus</i> (Berk) Fr.	Bataan, Luzon.
<i>cinabarinus</i> Fr.	<i>Betula occidentalis</i> ...	Montana.
<i>dermatoides</i> Lev.	San Rama m.

Fungus	Host	Locality
<i>Polystictus discipes</i> Berk. ...	On wood ...	Aldoor, Mysore.
<i>elongatus</i> Berk. ...	Old wood ...	Saklespore, Mysore; Benguet, Luzon; Negros, Bosoboso, Rizal, Luzon.
<i>flabelliformis</i> Kl. ...	On wood ...	Barguani Estate; Saklespore, Mysore; Nueva Vizcaya, Luzon.
<i>floccosus</i> Jungh.	Benguet, Luzon.
<i>hirsutus</i> Fr. ...	<i>Fagus atropunicea</i> ...	Weirtown, Indiana.
<i>hololeucus</i> Kalchbr. ...	On wood ...	Dehra Dun.
<i>luteus</i> (Ness.) Fr. ...	Wood ...	Aldoor, Mysore.
<i>melano-pilus</i> Bres.	Nueva Vizcaya, Luzon; Camp Keithley, Lake Lanao, Mindanao.
<i>melcagris</i> Berk.	Mt. Banajao, Laguna, Luzon; Bataan Luzon; Isld. of Polillo; Gineganaan River, Negros, Cagayan, Luzon; Mauban, Tayabas Luzon.
<i>mayoni</i> Kl.	Lansao, Bataan, Luzon.
<i>microcylus</i> Lev.	Polillo, Islands.
<i>microcloma</i> Lev.	Benguet, Luzon; Mt. Banajao, Laguna, Luzon; Camaguin de Mindanao.
<i>nepheloides</i> Lev.	Sablang, Benguet, Luzon.
<i>obscureus</i> Cko.	Bongabong River, Mindoro.
<i>occidentalis</i> Kl. ...	<i>Bombax malabaricum</i> ...	Meekla Nuddes Saw Mills, Assam;
<i>pergamenus</i> Fr. ...	Old wood ...	Parlakimedi; Mussoorie; Dehra Dun; Benguet, Luzon; Poona; Manila, Luzon.
<i>Persoonii</i> Fr. ...	<i>Elaeocarpus serratus</i> ...	Nahtrang & Vicinity; Rizal, Luzon.
<i>pinus</i> Fr. ...	<i>Mangifera indica</i> ...	Pusa.
<i>resupinata</i> Fr. ...	Old wood ...	Tadas, Dharwar.
<i>pinus</i> Fr.	Dehra Dun; Aldoor, Mysore; Sidrabunna Kappa, Mysore; Poona; Cagayan, Luzon; Balabac Isld.
<i>polyzonas</i> Pers.	Benguet, Luzon.
<i>pterygodes</i> Fr.	Brazil.
<i>sacer</i> Fr. ...	On the ground ...	Gineganaan River, Negros.
<i>sanguineus</i> (Lin.) Mey. ...	Wood ...	Benguet, Luzon; Camp Keithley, Lake Lanao, Mindanao; Sablang, Benguet, Luzon.
<i>semilaccatus</i> Berk.	Lungleh.
<i>sideroides</i> Lev.	Parlakimedi; B. B. G. Celcun; Dehra Dun; Golaveri; Bataan, Luzon; Cadiz, Negros O.; Brazil; Sablang, Benguet, Luzon; Palawan; Isld. of Polillo; Bataan, Bataan Isld. Albay.
<i>submembranaceus</i> Saut. ...	Old wood ...	Cagayan, Luzon.
<i>tabacinus</i> Mont. ...	On wood ...	Koppa, Mysore.
<i>villosus</i> Muesse. ...	On wood of <i>Mangifera indica</i> ...	Saklespur, Mysore.
		Bataan, Luzon; Rizal Luzon; Buxa Div. Bengal; Dehra Dun.
		Saklespur, Mysore; Dehra Dun.

Fungus.	Host.	Locality.
<i>Polystictus Xanthopus</i> Fr. ...	Dead tree trunk ...	Moulmein, S. East; Dehra Dun; Godavery; Sablan; B. nguet; Khandala, Bomb. Keithley, Lanao, Mindanao. Vicinity of Dupax, Nueva Vizcaya; Castle Rocks, Ghats; Anmod, N. Kanara.
<i>Polystigmina rubrum</i> (Pers.) DC.	<i>Prunus communis</i> var. <i>insititia</i> .	Harwan, Kashmir.
<i>Polythrincium Trifolii</i> Kze. ...	<i>Prunus padus</i> ... <i>Trifolium resupinatum</i> ...	Murree; Domel near Kashmir. Tarnab Farm, Peshawar.
<i>Poria barbaeformis</i> B. & C. ...	<i>Trifolium repens</i> Lion ...	Brandenburg, Germany.
<i>borbonica</i> Pat. ...	<i>Vitis vinifera</i> ...	Poona, Bombay.
<i>punctata</i> Fr. <i>Betula occidentalis</i> ...	Sablang, Benguet, Luzon. Priest River, Idaho.
<i>Weirii</i> Merrill ..	<i>Rosa</i> ...	Pu a.
<i>Peronia arenaria</i> Syd. et Butl. ...	<i>Thuja plicata</i> ...	Priest River, Idaho.
<i>gigantea</i> Sacc. ...	On sand dunes near <i>Casuarina equisetifolia</i> .	Chatrapur, Ganjam, Madras.
<i>Oedipus</i> Mont. ...	Elephant's dung. ...	Mundomuzhi, Travancora.
<i>Protomyces kreuthensis</i> Kuhn. ...	Horse dung. ...	Pusa.
<i>macrosporus</i> Ung. ...	<i>Aposeria foetida</i> ...	Bayern.
<i>Pseudomicrocera</i> Fujikuroi (Miyabe and Sawada.) Petch.	<i>Coriandrum sativum</i> ...	Pusa; Lahore.
	On Scale insect on Citrus <i>Aurantium</i> .	Jorhat Farm, Assam.
	Scale insect on <i>Indigofera tinctoria</i> .	Bassein, Burma.
<i>Pseudoperonospora cubensis</i> (B. & C.) var. <i>tweriensis</i> Rostow.	<i>Cucumis sativus</i> ...	Sachsen, Germany.
<i>Pseudopeziza Medicaginis</i> (Lib) Sacc.	<i>Medicago lupulina</i> ...	Harwan, Kashmir.
<i>repanda</i> (Fr.) Karst.	<i>Medicago sativa</i> ...	Poona, Bombay.
<i>vernalis</i> (Fuek.) Sacc.	<i>Galium</i> sp. ...	Kasauli, Punjab.
<i>Trifolii</i> (Biv-Berah) Fuek.	<i>Trifolium pratense</i> ...	Verinag, Kashmir.
<i>Pseudophacidium Indicum</i> Syd....	Dead stem ...	Dehra Dun.
<i>Puccinia Absinthii</i> DC. ...	<i>Artemisia</i> sp. ...	Harwan, Kashmir.
	<i>Artemisia Absinthii</i> ...	Bohemia.
	<i>Artemisia dracunculus</i> ...	Brandenburg, Germany.
	<i>Artemisia gnaphaloides</i> Nutt. ...	N. America.
	<i>Artemisia ludoviciana</i> ...	Grant Pass, Oregon.
	<i>Artemisia martitima</i> ...	Sachsen, Germany.
	<i>Artemisia vulgaris</i> ...	Harwan, Kashmir.
<i>Acetosae</i> (Schum) Koern.	<i>Rumex acetosella</i> ...	Bavaria.
<i>affinis</i> Syd....	<i>Verbena perymenoides</i> Sch. Bip.	Etla, Oaxaca, Mexico.
<i>Agropyri</i> Ell. et Ever ...	<i>Agropyrum occidentale</i> ...	America Bor.
<i>Allii</i> (DC.) Rudolphi ...	<i>Allium Scorodoprasum</i> L.	Montenegro.
<i>ambigua</i> (Alb. et Schw.) Lagh.	<i>Galium Aparine</i> L. ...	Germany.
<i>amphigena</i> Diet. ...	<i>Calamagrostis longifolia</i> ...	Chicago; Illinois.
	<i>Calamovilla</i> (<i>Calamagrostis</i>) <i>longifolia</i> .	America Bor.

Fungus.	Host.	Locality.
<i>Puccinia Caleae</i> Arth.	<i>Calea</i> sp. ...	Etzallao Jalisco, Mexico.
	<i>Calea hypoleuca</i> ...	Oaxaca, Mexico.
	<i>Calea Zacatechichi lugosa</i> ...	Cuernavaca, Mexico.
<i>Calendulae</i> McAlp. ...	<i>Calendula officinalis</i> L. ...	Victoria, Australia.
<i>Calochorti</i> Peck. ...	<i>Calochortus flava</i> ...	City of Mexico.
<i>Calceperma</i> Syd. et Butl.	<i>Deeringia celosioidea</i> ...	Dehra Dun ; Dacca.
<i>Calthae</i> Link. ...	<i>Caltha paustre</i> ...	Germany.
<i>Cannae</i> (Wint.) P. Henn.	<i>Canna indica</i> L. ...	Santiago, Cuba.
<i>Caricis</i> (Schum.) Rebest.	<i>Carex aquatilis</i> Willbg. ...	Colo. N. America.
	<i>Carex pabiolata</i> ...	Germany.
	<i>Urtica parviflora</i> ...	Kumaon ; Simla.
<i>Caricis-asteris</i> Arth. ...	<i>Carex foenea</i> ...	Dogorah, Ia.
<i>Caricis japonicae</i> Diet.	<i>Carex japonica</i> Thunbg. ...	Japonia, Tokyo.
<i>Carthami</i> (Hutchins) Cda.	<i>Carthamus Oxycantha</i> Bieb. ...	Kangra, Punjab.
	<i>Carthamus tinctorius</i> ...	Pusa; Gujarat, Punjab.
<i>Caulicola</i> Schr. ...	<i>Thymus Serpyllium</i> L. ...	Helvetia.
<i>Centaureae</i> Mart. ...	<i>Centaurea</i> ...	Tarnab Farm, Peshawar.
	<i>Centaurea Calcitropa</i> ...	Harwan, Kashmir.
<i>Cephalandrae</i> in d i c a e Syd.	<i>Cephalandra indica</i> ..	Nadiad ; Surat, Bombay ; Pusa.
<i>Chaerophylli</i> Part. ...	<i>Anthriscus nemorosa</i> ...	Raiengarh Mt., Punjab.
	<i>Chaerophyllum hirsutum</i> ...	Serbia.
<i>Chloridis</i> Speg. ...	<i>Chloris elegans</i> H. B. K. ...	Mexico.
<i>Chrysanthemi</i> Roza. ...	<i>Chrysanthemum indicum</i> ...	The Doorg, Nilgiris ; Bohemia.
		Sapporo, Japan.
<i>Chrysopogi</i> Barc. ...	<i>Andropogon gryllus</i> ...	Harwan, Kashmir.
<i>Chrysopogonis</i> Barcl. ...	<i>Jasminum humile</i> ...	Kumaon, U. P.
<i>Chrysosplenii</i> Grex. ...	<i>Chrysosplenium oppositifolium</i> ...	Herzycia.
<i>Cichorii</i> (DC.) Bell. ...	<i>Cichorium Intybus</i> ...	Harwan, Kashmir.
<i>Cicutae</i> Lasch. ...	<i>Cicuta occidentalis</i> ...	Klamath, Oregon.
	<i>Cicuta virosa</i> L. ...	Dania.
<i>Cipurae</i> Syd. ...	<i>Cipura paludosa</i> ...	Sibpur, Calcutta.
<i>Circaeae</i> Pers. ...	<i>Circaea lutetiana</i> ...	Serbia.
<i>Cirsii</i> Lasch. ...	<i>Cirsium heterophyllum</i> L. ...	Dania.
<i>Citrulli</i> Syd. et Butl. ...	<i>Citrullus Colocynthis</i> ...	Coimbatore, Madras.
<i>Clemetidis</i> (DC.) Lagh.	<i>Clematis lasiantha</i> ...	Missoula, Montana.
<i>Cnici-oleracei</i> Pers. ...	<i>Cirsium oleraceum</i> L. ...	Helvetia ; Dania.
<i>Cognata</i> Syd. ...	<i>Verbesina terripta</i> ...	Near City Mexico.
<i>Collectiana</i> Barcl. ...	<i>Rubia cordifolia</i> ...	Ranikhet, Kumaon ; Almora, Kumaon ; Kasauli ; Castle Hill Estate, Mussoorie.
<i>Comandrae</i> Peck ...	<i>Comandra pallida</i> A. D. C. ...	Kansas, N. America.
<i>Compositarum</i> Schlecht.	<i>Frenanthes purpurea</i> ...	Bernan, Fuin.
<i>Puccinia Frenanthes purpureae</i> .		
<i>congesta</i> Berk. et Br. ...	<i>Polygonum chinense</i> ...	Hakgala, Ceylon.
<i>conglomerata</i> (Strauss) Kze. & Schum.	<i>Petasites</i> sp. ...	Bauff, Canada.
<i>Conii</i> (Str.) Fuck. ...	<i>Conium maculatum</i> ...	Bavaria.
<i>Conoclinii</i> Seem. ...	<i>Eupatorium neeanum</i> ...	Etla, Oaxaca, Mexico.
<i>Convolvuli</i> (Pers.) Cast.	<i>Convolvulus</i> sp. ...	Mt. Maginling, Laguna Luzon.
	<i>Convolvulus artiplicifolius</i> ...	Grants Pass, Oregon.
<i>Cooperiae</i> Long. ...	<i>Cooperia pendunculata</i> ...	Anstin, Texas.

Fungus.	Host.	Locality.
<i>Scinia coronata</i> Corda ...	<i>Agropyron</i> , sp. ...	Harwan, Kashmir.
	<i>Pea flexuosa</i> ...	Harwan, Kashmir.
	<i>Rhamnus Frangula</i> ...	Jungfernheide.
	<i>Rhamnus procumbens</i> ...	Massoorie, U. P.
	<i>Stipa</i> ...	Mussoorie, U. P.
Coulterophyti Diet and Holw.	<i>Coulterophytum Holwayi</i>	Zapotlan, Jalisco.
Crandallii Pamm. et Hume (Ascidium abundans P.K.)	<i>Symphoricarpos racemosus</i>	Bonner, Montana.
<i>Cryptotaenia</i> Peek ...	<i>Cryptotaenia canadensis</i> DC.	N. America.
<i>Cupheae</i> Holw. ...	<i>Cuphea</i> sp. ...	Valley of Mexico.
<i>Curculigonis</i> Racib. ...	<i>Curculigo orchioidea</i> ...	Vaykiri, Wynnad, Madras; Dehra Dun.
Cyani (Schleich) Pass. ...	<i>Centaurea Cyanaea</i> ...	Anhalt.
<i>Cynodontis</i> Desmay. ...	<i>Cynodon dactylon</i> ...	Ganesakkind, Poona; Pusa; Lyallpur; Karnal, Punjab; Saharanpur; Cawnpore; Bohemia; Lahore; Harwan, Kashmir; Susat Farm; Tarnab Farm, Peshawar.
Cyperi Arth. ...	<i>Cyperus Iris</i> L. ...	Philippine Islands.
dactylidina Bubak. ...	<i>Dactylis glomerata</i> ...	Harwan, Kashmir.
Daniloi Bubak ...	<i>Erianthus Hostii</i> Griseb. ...	Montenegro.
deminuta Vöngel. ...	<i>Galium palustre</i> ...	Germany.
Desmanthodii Diet. & Holw.	<i>Desmanthodium fruticosum</i> .	Zapotlan, Mexico.
	<i>Desmanthodium ovatum</i>	Etla, Oaxaca, Mexico.
dispersa Eriks. & Henn.	<i>Anchusa officinalis</i> ...	Dahlem, Germany.
	<i>Secale cereale</i> " ...	Dahlem, Germany.
distorta Holw. ...	<i>Hyptis pectinata</i> ...	Guadalajara, Mexico.
dromicella Syd. ...	<i>Doronicum cordatum</i> ...	Hungaria.
dorrensis Blytt. ...	<i>Erigeron alpina</i> ...	Kumaon, U. P.
Drabae Rud. ...	<i>Draba aizoides</i> ...	Bavaria.
droogensis Batl. ...	<i>Berberis aristata</i> ...	The Droog, Nilgiris.
Duthiae Ell. & Tracy. ...	<i>Andropogon pertusus</i> ...	Dehra Dun; Phulgaon; Taras, Dharwar; Kasauli; Khunti, Ranchi; Road to Islampur, Poona Dist., Bombay.
Eatoniae Arth. ...	<i>Eatonia Pennsylvanica</i> ...	Decorah, Ia.
Electrae Diet. & Holw.	<i>Electra galeotii</i> ...	Etla, Oaxaca, Mexico; Mexico.
Eleocharidis Arth. ...	<i>Eleocharis palustre</i> var. <i>glaucescens</i> .	America N.
Elytrariae P. Henn. ...	<i>Elytraria tridentata</i> ...	Guadalajara, Mexico.
Encaculata Schwein. ...	<i>Panicum capillaris</i> ...	N. America.
Enceliae Diet. & Holw.	<i>Encelia adenophorea</i> ...	Oaxaca, Mexico.
Engleriana P. Henn. ...	<i>Tabernaemontana Heyneana</i> .	Matheran, Bombay.
Epigeios S. Ita. ...	<i>Calamagrostis villosa</i> ...	Mino, Japan.
Epilobi DC. ...	<i>Epilobium Hornemannii</i> ...	Suecia.
	<i>Epilobium roseum</i> Sch. ...	Helvetia.
Epilobii-tetragoni (DC.) Wint.	<i>Epilobium</i> sp.	Harwan, Kashmir.
	<i>Epilobium collinum</i> Gm. ...	Bavaria.
	<i>Epilobium hirsutum</i> L. ...	Marchia, Germany; Brandenburg, Germany.
	<i>Epilobium papiculatum</i> ...	Klamath Falls, Oregon.

Fungus.	Host.	Locality.
<i>Puccinia Epilobii-tetragoni</i> (DC.) Wint.	<i>Epilobium trigonum</i> Schrk. <i>Eupatorium Espinosarum</i> .	Germany. Oaxaca, Mexico.
<i>Espinosarum</i> Diet. & Holw.	<i>Euphorbia fruticosa</i> ...	Africa Orient.
<i>Euphorbiae</i> P. Henn. ...	<i>Clematis Gouriana</i> Roxb.	Philippine Islands.
<i>exhausta</i> Diet. ...	<i>Tecoma</i> sp. ...	Tehuacan, Mexico.
<i>exitiosa</i> Syd. et Holw. ...	<i>Hypoxis aurea</i> ...	Dehra Dun.
<i>expallens</i> Syd. ...	<i>Solidago serotina</i> ...	Sumpter, Oregon.
<i>extensicola</i> Plowr. ...	<i>Fagopyrum esculentum</i> ...	Mussoorie.
<i>Fagopyri</i> Barc. ...	<i>Anemisia</i> ...	Shillong, Assam.
<i>ferruginosa</i> Syd. ...	<i>Pellidiastrum Michellii</i> ...	Bayern, Germany.
<i>firma</i> Diet. ...	<i>Echinochloa</i> sp. ...	Mexico.
<i>flaccida</i> B. et Br. ...	<i>Fimbria ylis milliacea</i> ...	Yelwal, Mysore.
<i>flavipes</i> Syd. ...	<i>Fuchsia thymifolia</i> ...	Mexico.
<i>Fuchsiae</i> Syd. et Holw.	<i>Loeselia coccinea</i> ...	Mexico.
<i>fumosa</i> Holw. ...	<i>Anemone montana</i> Hoppe.	Helvetia.
<i>fusca</i> (Pers.) Wint. ...	<i>Gentiana acuta</i> ...	Mexico.
<i>Gentianae</i> (Str.) Link. ...	<i>Gentiana oregona</i> ...	Couer d' Alene, Idaho.
<i>Geranii-silvatica</i> Karst.	<i>Gentiana Pneumonanthes</i> .	L. Jutlandia, Danm.
<i>gigantispora</i> Bubak. ...	<i>Geranium nepalense</i> ...	Verinag, Kashmir.
<i>Glechomatis</i> DC. ...	<i>Anemone cylindrica</i> ...	America Bor.
<i>glumarum</i> (Schum.) Erik. & Henn.	<i>Glechome hederacea</i> ...	Serbia.
	<i>Brachypodium sylvaticum</i> .	Simla.
	<i>Hordeum vulgare</i> ...	Cawnpore; Lyallpur, Punjab; Punjab; Hissar, Punjab; Dehra Dun; Alwar; Dacca; Tarnab Farm, Peshawar; Agra.
	<i>Phalaris minor</i> ...	Dehra Dun; Hissar, Punjab; Lyallpur, Punjab.
	<i>Triticum vulgare</i> (Michigan Brouce-Wheat).	Experimental fattet (Stockholm) Sweden.
	<i>Triticum vulgare</i> ...	Jubbulpore, C. P.; Basti, Kumaon; Cawnpore; Lyallpur; Damaron; Alwar; Mussoorie; Ranikhet, Kumaon; Lahore; Neemuch, Jaipur; Ajmir; Amritsar; Damoh; Orai, U. P.; Dahlem; Shikarpur, Sind; Renwal, Rajputana; Gilgit; Kashmir; Insein, Burma; Tarnab Farm, Peshawar.
(With <i>Puccinia graminis</i> Pers.).		Gujrat, Punjab; Hissar, Punjab. Sopor, Kashmir; Katni, C. P.
<i>Gracilentia</i> Syd. et Buil.	<i>Bambusa</i> sp. ...	Darjeeling.
<i>graminis</i> Pers. ...	<i>Avena sativa</i> ...	Baghdad; Kasauli.
	<i>Brachypodium sylvaticum</i> .	Harwan, Kashmir.
	<i>Festuca gigantea</i> ...	Harwan, Kashmir.
	<i>Festuca kashmiriana</i> ...	Harwan, Kashmir.
	<i>Hordeum vulgare</i> ...	Pusa; Poona.
	<i>Mahonia Aquifolium</i> L. ...	Marbach, Germany. Brandenburg.

Fungus:	Host.	Locality.
<i>Puccinia investita</i> Schw. ...	<i>Anaphalis</i> sp. ...	Droog, Nilgiris.
<i>investita</i> Syd. ...	<i>Phragmites</i> Karka ...	Pusa; Puttimali, Kamrup, Assam.
<i>Ictephanes</i> D. & H. ...	<i>Ictephane heterophylla</i> ...	Cuernavaca, Mexico.
<i>Iridia</i> (DC.) Wallr. ...	<i>Iris</i> sp. ...	Kareshi Tal, Scinagar, Kashmir; Mussoorie.
<i>Iridia</i> (D C.) Wallr. ...	<i>Iris germanica</i> ...	S. rbin.
Jasmini DC. ...	<i>Iris kashmiriana</i> ...	Harwan, Kashmir.
Koeleriae Arth. ...	<i>Ja-minum fruticans</i> ...	Tunisia.
Komarovi Transsch. ...	<i>Koeleria cristata</i> ...	America Bor.
Kornikensis Diet. ...	<i>Impatiens</i> ...	Mussoorie.
Kuehnii (Kreug.) Butl. ...	<i>Andropogon micranthus</i> ...	Maymyo, Barma.
	<i>Saccharum</i> ...	Syndai, Assam.
	<i>Saccharum arundinaceum</i> Retz.	Dehra Dun; Poona.
	<i>Saccharum arundinaceum</i> var <i>ciliaris</i> .	Muzafferpar; Boh. G., Lahore; Pusa.
	<i>Saccharum</i> (ysecum) ...	Saharanpore, Cawapere.
	<i>Saccharum Narenga</i> ...	Mussoorie.
	<i>Saccharum Sara</i> ...	Lahore; Wazirabad, Punjab.
	<i>Saccharum spontaneum</i> ...	Mussein, Barma; Padani, U. P.; Lyallpur; Amritsar; Pusa; Poona; Bilin, Thalon, Burma.
<i>Interipes</i> Berk. et Rav... ..	<i>Ruellia</i> ...	Pusa.
<i>Interidia</i> B. & C. ...	<i>Hedyotis</i> ...	Syndai, Assam.
	<i>Hedyotis auricularia</i> ...	Wahjain, Assam.
	<i>Hedyotis vestita</i> ...	Wahjain, Assam.
	<i>Spermacoce</i> ...	Hoshangabad.
	<i>Spermacoce stricta</i> ...	Yelwal, Mysore; Hunsar, Mysore; Coimbatore; Dehra Dun; Bilkere, Mysore.
<i>Leptodermidia</i> Bara. ...	<i>Leptodermis lanceolata</i> ...	Kasauli.
<i>Leucidis</i> Syd. ...	<i>L.ucas</i> sp. ...	Mahabaleshwar, Bombay.
<i>leucophaea</i> Syd. et Butl. ...	<i>Calcythoania coccinea</i> ...	Mussoorie; Naini Tal.
<i>Libanotidis</i> Lindr. ...	<i>Libanotis montana</i> Crantz	Helvetia, Germania.
<i>Liliacearum</i> Duly. ...	<i>Ornithogalum ampellatus</i> L.	Helvetia.
<i>Lithospermi</i> Ell. et Kell	<i>Evolvulus pilosus</i> Nutt. ...	Kansas, N. America.
<i>Lili Niela</i> (P. coronifera Kleb.)	<i>Avena sativa</i> ...	Pusa.
<i>longicornis</i> Pat. et Her. ...	<i>Lolium perennis</i> L. ...	Mexico.
<i>longissima</i> Schroet. ...	<i>Sasa paniculata</i> ...	Japan.
<i>Lycoteni</i> Fuck. ...	<i>Sadi acris</i> ...	Gallia.
<i>Lynosyridi-Caricis</i> Ed. ...	<i>Aconitum Lycotenum</i> ...	Bagi Forests, Simla.
<i>Pis.</i>	<i>Lycopodium vulgare</i> Cass. ...	Helvetia.
<i>Majanthae</i> (Schum.) A & A. ...	<i>Vagnora stellata</i> ...	Priest River, Idaho.
<i>majoricensis</i> Mari. ...	<i>Tenorium capitatum</i> ...	Majorica Islands.
<i>Malvacearum</i> Mont. ...	<i>Althaea rosea</i> ...	Dahlem, Germany.
<i>Maydis</i> Bereng. ...	<i>Zea Mays</i> ...	Manjiri Farm; Dubgaon, Kashmir.
<i>Mayorii</i> Ed. Fisch. ...	<i>Sideritis hyssopifolia</i> ...	Gallia.
<i>melanocephala</i> Syd. ...	<i>Arundinaria</i> ...	Wahjain, Assam.
	<i>Bambusa</i> ...	Dapoli, Bombay.
<i>melanopsis</i> Syd. ...	<i>G. nautis</i> Sisyrrinchii Parl.	Tunisia.

Fungus.	Host.	Locality.
<i>Ascia Menziesi</i> Pers.	<i>Calamintha Clinopodium</i>	Harwan, Kashmir.
	<i>Calamintha umbrosa</i>	Ranikhet, Kumaon; Mussoorie; Bilaspur; Dugbaon, Kashmir.
	<i>Mentha sylvestris</i> L.	Jutla; dia, Daria; Bilaspur; Tarnab Farm, Peshawar; Harwan, Kashmir.
	<i>Origanum vulgare</i>	Shikhar, Ranikhet; Dharam Ghar, Majkall; Beri Nag; (Kumaon); Kumaon; Castle Hill Estate, Mussoorie; Gulchinna, Kumaon; Kasauli; Dania; Harwan, Kashmir.
(Var. americana Ryomil.)	<i>Monarda fistulosa</i> L.	N. America.
<i>mesoregala</i> B. & C.	<i>Clintonia uniflora</i>	Darby, Montana.
<i>mesomorphia</i> Syd.	<i>Hypocotes</i> sp.	Mt. Mariveles, Bataan, Luzon.
<i>Millefolii</i> Pack.	<i>Achillea Millefolii</i> L.	Tunisia.
<i>minussensis</i> Thum.	<i>Mulgedium siberica</i>	Sueria.
<i>mirifica</i> Diet. & Holw.	<i>Borrichia frutescens</i>	St. Augustine, Fla.
<i>mitriformis</i> S. Ito.	<i>Sasa paniculata</i>	Japan.
<i>Moliniae</i> Tul.	<i>Molinia caerulea</i> Moench	Evo, Fennia.
	<i>Molinia japonica</i>	Japan.
<i>montivaga</i> Bubak	<i>Hypochaeris uniflora</i>	Bohemia.
<i>Morrisqui</i> McAlp.	<i>Pelargonium australe</i> Jacq.	Levonport, Tasmania.
<i>Muhlenbergiae</i> Arth. & Holw.	<i>Muhlenbergia racemosa</i>	America Bor.
<i>Mulgedii</i> Syd.	<i>Mulgedium alpinum</i> Cass.	Helvetia.
<i>mutabilis</i> Ell. & Gall.	<i>Allium reticulatum</i>	Livingston, Mont.
<i>mysorensis</i> Syd. & Batl.	<i>Kylingia triceps</i>	Hunsur, Mysore.
<i>Nakanidukii</i> Diet.	<i>Andropogon laevis</i>	Punjab.
	<i>Andropogon Nardus</i>	Hunsur, Mysore; Wynad, Malabar.
<i>nepalensis</i> Barc. & Diet.	<i>Rumex</i> sp.	Kasauli; Landour, Mussoorie; Lal Tibi, Mussoorie.
<i>Neyraudiae</i> Syd.	<i>Rumex orientalis</i>	Harwan, Kashmir.
	<i>Neyraudia madagascariensis</i>	Mungpoo, Darjeeling.
<i>nitida</i> Barc.	<i>Polygonum</i> sp.	Vernag, Kashmir; Mussoorie; Naini Tal, Kumaon.
<i>nocticolor</i> Holw.	<i>Polygonum chinense</i>	Tikvar, Darjeeling.
	<i>Ipomoea intropilosa</i> N. E. Ross.	Mexico.
<i>obscura</i> Schrost.	<i>Bellis perenne</i>	Gallia.
	<i>Luzula campestris</i>	Cherrapunji, Assam.
<i>offusa</i> Diet. and Holw.	<i>Viola lobata</i>	California.
<i>oligocarpa</i> Syd. & Batl.	<i>Stipa</i> sp.	Harwan, Kashmir.
<i>Opizii</i> Bubak.	<i>Arex muricata</i>	Serbia.
	<i>Carex conjuncta</i>	America Per.
(<i>Ascidium</i> Lactucinum Lindr.)	<i>Lactuca muralis</i>	Brandenburg; Serbia.
<i>Oplismeni</i> Syd.	<i>Oplismenus compositus</i>	Mussoorie, United Provinces.
<i>Oreosetini</i> (Str.) Korn.	<i>Peucedanum Oreoselinum</i>	Finkenkong.
<i>Oryzopsidis</i> Syd. and Batl.	<i>Oryzopsis molinoides</i>	Ranikhet, Kumaon.
<i>pachyderma</i> Wettst.	<i>Gazea lutea</i> Schult.	Russia.
<i>pachypes</i> Syd.	<i>Spodiopogon albidus</i>	Vayitri, Wynad.

Fungus.	Host.	Locality.
<i>Puccinia paludosa</i> Plowr. ...	<i>Carex panicea</i> ...	Schleswig-Holstein, Germany.
<i>Paspali</i> Tracy. et Earle.	<i>Paspalum sanguinale</i> ...	Pusa; Bassein, Bombay
	" " var	Hoshangabad; Lyallpur.
	<i>ciliaris.</i>	Pusa.
	<i>Paspalum sanguinale</i> var.	Dehra Dun; E. R. G., Calcutta.
	<i>Debile.</i>	
<i>Pattersoniae</i> Syd. ...	<i>Tripsacum dactyloides</i> L.	Manhattan, Kansas, America.
<i>Peckii</i> (De Toni) Kell. ...	<i>Oenothera serrulata</i> ...	America Bor.
<i>Penniseti</i> Zimm. ...	<i>Pennisetum typhoideum</i>	Cawnpore; Coimbatore, Madras
		Nagpur, Central Provinces
		Dohad Farm; Manaparai, Trichi
		nopoly; Linga Devana, Hall
		Bellary; Pusa; Kirkee, Poona
		Dhulia.
<i>peridermiospora</i> (Ell. et	<i>Spartina cynosuroides</i>	N. America.
Tra.) Arth.	Willd.	
<i>phytotopus</i> Syd. ...	<i>Pithecoctenium hexago-</i>	Cuernavaca, Mexico.
	<i>num.</i>	
<i>Phragmitis</i> (Schum.)	<i>Rheum</i> sp. ...	Mecklenburg, Germany.
Kern.		
<i>Pimpinella</i> (Str.) Lk. ...	<i>Rumex Hydrolapathum</i> ...	Brandenburg.
	<i>Pimpinella</i> ...	Ial Tiba, Mussoorie.
	<i>Pimpinella diversifolia</i> ...	Kumaon; Harwan, Kashmir.
<i>Podophylli</i> Schw. ...	<i>Podophyllum peltatum</i> L.	Kansas, North America.
<i>pauciformis</i> (Jacq.) Wett.	<i>Triticum vulgare</i> ...	Mcir, Michigan.
<i>Polliniae</i> Barcl.	<i>Strobilanthes alatum</i> ...	Dehra Dun.
	<i>Strobilanthes spec.</i> ...	Dehra Dun; Simla; Amboli, wes
		of Belgaum; Mussoorie, United
		Provinces.
<i>Polygoni</i> Pera. ...	<i>Polygonum Convolvulus</i>	Dahlem, Germany.
<i>Polygoni-alpini</i> Cruchet	<i>Polygonum alpini</i> All. ...	Gallia.
et. Mayor.		
<i>Polygoni-amphibii</i> Pera.	<i>Polygonum Persicaria</i> ...	Harwan, Kashmir.
<i>Polygoni-vivipari</i> Karst.	<i>Rumex paucifolius</i> ...	Crater Lake, Oregon.
<i>Porophylli</i> P. Henn. ...	<i>Porophyllum macroceph-</i>	Yautepec, Mexico.
	<i>alum.</i>	
<i>Pozii</i> Semad. ...	<i>Chorophyllum hirsutum</i>	Germany.
<i>Prainiana</i> Barcl. ...	<i>Smilax</i> sp. ...	Bi'in, Thaton, Burma; Wynad
		Malabar, Madras; Chaumuhat
		Noskhali District; Syndal
		Assam.
	<i>Smilax aspera</i> ...	Mussoorie, United Provinces; Th
		Droog, Nilgiris.
	<i>Smilax elegans</i> ...	Ranikhet, Kumaon.
	<i>Smilax macrophylla</i> ...	Mahabaleshwar, Bombay.
	<i>Smilax maculata</i> ...	Gulchhina, Kumaon.
(<i>Aecidium-Caeoma</i> Smi-		
laois Barcl.)		
<i>Prenanthis-purpurea</i> (DC.) Lindr.	<i>Prenanthes purpurea</i> ...	Serbia.
<i>princeps</i> Syd. ...	<i>Pogostemon spec.</i> ...	Dehra Dun.
<i>propinqua</i> Syd. and Butl.	<i>Andropogon</i> sp. ...	Ranikhet, Kumaon.
<i>prunicolor</i> Syd. et. Butl.	<i>Andropogon serratus</i> ...	Dehra Dun.
<i>Pruni-persicae</i> Bori.	<i>Prunus persica</i> ...	Coimbatore.
<i>Pruni-spinosae</i> Pers.	<i>Prunus armenica</i> ...	Maymyo, Burma; Shillong
		Almora, Kumaon.
	<i>Prunus communis</i> ...	Verinag, Kashmir.

Fungus.	Host.	Locality.
<i>Uromyces Pruni-spinosae</i> Pers. ...	<i>Prunus Mahaleb</i> L. ... <i>Prunus persica</i> ...	Thessalia. Maymyo, Burma; Peshawar; Pusa; Shillong; Wynadad, Mala- bar; Amritsar; Chindwara, C. P.
<i>Pulsatillae</i> Kalkb. ...	<i>Prunus pissardi</i> ...	Sorbia.
<i>Pulvinata</i> Raub. ...	<i>Prunus Puddum</i> ...	Bageswar; Kumaon.
<i>P. punctata</i> Link ...	<i>Anemone sylvestris</i> Linn. ...	Thuringen, Germany.
<i>purpurea</i> Cooke ...	<i>Echinops cornigerus</i> ...	Verinag, Kashmir.
	<i>Echinops echinatus</i> Roxb. ...	Lahore.
	<i>Galium asperum</i> Gray ...	N. America.
	<i>Andropogon halepensis</i> ...	Dehra Dun; Pusa; Bassein Fort; Lahore; Poona, Bombay; Man- dalay, Burma.
	<i>Andropogon Sorghum</i> ...	Mangri Farm, Bombay; Coimbatore; Bursengorg; Surat Farm; Arves; Phulraon, Bombay; Kirkree, Poona; Sahedj (Arabian); Maymyo; Burma; Myingyan, Burma; Samalkot, Madras; Ranchi.
	<i>Saccharum officinarum</i> ...	La Grays, Negros O.
	<i>Sorghum vulgare</i> var. ...	Cuba.
	<i>nigro-ocensis</i> ...	
<i>pusilla</i> Syd. ...	<i>Andropogonis assimilis</i> ...	Dehra Dun.
<i>pragmæa</i> Erikss. ...	<i>Calamagrostis</i> ...	Germany.
<i>Rhamni</i> (Pers.) Wettsh. ...	<i>Rhamnus alnifolia</i> ...	Lolo, Montana.
<i>Ribesii-Pseudocyperi</i> ...	<i>Carex pseudocyperi</i> L. ...	Germany.
Kleb. ...		
<i>rimosa</i> Link ...	<i>Juncus maritimus</i> L. ...	Algeria.
<i>riparia</i> Holw. (Aecidium) ...	<i>Ribes floridum</i> ...	Decorah, Ia.
<i>Romagnoliana</i> Maire. et ...	<i>Cyperus sp.</i> ...	Nagpur, C. P.; Hmawbi, Burma; Jagannathpur, Ranchi; Wazira- bad, Punjab.
Sacc. ...		
	<i>Cyperus arenarius</i> ...	Chatrapur, Madras.
	<i>Cyperus compressus</i> ...	Chatrapur, Madras.
	<i>Cyperus longus</i> L. ...	Corsica, Ilda.
	<i>Cyperus rotundus</i> ...	Pusa; Saharanpur; Poona; Chit- tagong; Sarat; Rangpur; Lahore; Lyallpur; Hoshangabad; Samalkot; Telincheri, Nagpur.
	<i>Cyperus togetum</i> ...	Pusa.
<i>Roscoeae</i> Harcl. ...	<i>Roscoeae sp.</i> ...	Mussoorie.
<i>Rossiana</i> (Sacc.) Lagh ...	<i>Scilla cernua</i> Salisb. ...	Charkow, Russia.
<i>Rubasamenii</i> P. Magn. ...	<i>Origanum vulgare</i> ...	Hessen-Nassau, Germany; Helve- tia.
<i>Rubigo-vera</i> (DC.) Wint. ...	<i>Triticum vulgare</i> ...	Spirit Lake, Iowa.
<i>Ruelliae</i> (B. st. Br.) ...	<i>Ruellia</i> ...	Gushenbatti, Belgaum, Bombay; Benares.
Lagh. ...		
	<i>Ruellia longifolia</i> ...	Cawnpore.
	<i>Ruellia prostrata</i> ...	Hunsar, Mysore; Calcutta; Pusa; Ranchandrapur, Godavery, Madras; Samalkot; Amalapur, Godavery.
<i>rufipes</i> Diet. ...	<i>Imperata arundinacea</i> ...	Pusa; Dehra Dun; Dauracherra, Sylhet; Moulmein, Burma; Sa- malkot, Madras; Saharanpur.

Fungus.	Host.	Locality.
<i>Puccinia Saccardii</i> Endw. ...	<i>Goodenia ovata</i> Sm. ...	Devenport, Tasmania.
<i>Saniculae</i> Grey ...	<i>Sanicula europaea</i> ...	Kumaon, U. P.
<i>Saussureae</i> Thuem. ...	<i>Saussurea</i> ...	Nagpur, C. P.
<i>Saxifragae-ciliatae</i> Barc. ...	<i>Saxifraga</i> ...	Musorie.
<i>scandria</i> Johann ...	<i>Epilobium clavatum</i> Trel. ...	N. America.
<i>Schedonnardi</i> Kell. et. Sw. ...	<i>Schedonnardus paniculatus</i> ...	America Bot.
<i>Schirajewskii</i> Trautsch. ...	<i>Serratula pallida</i> ...	Harwan, Kashmir.
<i>Scirpi</i> D. C. ...	<i>Scirpus</i> ...	Lahore.
	<i>Scirpus articulatus</i> ...	Gedavery, Madras; Kaular no
	<i>Scirpus Parbatus</i> ...	Bassein, Bombay.
<i>senecionicola</i> Arth. ...	<i>Senecio angulifolius</i> ...	Chatrapur, Ganjam.
		Am-cameca, Mexico; Mexico.
<i>sessilis</i> Schneid. ...	<i>Phalaris arundinacea</i> Linn ...	Brandenburg, Germany.
<i>Setariae</i> Diet. & Holw. ...	<i>Setaria imberbis</i> ...	City of Mexico.
<i>Seymouriana</i> Arth. ...	<i>Spartina cynosuroides</i> ...	Racine, Wisc.
<i>Shiraiana</i> Syd. ...	<i>Justicia procumbens</i> L. ...	Japonia.
<i>simillina</i> Arth. ...	<i>Anemone canadense</i> ...	America Bor.
<i>simplex</i> (Korn.) Erik. & Henn ...	<i>Hordeum vulgare</i> ...	Dahlem; Pusa.
<i>Smilacis</i> Schw. ...	<i>Smilax rotundifolia</i> ...	America Bor.
<i>Soltisii</i> P. Henn. ...	<i>Polygonum</i> sp. ...	Nangpo, Assam; B. Lin, Thator
		Burma; Maymyo, Burma
	<i>Polygonum alatum</i> ...	Darjeeling; Kodaikawal, Madras
	<i>Polygonum chinense</i> ...	Kumaon.
		Kopra, Mysore; Wahjai
		Assam; Wynaad, Malabar
		Madras; Kurseong, Darjeeling
		Mahabaleshwar, Bombay.
	<i>Polygonum</i> sp. ...	Kodaikanal.
<i>Sonchi</i> Rob. & Desm. ...	<i>Launea nudicaulis</i> ...	Kumaon; Kopra, Mysore; S
<i>Sorghii</i> Schw. ...	<i>Zea Mays</i> ...	nagar, Kashmir.
<i>Sphaeralcea</i> Ell. et Ev. ...	<i>Sphaeralcea angustifolia</i> ...	Lafayette, Indiana.
	G. Don.	Almogordo, New Mexico.
<i>spongiosa</i> B. & Br. ...	<i>Webera corymbosa</i> ...	Bilikere, Mysore; Hunsur
		Mysore.
<i>Stipa</i> (Opiz) Hora. ...	<i>Salvia sylvestris</i> L. ...	Germany.
	<i>Stipa capillata</i> Linn ...	Thuringen, Germany.
	<i>Thymus Serpyllam</i> L. ...	Helvetia.
<i>Strömmanis</i> Syd. et Evans ...	<i>Thesium</i> sp. ...	Africa.
<i>Stylidii</i> Mc Alp. ...	<i>Stylidium graminifolium</i> ...	Sw. Devenport, Tasmania.
<i>suaveolens</i> (Pers.) Rost. ...	<i>Cirsium arvense</i> ...	Dahlem; Pusa.
<i>suaveolens</i> Pers. ...	<i>Cnicus</i> ...	Lahore; Balabari, Assam.
	<i>Cnicus argyranthus</i> ...	Shadipore, Kashmir.
<i>substerilis</i> Ell. et Ever. ...	<i>Stipa viridula</i> Trin. ...	N. America.
<i>substriata</i> Ell. et Barth ...	<i>Paspalum</i> sp. ...	Mexico.
<i>Sydowiana</i> Diet. (Accid. ...	<i>Verbena hastata</i> L. ...	Kansas, N. America.
<i>dium verbenicolum</i> Ell. ...		
<i>et Kell.</i>		
<i>Symphoricarpi</i> Harkn. ...	<i>Symphoricarpus racemosus</i> ...	Lolo, Montana.
<i>tagetica</i> D. & H. ...	<i>Tagetes filifolia</i> ...	Gualajajara, Mexico.
	<i>Tagetes lucida</i> Cav. ...	Mexico.
<i>Taraxaci</i> Plowr. ...	<i>Taraxacum erythrospermum</i> ...	America Bot.

Fungus.	Host.	Locality.
<i>Puccinia Taraxaci</i> Plowr. ...	<i>Taraxacum officinale</i> ...	Chindi, Himalayas; Missoula, Montana; Gulenbina, Kumaon; Ranikhet, Kumaon; Beri Nag, Kumaon; Dharma ghar, Kumaon; Kasuali; Harwan, Kashmir.
<i>tasmanica</i> Diet. ...	<i>Taraxacum Wattii</i> ...	Ranikhet, Kumaon.
<i>tecta</i> Ell. et Barth. ...	<i>Senecionis vulgaris</i> B. ...	Australia.
<i>tenu-stipes</i> Rostk. ...	<i>Carex sparganoides</i> ...	America Bor.
<i>Thwaitesii</i> Berk. ...	<i>Carex varia</i> Muhl. ...	Canada, N. America.
	<i>Justicia Gendarussa</i> ...	Soletila, Koppa, Mysore; Rangool; Tellicherry, Malabar; Bharno, Burma; Wynaad, Malabar; Mandalay, Burma; Insein, Burma; Dacca; Philippine Islands; Manila & Vicinity, Luzon; Anandisar Degi, Comilla.
<i>tinctoriicola</i> P. Magn. ...	<i>Serratula tinctoria</i> ...	Bavaria.
<i>tosta</i> Arth. ...	<i>Sporobolus cuspidatus</i> ...	America Bor.
<i>Tragopogonis (Pers.)</i> Cda. ...	<i>Tragopogon pratense</i> ...	Germany.
<i>Trailii</i> Plowr. ...	<i>Phragmites communis</i> ...	Germany.
	<i>Tail.</i>	
<i>triticea</i> Erika. ...	<i>Rumex Acetosa</i> ...	Brandenburg, Germany.
	<i>Triticum vulgare</i> ...	Dumraon; Badgera, Orai, U. P.; Saharanpur, U. P.; Dehra Dun; Pusa; Manigaon, C. P.; Cawnpore; Poona; Jubbulpur; Lakhnar, U. P.; Mandalay, Burma; Nairobi, B. E. Africa; Tathab Fort, Peshawar.
<i>tuberculans</i> E. & E. ...	<i>Bigelovia veneta</i>	Pachuca, Mexico.
<i>tumida</i> Grev. ...	<i>Conopodium denudatum</i> (DC.) Koch. ...	Gallia.
<i>Urticæ</i> Baro. ...	<i>Urtica</i> sp. ...	Kasuali; Mussoorie.
<i>vacua</i> Diet. & Holw. ...	<i>Lobelia</i> sp. ...	Cuernavaca, Mexico.
<i>Violantiae</i> Pers. ...	<i>Galium cruciata</i>	Serbia.
	<i>Galium schultesii</i> ...	Serbia.
<i>Veratri</i> Niessl. ...	<i>Veratri albt.</i> ...	Serbia.
<i>Veronicae</i> Schroet. ...	<i>Veronica montana</i>	Serbia.
<i>Veronicarum</i> DC. ...	<i>Veronica utricifolia</i> Jacq. ...	Bavaria.
<i>versicolor</i> Diet. & Holw. ...	<i>Andropogon</i> ...	Maymyo, Burma.
	<i>Andropogon contortus</i> ...	Kirkee, Poona; Taras, Dharwar, Bombay; Bomeswar, Kumaon; Belgaum, Bombay; Wynaad; Maymyo, Burma; Pailani.
<i>Viola</i> (Sebum.) DC. ...	<i>Viola</i> sp. ...	Pachuca, Mexico; Mussoorie; London.
	<i>Viola serpens</i> ...	Ranikhet, Kumaon; Harwan, Kashmir.
<i>virgata</i> EM. et Ever. ...	<i>Chrysopogon mutans</i> Benth. (<i>Andropogon incompletus</i> Presl.) ...	Guadalajara, Mexico.
<i>Virgaureae</i> (DC.) Lib. ...	<i>Solidago Virgaurea</i> L. ...	Jatlah lia, Dadia.
<i>Umbilici</i> Grev. ...	<i>Umbilicus pendulicus</i> DC. ...	Gallia.

Fungus.	Host.	Locality.
<i>Puccinia Wattiana</i> Barel. ...	<i>Clematis</i> ...	Mussoorie; Naini Tal.
	<i>Clematis Buchananiana</i> ...	Bageswar, Kumaon.
	<i>Clematis connata</i> ...	Harwan, Kashmir.
	<i>Clematis Gouriana</i> ...	Almorah, Kumaon; Dehra Dun.
<i>Willemetiae</i> Bubak. ...	<i>Willmetia hieracioides</i> Monn.	Bavaria; Bohemia.
<i>xanthoroda</i> Syd. ...	<i>Scleria</i> sp. ...	Ranikhet, Kumaon.
<i>xanthosperma</i> Syd. ...	<i>Bambusa</i> spec. ...	Mussoorie, U. P.
<i>Zaluzaniae</i> Arth. ...	<i>Zaluzania asperima</i>	Tehuacan, Mexico.
<i>Pucciniastrum Abietis-Chamaenerii</i> Kleb. ...	<i>Epilobium angustifolium</i> L.	Cheat Mountains, America.
<i>Agrimoniae</i> (DC.) Diet. ...	<i>Agrimonia Eupatorium</i>	Shikhar near Basti, Kumaon Mussoorie; Cherrapunji, Assam Rangarh, Kumaon.
	<i>Agrimonia pilosa</i>	Simla.
<i>Castaneae</i> Diet. ...	<i>Castanopsis javanica</i>	Maymyo, Burma.
<i>Celastri</i> Syd. ...	<i>Celastrus paniculata</i>	Kumaon.
<i>Coriariae</i> Diet. ...	<i>Coriaria nepalensis</i>	Almorah, Kumaon; Mussorie.
<i>Epilobii</i> (Chaill.) Oth. ...	<i>Epilobium palustre</i> L. ...	Herzegovina.
<i>Gaultheriae</i> Syd. ...	<i>Gaultheria nummularioides</i>	Kumaon.
<i>Myrtilli</i> (Schw.) Arth. ...	<i>Vaccinium caespitosum</i>	Missoula, Montana.
<i>persicariae</i> (Wint.) Ed. Fisch. ...	<i>Arctostaphylos Manzanita</i>	Grants Pass, Oregon.
<i>Pucciniosira Brickelliae</i> Diet & Holw. ...	<i>Brickellia</i> sp. ...	Zapotlan, Mexico.
<i>Pucciniospora Clarkiana</i> (Berc.) Diet. ...	<i>Astilbe</i> ...	Dunpep, Khasia Hills, Assam.
	<i>Astilbe japonica</i>	Minan Road, Jaunsar.
	<i>Astilbe rivularis</i> Ham. ...	Biroh Hill, Darjeeling.
<i>Pyrenochaeta exosporioides</i> Sacc. ...	<i>Carex glauca</i> Murr. ...	Thuringen, Germany.
<i>Oryzae</i> Miyake ...	<i>Oryza sativa</i> ...	Noakhali, E. Bengal; Hmawb Farm, Burma; Mandalay Burma.
<i>Pyropolyporus williamsii</i> Murr.	Sablang, Benguet, Luzon.
<i>Pythium Butleri</i> Subrm. ...	<i>Capicum annum</i> ...	Pusa.
	<i>Carica Papaya</i> ...	Pusa.
	<i>Nicotiana Tabacum</i> ...	Pusa.
	<i>Zingiber officinale</i> ...	Rangpur Farm; Nadiad Farm Surat; Pusa.
<i>de Baryanum</i> Hesse. ...	<i>Clarkia</i> ...	Pusa.
	<i>Gilia</i> ...	Pusa.
	<i>Lepidium sativum</i> ...	Pusa.
	<i>Ricinus communis</i> ...	Pusa.
<i>Gracile</i> (schench.) de By. ...	<i>Sida cordifolia</i> ...	Dacca Farm.
<i>palmivorum</i> Butl. ...	<i>Borassus flabelliformis</i> ...	Godaveri Delta, Madras; Jagannathagiri, Godaveri; Pillanka Inevelli; Tetramudi; (Godaveri)
(<i>Phytophthora palmivora</i> Butl.)	<i>Cocos nucifera</i> ...	Changana Cherry, Travancore Godaveri Delta; Ramchandrapur Madras.
<i>Rabhdospora nebulosa</i> (Desm.) Sacc. ...	<i>Eupleurum falcatum</i> ...	Thuringen, Germany.

Fungus.	Host.	Locality.
<i>Amphospora nymphaeae</i> Cunn...	<i>Nymphaea</i> ...	Beganganj; Chaumuhani (Noakhali District).
<i>Ashkari Ajugae</i> (Niessl.) Sacc...	<i>Ajuga reptans</i> ...	Brandenburg.
<i>Areola</i> Atk. ...	<i>Gossypium</i> ...	Sawalikota, Madras; Dohad Farm; Raipur, C. P.; Pusa.
<i>Coccinea</i> (Fuck.) Vester.	<i>Veronica smethystina</i> ...	Brandenburg.
<i>cylindroides</i> Sacc. ...	<i>Palmonaria officinalis</i> Linn.	Hessen-Nassau, Germany.
<i>Leonuri</i> Sacc. et Fenz. ...	<i>Leonurus cardiaca</i> ...	Bayern, Germany.
<i>macrospora</i> Fres. var. Major Lindr.	<i>Campanula rapunculoidea</i> Linn.	Thuringen, Germany.
<i>Phytenmatia</i> Sacc. et Wint.	<i>Phyteuma spicatum</i> ...	Thuringen.
<i>pratensis</i> Sacc. ...	<i>Rumex</i> ...	Kasauli; Mussoorie, U. P.
<i>Ranunculi</i> Peck ...	<i>Ranunculus</i> ...	Mussoorie, U. P.
<i>reticulata</i> Ell. et Ev. ...	<i>Osmorhiza longiscylis</i> ...	Ontario, Canada.
<i>Rhei</i> Adlesch ...	<i>Rheum</i> ...	Kanaighat, Sylhet, Assam.
<i>rufo-maculans</i> Peck ...	<i>Polygonum</i> ...	Harwan, Kashmir.
<i>Tulaneii</i> Sacc. ...	<i>Fragaria vesca</i> ...	Shillong, Assam; Nepal; Maymyo, Burma; Pusa; Tarnab Farm, Peshawar.
<i>Uredinia</i> (Voss) Sacc. ...	<i>Melampsora</i> (<i>Adhatoda vasica</i>).	Dehra Dun.
<i>Urticae</i> Ces. ...	<i>Urtica dioica</i> ...	Achibal, Kashmir; Mussoorie.
<i>Valerianae</i> (Speg.) Sacc.	<i>Valeriana officinalis</i> Linn.	Hessen-Nassau, Germany.
<i>Violae</i> Trail ...	<i>Viola canina</i> Linn. ...	Brandenburg, Germany.
<i>Vitidis</i> Syd. ...	<i>Vitex negundo</i> ...	Coimbatore, Madras.
<i>venelia Bakeriana</i> Diet. ...	<i>Lonchocarpus</i> sp. ...	Brazil.
<i>Breyniae</i> Syd. ...	<i>Breynia rhamnoides</i> ...	Pusa; Wynaad, Malabar, Madras; Allahabad.
<i>Brongniartiae</i> Diet. et Holw.	<i>Brongniartia sericea</i> Schlecht.	Mexico.
(<i>Plecravenelia</i>) <i>deformans</i> Maubl.	<i>Acacia</i> sp. ...	Africa Orient.
<i>Emblicae</i> Syd. ...	<i>Phyllanthus Emblica</i> ...	Nagpur, C. P.; Dehra Dun; Maymyo, Burma.
<i>fragrans</i> Long ...	<i>Mimosa stipitata</i> Rob. ...	Cuautla, Mexico.
<i>Humphreyana</i> P. Henn.	<i>Poinciana pulcherrima</i> L.	Guatemala.
<i>Leucaenas</i> Long ...	<i>Leucaena</i> sp. ...	Yautopoc, Mexico.
<i>Mac Owaniana</i> Paezschke.	<i>Acacia horrida</i> ...	Africa.
<i>Mimosae-albidas</i> P. Diet.	<i>Mimosa albida</i> ...	Cuautla, Mexico.
	<i>Mimosa albida</i> Florinbunda Rob.	Caxaca, Mexico.
<i>Mimosae caeruleae</i> Diet.	<i>Mimosa caerulea</i> Rose ...	Cuernavaca, Mexico; Wahjain, Assam; Kanouth, Malabar; Dehra Dun.
<i>ornata</i> Syd. ...	<i>Abrus pulchellus</i> ...	
<i>sessilis</i> Berk ...	<i>Albizia</i> ...	Rangarh, Kumaon.
	<i>Albizia Lebbek</i> ...	Dalghat, Chittagong; Dehra Dun; Nagpur, C. P.; Pusa; Raipur, C. P.; Chaumuhani, Noakhali; Cawnpore; Arrah, Bihar.
<i>spinulosae</i> Diet. et Holw.	<i>Cassia biflora</i> L. ...	Guatemala.
	<i>Cassia Holwayi</i> Rose ...	Cuautla, Mexico.
<i>stictica</i> B. et Br. ...	<i>Pongamia glabra</i> ...	Madras; Nagina, Bijnor, U. P.; Bandra, Bombay.

Fungus.	Host.	Locality.
<i>Rehmomyces profusus</i> Syd. et Batl.	<i>Cajanus indicus</i>	Dehra Dun.
<i>Reticularia lycoperdon</i> Bull.	On bark of dead wood	Dehra Dun ; Pusa.
<i>venosa</i> B. & C.	Twigs	Khandela, Bombay.
<i>Rhinocladium corticolum</i> Mass	<i>Mangifera indica</i>	Kirkee, Poona ; Pusa ; Jessore ; Bengal ; Dharwar, Bombay ; Wynaad, Malabar, Madras ; Bangalore ; Yelwal, Mysore ; Dacca.
<i>Rhizinia inflata</i> (Scaff) Quél.	<i>Tunga heterophylla</i>	Priest River, Idaho.
<i>Rhizoctonia destruens</i> Tass.	<i>Cyamopsis psoraloides</i>	Dohad Farm.
	<i>Delphinium</i> and <i>Dianthus</i>	Alipore.
	<i>Lens esculenta</i>	Mandalay, Burma, C. P.
	<i>Medicago sativa</i>	Surat, Bombay.
	<i>Oryza sativa</i>	Buitenzorg, Java.
	<i>Piper Betle</i>	Bogra, Bengal ; Pusa.
	<i>Solanum tuberosum</i>	Manjri, Poona ; Sabour.
	<i>Triticum vulgare</i>	Mandalay, Burma ; Shwebo District ; Burma ; C. P.
<i>Medicaginis</i> DC.	<i>Medicago sativa</i>	Surat Farm ; Saharanpur ; Sargodha, Punjab ; Nadia, Bombay.
<i>Napi</i> West.	<i>Amaranthus tristis</i>	Pusa.
	<i>Argemone mexicana</i>	Pusa.
	<i>Avena sativa</i>	Pusa.
	<i>Beta bengalensis</i>	Pusa.
	<i>Brassica campestris</i> var. <i>glauca</i> .	Pusa.
	<i>Calamintha</i>	Pusa.
	<i>Cannabis sativa</i>	Pusa.
	<i>Carex copticum</i>	Pusa.
	<i>Chenopodium album</i>	Pusa.
	<i>Cicer arietinum</i>	Pusa.
	<i>Cnicus arvensis</i>	Pusa.
	<i>Erysimum</i> sp.	Pusa.
	<i>Foeniculum vulgare</i>	Pusa.
	<i>Fumaria parviflora</i>	Pusa.
	<i>Hordeum vulgare</i>	Pusa.
	<i>Lathyrus sativus</i>	Pusa.
	<i>Lens esculenta</i>	Pusa.
	<i>Leucas</i>	Pusa.
	<i>Linum usitatissimum</i>	Pusa.
	<i>Medicago lupulina</i>	Pusa.
	<i>Orobancha cernua</i>	Pusa.
	<i>Pisum sativum</i>	Pusa.
	<i>Scoparia dulcis</i>	Pusa.
	<i>Triticum vulgare</i>	Pusa.
	<i>Vicia hirsuta</i>	Pusa.
<i>Solani</i> Kuhn.	<i>Alysicarpus</i>	Pusa.
	<i>Arachis hypogaea</i>	Surat Farm ; Pakokku, Burma.
	<i>Cajanus indicus</i>	Samalkot, Madras.
	<i>Carica Papaya</i>	Pusa.
	<i>Cicer arietinum</i>	Gadag Farm ; Landbi ; Sukkur (Sindh) ; Gorakhpur, U.P.

Fungus.	Host.	Locality.
<i>Ascoctonia Solani</i> Kuhn	<i>Citrullus vulgaris</i> (Melon)	Peshawar.
	<i>Corchorus</i> sp.	Gouripur, Mymensingh, Bengal ; Lyallpur Farm, Punjab ; Ruag- pur, Dacca.
	<i>Corchorus capsularis</i>	Kishenganj ; Pusa.
	<i>Crotalaria Juncea</i>	Pusa.
	<i>Cucurbita maxima</i>	Pusa.
	<i>Delich. s. biflorus</i>	Pusa ; Gadag Farm.
	<i>Delichos Lablab</i>	Pusa.
	<i>Glycine Soja</i>	Mirpurkhas, Sindh ; Jorhat Farm ;
	<i>Gossypium</i>	Surat Farm ; Nadiad Farm ; Shikarpur, Sindh ; Nandyal, Madras ; Hasni, Punjab, Dera Ghazi Khan ; Lyallpur, Punjab.
	<i>Gossypium F. indicum</i>	Between Bellary and Hagari.
	<i>Hibiscus cannabinus</i>	Nadiad Farm, Bombay.
	<i>Hibiscus esculentus</i>	Pusa.
	<i>Lycopersicon esculentum</i>	Surat ; Pusa.
	<i>Nicotiana Tabacum</i>	Nadiad, Bombay ; Pusa.
	<i>Papaver somiferum</i>	Sitamu, C. I.
	<i>Phaseolus acutifolius</i> var. latifolius.	Mandalay, Burma.
	<i>Phaseolus lunatus</i>	Mandalay, Burma.
	<i>Phaseolus Mungo</i>	Bhagalpur.
	<i>Phaseolus Mungo</i> var. radiatus.	Dohad farm, Bombay ; Bhagalpur ; Landhi, Sind.
	<i>Phaseolus vulgaris</i>	Mandalay, Burma.
	<i>Sesamum indicum</i>	Surat, Bombay ; Attara, Banda, U. P. ; Gadag Farm, Bombay ; Dharwar, Bombay ; Mandalay ; Dacca ; Tatkon, Burma ; Landhi.
	<i>Solanum Melongena</i>	Pusa Farm.
	<i>Solanum tuberosum</i>	Dharwar Farm ; Poona, Bombay.
	<i>Trifolium alexandrinum</i>	Pusa.
	<i>Trigonella Foenumgræcum</i>	Pusa.
	<i>Vigna Catjang</i>	Pusa ; Nadiad ; Dacca.
<i>violacea</i> Tul.	<i>Arachis hypogaea</i>	Pusa.
	<i>Trichosanthes</i>	Pusa.
<i>Artocarpus</i> <i>Artocarpus</i> Rac. (Macar Artocarpus B. & Br.)	<i>Artocarpus integrifolia</i>	Pusa ; Benares ; Calcutta.
<i>synheporium graminicola</i> He- insen.	<i>Hordeum vulgare</i> Link.	Hessen-Nassau, Germany.
<i>synodiopodia Citri</i> Brissi	<i>Citrus fructu</i>	Poona.
<i>tytisma Acerinum</i> (Pers.) Fr.	<i>Acer caesium</i>	Darjeeling, Harwan, Kashmir.
<i>Arbuti</i> Phil.	<i>Arbutus menziesii</i>	Oregon.
	<i>Menziesia glabella</i>	Darby, Montana.
<i>himalense</i> Syd. et Berl.	<i>Ilex dipyrrena</i>	Ranikhet ; Mussoorie.
<i>Ilex latifolia</i> P. Henn.	<i>Ilex pedunculosa</i>	Japan.
<i>Lagerstroemia</i> Rabb.	<i>Lagerstroemia</i> sp.	Bombay ; North Kanara.
	<i>Lagerstroemia speciosa</i>	Lamao River.
<i>Piceum</i> Berk. (Pieridis Pat.)	<i>Pieris</i>	Ranikhet, Kumaon.
	<i>Pieris ovatifolia</i>	Nepal.

Fungus.	Host.	Locality.
<i>Rhytisma punctatum</i> (Pers.) Fr.	<i>Acer macrophyllum</i> ...	Oregon, U. S. A.
	<i>Acer palmatum</i> ...	Sapporo, Japan.
<i>salicinum</i> (Pers.) Fr. ...	<i>Salix</i> ...	Washington.
	<i>Salix repens</i> ...	Schleswig-Holstein, Germany.
<i>Solidaginis</i> Schwein. ...	<i>Solidago</i> sp. ...	Walton, New York.
<i>Robillarda sessilis</i> Sacc. ...	<i>Dalbergia</i> ...	Darjeeling.
<i>Rosellinia andurnensis</i> Ces. et. De Not.	Dead wood ...	Dehra Dun.
<i>Bambusae</i> P. Henn. ...	Bambusaceae ...	Bataan, Luzon.
<i>bothrina</i> (B. & Br.) Sacc.	<i>Camellia Thea</i> ...	Droog, Nilgiris; Madras.
<i>bunodes</i> (B. et Br.) Sacc.	<i>Grevillia</i> ...	Cadamaney Estate, Hassan Mysore.
	<i>Holigarna longifolia</i> ...	Cadamaney Estate, Hassan Mysore.
	<i>Litsaea angustifolia</i> ...	Cadamaney Estate, Hassan Mysore.
	<i>Litsaea Wightiana</i> ...	Cadamaney Estate, Hassan Mysore.
	<i>Piper nigrum</i> ...	Cadamaney Estate, Hassan Mysore.
	<i>Schleichera trijuga</i> ...	Cadamaney Estate, Hassan Mysore.
<i>cocos</i> P. Henn. ...	<i>Cocos nucifera</i> ...	Davao, Mindanao.
<i>Mangiferae</i> Syd. ...	<i>Mangifera indica</i> ...	Chittagong, Bengal.
<i>Rostrupia Elymi</i> (West) Lagh. ...	<i>Elymus arenarius</i> ...	Japan.
<i>Saccobolus Keverni</i> (C. r.) Boud. ...	<i>Horae dung</i> ...	Pusa.
<i>Sarcinella Cassiae</i> Butl. ...	<i>Cassia Tora</i> ...	Kurchi, Belgium.
<i>Sarcopodium roseum</i> (Corda.) Fr. ...	<i>Echium vulgare</i> Linn. ...	Brandenburg, Germany.
	<i>Meliolotus alba</i> Dear. ...	Brandenburg, Germany.
<i>Schizophyllum commune</i> Fr. ...	Dead wood ...	Pusa; Nagpur, C. P.; Rangpur.
	Tasmanian sleepers ...	Someswar.
	Tree stump ...	Dehra Dun; Khandala, Dharwar; Bombay; Palawan; Sablang; Benguet, Luzon; Bataan, Luzon; Unisan, Tayabas, Luzon.
<i>Schizothyrium annuliforme</i> Syd. et Butl.	<i>Acer oblongum</i> ...	Mussoorie.
<i>Schroeteria Delastrina</i> (Tul.) Wint.	<i>Veronica triphylos</i> Linn. ...	Sachsen, Germany.
<i>Schroeteria aster cirgens</i> Syd. ...	<i>Bridelia tomentosa</i> var. chinensis.	Rangpur; Syndal, Khasia and Jaintia Hills.
<i>Ebretiae</i> (Hirats.) Syd. et Butl.	<i>Ehretia acuminata</i> ...	Chittagong, Bengal.
<i>Scirrhia depauperata</i> (Desm.) Fuck.	<i>Phragmites communis</i> ...	Schleswig-Holstein.
<i>luzonensis</i> P. Henn. ...	<i>Bambusa</i> sp. ...	Lamao River, Bataan, Luzon.
<i>rimosa</i> (All. et Schw.) Fuck.	<i>Phragmites communis</i> Trin. ...	Mecklenburg, Germany.
<i>Scirrhodopsis seriata</i> Syd. et Butl. (<i>Scirrhia seriata</i> Syd. et Butl.)	<i>Bambusa</i> ...	Moulmein; Bassein; (Burma.)
<i>Scleroderma aurantiacum</i> Pers.	Ground ...	Dehra Dun.
<i>aurantium</i> Bull.	South India.
<i>caespitosum</i> ...	Ground ...	Dehra Dun.
<i>cepa</i> Persoon.	South India.
<i>dictyosporum</i> Pat. ...	Ground ...	Dehra Dun.
<i>flavidum</i> Ell. et Ever.	
<i>verrucosum</i> Builliard	Ground ...	Mussoorie, U. P.

Fungus.	Host.	Locality.
<i>deroderris repanda</i> (Fr.) Rehm.	<i>Ribes petraeum</i> ...	Elsas.
<i>ribesia</i> (Pers.) Karst.	<i>Ribes nigrum</i> ...	Brandenburg, Germany.
<i>erodiscus nitens</i> Pat.		
(<i>Hymenopsis Cudraniae</i> Mass.)	<i>Cudrania javanensis</i> ...	Dehra Dun; Tonkin.
(<i>Melasmia Cudraniae</i> Mass.)		
<i>erophoma Piceae</i> (Fuck.) v. Hohn.	<i>Cedrus Deodara</i> ...	Manali; Kulu.
<i>erospora graminicola</i> (Sacc.) Sch.	<i>Andropogon halepensis</i> ...	Kirkee, Poona.
	<i>Andropogon Sorghum</i> ...	Poona; Bardwan Expt. Farm.
	<i>Euchlaena luxurians</i> ...	Kirkee.
	<i>Pennisetum typhoideum</i> ...	Erode, Madras; Coimbatore; Poona; Savanur, Dharwar; Echhora; Orai, U. P.; Talaganj, Punjab; Surat; Dhulla; Trinopoly; Palladam; Rawal Pindi; Khed; between Manoubar Sandara; Dohad; Nadiad, Bombay; Hanal; Gurdaspur.
	<i>Setaria italica</i> ...	Pusa; Inevelli, Godavari, Madras; Dubgaon, Kashmir; Wynaad; Malabar; Manjri near Poona; Kelgari Farm; Chamtha, Darbhanga.
Var. <i>Andropogonis</i>	<i>Sorghum vulgare</i> ...	Coimbatore.
<i>Sorghi</i> Kulk.	Poona; Dharwar; Manjri.
<i>macrospora</i> Sacc. ...	<i>Oryza sativa</i> ...	Morioka, Japan; Ichinoseki Hanamaki, Japan.
Maylis (Rac.) Butl.	<i>Zea Mays</i> ...	Pusa.
<i>erotinia Bulborum</i> Wakker. ...	<i>Allium Cepa</i> ...	Pusa.
<i>pseudo-tuberosa</i> Rehm.	<i>Quercus</i> ...	Brandenburg.
<i>erotium glumale</i> Ces. ...	<i>Oryza sativa</i> ...	Noakhali, E. Bengal.
<i>Oryzae</i> Catt.	Mandalay, Burma; Cuttack, Orissa; Pusa; Samalkota; Gilgit, Kashmir; Pachetgarh Ward Estate, Bengal; Midnapur; Comilla; Chinsura; Raipur, Bilaspur, C. P.; Nareva, C. P.; Nagpur; Ranchi.
<i>scutellatum</i> Alb. et Schw. fa. minus.	<i>Acer californicum</i> ...	Brandenburg, Germany.
<i>ptobasidium bogoriense</i> Pat.	Rizal, Luzon.
<i>protractum</i> Syd....	<i>Acacia nigrescens</i> var. <i>pallens</i> .	Africa.
<i>ptogloeum Acaciae</i> Syd. ...	<i>Acacia arabica</i> ...	Kalpi, Jhansi Dist.; Coimbatore; Lylalpur
<i>aureum</i> Syd. ...	<i>Hopea acuminata</i> ...	Mt. Mariveles, Bataan, Luzon.
<i>Comari</i> Bres. et Allesch.	<i>Comarum palustre</i> ...	Schleswig-Holstein.
<i>hercynicum</i> Syd. ...	<i>Acer Pseudoplatanus</i> ...	Heesen-Nassau, Germany.
<i>Manihotis</i> A. Zimm.	<i>Manihot utilisima</i> ...	Tellicherry, Malabar, Madras.

Fungus.	Host.	Locality.
<i>Septoglosum Mori</i> (Lev.) Briosi and Cavara.	<i>Morus</i> sp. ...	Verinag, Kashmir; Dehra Dun, Bij. Behara, Kashmir; Achiba, Kashmir; Tarnab Farm; Th. Garden, Kashmir; Rawalpindi, Panjab.
	<i>Morus alba</i> ...	Harwan, Kashmir; Peshawar.
<i>Nuttallii</i> Harkn. ...	<i>Oenothera cerasiformis</i> ...	Lake Chelan, Washington.
<i>Poinciana</i> Syd. ...	<i>Poinciana elata</i> ...	Coimbatore.
<i>Septoria aciculosa</i> Ell. et Ev. ...	<i>Fragaria</i> ...	Harwan, Kashmir.
	<i>Fragaria indica</i> ...	Shillong, Assam.
<i>Asculina Thuem.</i> ...	<i>Asculus Hippocastarum</i> ...	Brandenburg, Germany.
<i>Apii</i> Chester ...	<i>Apium graveolens</i> ...	Ontario, Canada.
<i>arcuata</i> Cooke. ...	<i>Ficus bengalensis</i> ...	Poona, Bombay; Siddapur, N. Canara; Pusa.
	<i>Ficus Benjaminia</i> ...	Poona, Bombay.
	<i>Ficus indica</i> ...	Nalapani, Dehra Dun.
	<i>Ficus mysorensis</i> ...	Aldore, Mysore.
<i>atro-purpurea</i> Peck. ...	<i>Aster Macrophyllus</i> ...	Ontario, Canada.
<i>Nakori</i> Syd. ...	<i>Leucas</i> ...	Pusa.
<i>Bidentis</i> Sacc. ...	<i>Bidens tripartita</i> ...	Brandenburg, Germany.
<i>brachyspora</i> Sacc. ...	<i>Ficus</i> ...	Khed, Bombay.
<i>Brassicæ</i> Ell. et Ev. ...	<i>Brassica campestris</i> var. <i>Rapa</i> .	Sopor, Kashmir; Achiba, Kashmir.
<i>Dupleurina</i> G. Lau. ...	<i>Dupleurum longifolium</i> ...	Elaas.
<i>Butleri</i> Died. ...	<i>Prunus Avium</i> ...	Verinag, Kashmir.
	<i>Viburnum</i> ...	Kashmir (Harwan).
<i>Cannabis</i> (Lasch.) Sacc. ...	<i>Cannabis sativa</i> ...	Pusa; Nappanee, Indiana; U. S. A.; Dehra Dun.
<i>chrysanthemella</i> Cay. ...	<i>Chrysanthemum</i> ...	
	<i>Chrysanthemum indicum</i> ...	Begusarai, Bihar.
<i>Conyzae</i> Died. ...	<i>Conyza</i> ...	Pusa.
<i>Cordia</i> Syd. ...	<i>Cordia Rotbii</i> ...	Ganeshkhind, Poona.
<i>cornicola</i> Desm. ...	<i>Cornus sanguinea</i> Linn. ...	Thuringen, Germany.
<i>Cryptotaenia</i> Ell. et Rav. ...	<i>Cryptotaenia canadensis</i> ...	Canada.
<i>Dictamni</i> Fuck. ...	<i>Dictamnus albus</i> Linn. ...	Thuringen, Germany.
	<i>Dictamnus Frazinella</i> Pers. ...	
<i>diversimaculata</i> Died. ...	<i>Cnicus argyranthus</i> ...	Shadipore, Kashmir.
<i>Dolichi</i> B. & C. ...	<i>Dolichos Lablab</i> ...	Wynad, Madras.
<i>Ebuli</i> Desm. et Rob. ...	<i>Ebulum humile</i> Gareke ...	Thuringen, Germany.
	<i>Sambucus Ebulus</i> Linn. ...	
<i>fulvicans</i> Sacc. ...	<i>Lathyrus maritimus</i> ...	Schleswig-Holstein.
<i>Glycines</i> Hemmi ...	<i>Vigna Catjang</i> ...	Bangalore.
<i>hyalina</i> Ell. et Ever. ...	<i>Viola Patrinii</i> ...	Mussorie.
<i>Hyperici</i> Desm. ...	<i>Hypericum perforatum</i> Linn. ...	Brandenburg, Germany.
<i>Lachnastrea</i> Sacc. et Let. ...	<i>Althaea officinalis</i> ...	Bayern, Germany.
<i>Lactuce</i> Pass. ...	<i>Lactuca</i> ...	Harwan, Kashmir.
<i>Listera</i> Allesch. ...	<i>Listera ovata</i> ...	Thuringen, Germany.
<i>lupulina</i> B. et K. ...	<i>Humulus Lupulus</i> ...	Dubgaon, Kashmir.
<i>Lycopi</i> Pass. ...	<i>Lycopus europæus</i> ...	Brandenburg, Germany.
<i>macropora</i> Sacc. ...	<i>Paeonia emodi</i> Wall. ...	Shikhar near Basti, Kumaon.

Fungus.	Host.	Locality.
<i>Myriacidia</i> Syd. ...	<i>Myriacidia nepalensis</i> ...	Achibal, Kashmir.
<i>Osmorrhiza</i> Peck ...	<i>Osmorrhiza brevistylis</i> ...	Canada.
<i>Phlogis</i> Sacc. et Spag. ...	<i>Phlox decussata</i> ...	Brandenburg, Germany.
<i>Piri Miyake</i> ...	<i>Pyrus sinensis</i> ...	Mino, Japan.
<i>plantaginea</i> Pass. ...	<i>Plantago</i> ...	Harwan, Kashmir.
<i>podophyllina</i> Peck. ...	<i>Plantago lanceolata</i> ...	Schleswig-Holstein, Germany.
<i>polygonicola</i> (Lasch.) Sacc. ...	<i>Podophyllum peltatum</i> ...	Ontario, Canada.
	<i>Polygonum</i> ...	Harwan, Kashmir; Shikkar near Basti, Kumaon.
<i>purpurascens</i> Ell. et Mart. ...	<i>Potentilla arguta</i> ...	Ontario, Canada.
<i>Rosae</i> Desm. ...	<i>Rosa</i> ...	Tukvar Road, Darjeeling.
<i>Rosarum</i> West. ...	<i>Rosa</i> ...	Shala Bag, Kashmir; Palampur, Kangra, Punjab.
<i>Rubi</i> West. ...	<i>Rubus caesius</i> ...	Thüringen.
	<i>Rubus idaeus</i> ...	Shillong, Assam.
<i>Scrophulariae</i> Peck ...	<i>Rubus lasiocarpus</i> ...	Harwan, Kashmir.
	<i>Scrophularia</i> ...	Kareshi Bal, Srinagar, Kashmir; Harwan, Kashmir.
<i>Sojae</i> Syd. et Butl. ...	<i>Glycine soja</i> ...	Verinag, Kashmir; Achibal, Kashmir.
<i>stipina</i> Died. ...	<i>Stipa</i> ...	Harwan, Kashmir.
<i>tahacina</i> Died. ...	<i>Artemisia</i> ...	Dooterish, Darjeeling.
<i>Tritici</i> Desm. ...	<i>Triticum vulgare</i> ...	Lyallpur Farm; Tarnab Farm, Peshawar; Heclah, Baghdad.
<i>Verbenae</i> Rob. et Desm. ...	<i>Verbena officinalis</i> ...	Achibal, Kashmir.
<i>Viburni</i> West. ...	<i>Viburnum</i> ...	Harwan, Kashmir.
<i>Viccae</i> Died. ...	<i>Vicia vestita</i> ...	Pusa.
<i>Villarsiae</i> Desm. ...	<i>Limnanthemum</i> ...	Kashmir.
	<i>Limnanthemum nymphaeoides</i> ...	Woolar Lake, Kashmir.
<i>Viola</i> West. ...	<i>Viola</i> ...	Shikkar near Basti, Kumaon.
<i>Serish-like disease</i> ...	<i>Saccharum officinarum</i> ...	
<i>rococcus</i> Butleri Syd. ...	<i>Jasminum</i> ...	Pusa.
<i>Calophylli</i> Syd. ...	<i>Calophyllum inophyllum</i> ...	Kistna Dist., Madras.
<i>Sirothyrium</i> Taxi Syd. ...	<i>Taxus baccata</i> ...	Murree, Punjab.
<i>Solenia confusa</i> Bres. ...	<i>Betula alba</i> ...	Brandenburg.
<i>rosporium contortum</i> Griff. ...	<i>Andropogon contortus</i> ...	Makla.
<i>Flagellatum</i> Syd. et Butl. ...	<i>Ischaemum timorense</i> ...	Wynad, Madras; Siddrabunna, Koppa, Mysore; Kurseong, Darjeeling.
<i>furcatum</i> Syd. et Butl. ...	<i>Ischaemum</i> ...	Insein, Burma.
<i>geminellum</i> Syd. et Butl. ...	<i>Ischaemum aristatum</i> ...	Lendra, Nagpur.
	<i>Andropogon</i> sp. ...	Maoryngkneng, Khasia Hills, Assam.
<i>Paspali</i> McAlp. ...	<i>Paspalum scrobiculatum</i> ...	Chamtahat, Monghyr; Pusa.
<i>Pseudanthistiriae</i> Syd. et Butl. ...	<i>Pseudanthistiria hispida</i> ...	Bassein, Bombay.
<i>Wildemanianum</i> P. Henn. ...	<i>Citropogon</i> (Andropogon) Martini. ...	Kohana, Amraoti Dist., C.P.
<i>eganzinia</i> Meliolae A. Zimm. ...	<i>Holarrhena Antidysentrica</i> ...	Krishnapur, Comilla.
<i>hacelothea oruenta</i> (Kuhn.) Fott. (Ustilago oruenta Kuhn.) ...	<i>Andropogon halepensis</i> ...	G.B. Gardens, Saharanpur; Asirgarh, C.P.

Fungus.	Host.	Locality.
<i>Sphaelotheca eruenta</i> (Kuhn) Pott.	<i>Sorghum vulgare</i> ...	Poona; Chh'ndwara, C.P.; Madura, Seoni Dist., C.P.; Sholapur; Dharwar; Sarat; German East Africa.
<i>Fagopyri</i> Syd. et Butl.	<i>Fagopyrum esculentum</i> ...	Kulu, Himalayas.
<i>Hydropiperis</i> (Schum.) De Bary.	<i>Polygonum</i> sp. ...	Harwan, Kashmir; Shillong, Assam.
	<i>Polygonum galbrum</i> ...	Pusa.
	<i>Polygonum Persicaria</i> ...	Baljnath, Kangra, Punjab.
	<i>Polygonum Posumbu</i> ...	Dharmkot.
<i>Sorghi</i> (Link.) Clint	<i>Polygonum verrulatum</i> ...	Martand, Kashmir.
	<i>Sorghum vulgare</i> ...	Godavari; Kistna Dist.; Coimbatore; Kolputtee; Madras; Dehra Dun; Mandalay; Sagaing; Myingyan; Shu Minbu Dist.; Pakau, Uganda; German East Africa.
	<i>Sorghum vulgare</i> ...	Larkhana, Sind; Poona; Dharwar; Kirkee; Anand; Nadiad; Dhanodi, C. P.; Saunse; Nagpur; Jullandhar; Gurdaspur; Hoshiarpur.
<i>Sphaerella affinis</i> Wint. ...	<i>Carlina vulgaris</i> Linn. ...	Brandenburg, Germany.
<i>bambusina</i> Syd. et Butl.	<i>Bambusa</i> ...	Wahjain, Assam.
<i>citrullina</i> Sm. ...	<i>Lagenaria vulgaris</i> ...	Pusa; Almora, Kumaon.
<i>coffeicola</i> Cke. ...	<i>Coffea liberica</i> ...	Wynaad, Malabar, Madras.
<i>Fragariae</i> (Tul.) Sacc.	<i>Fragaria</i> ...	Harwan, Kashmir.
<i>Grossulariae</i> (Fr.) Awd.	<i>Ribes nigrum</i> Linn. ...	Brandenburg, Germany.
<i>Lantanae</i> (Nke.) Auerw.	<i>Viburnum Lantana</i> ...	Thuringen, Germany.
<i>lycopodina</i> Karst ...	<i>Lycopodium annotinum</i> ...	Mecklenburg, Germany.
<i>Malinverniana</i> Catt. ...	<i>Oryza sativa</i> ...	Gangin, Meherpur, Bengal; Islampur, Murehidabad; Nadi, Bengal.
<i>(Piricularia Oryzae)...</i>	<i>Oryza sativa</i> ...	Sambalpur, C. P.
<i>punctiformis</i> (Pers.) Rabh.	<i>Actinidia polygama</i> (mat-riz nova) Frasch et Sav.	Brandenburg, Germany.
<i>rosigena</i> Ell. et Ever.	<i>Rosa</i> ...	Darjeeling; Kurseong, Darjeeling.
<i>sentina</i> (Fr.) Sacc. ...	<i>Pyrus communis</i> Linn. ...	Brandenburg Germany.
<i>vogesiana</i> Syd. ...	<i>Juncus conglomeratus</i> ...	Elsas.
<i>Sphaerodopsis Neowashingtoniae</i> Shear.	<i>Neowashingtonia filamentosa</i> ...	California.
<i>Sphaeronaema adiposum</i> Butl. ...	<i>Saccharum officinarum</i> ...	Champaran, Bihar; Dehra Dun; Pusa; Rajaputtee, Saran.
<i>bengalense</i> Died. ...	<i>Ficus bengalensis</i> ...	Pusa.
<i>Senecionis</i> Syd. ...	<i>Senecio nemorensis</i> ...	Thuringen, Germany.
<i>Sphaerophragmium Acaciae</i> (Cke.) Magn.	<i>Albizzia Lebbeck</i> ...	Dacca; Jala, Darbhanga, Myitnge, Burma.
<i>Sphaeropsis Palmarum</i> Cke. (Phoma palmarum Cke.)	<i>Cocos nucifera</i> ...	Poona, Bombay.
<i>Pandani</i> P. Henn. ...	<i>Pandon leaves</i> ...	Davao, Moro Province.

Fungus.	Host.	Locality.
<i>haeropsis Sambuci</i> Peck. ...	<i>Sambucus canadensis</i> ...	Ontario, Canada.
<i>Visci</i> (Sollm.) Sacc. ...	<i>Viscum album</i> ...	Friedrichroda (Thür).
<i>haerostilbe Gracilipes</i> Tul. ...	Bark of dead wood ...	Pullianur, Travancore; Chaumuhani, Noakhali, Bengal.
<i>Repens</i> B. et Br. ...	<i>Carnellia Thea</i>	Assam.
<i>Auranticola</i> (Mytilaspia piperis) ...	<i>Piper nigrum</i>	Wynaad.
<i>Coccidophthora</i> ...	Scale insect. ...	
<i>haerotheca Euphorbiae</i> ...	<i>Euphorbia vilosa</i> ...	Harwan, Kashmir.
<i>Humuli</i> (DC.) Burr. ...	<i>Agrimonia Eupatoria</i>	
Var. <i>fuliginea</i> Schlecht. ...	<i>Bidens pilosa</i> ...	Poona, Bombay.
	<i>Cucurbita moschata</i> ...	Harwan, Kashmir; Nainital, Kumaon.
	<i>Lagenaria vulgaris</i> ...	Orai, W. P.
	<i>Phaseolus aconitifolius</i> ...	Near Mandalay, Burma.
	<i>Siegesbeckia orientalis</i> ...	Dubgaon, Kashmir; Verinag, Kashmir.
	<i>Taraxicum officinale</i> ...	Harwan, Kashmir.
<i>pannosa</i> (Wallr.) Lev. ...	<i>Prunus Amygdalus</i> ...	Harwan, Kashmir.
	<i>Prunus persica</i> ...	Verinag, Kashmir; Harwan, Kashmir; Tukvar, Darjeeling; Thyt Garden, Srinagar.
	<i>Rosa</i> ...	Thyt Garden, Srinagar, Kashmir; Harwan, Kashmir; Simla; Dehra Dun; Nagpur, C. P.; Ranikhet; Lonavala, Bombay; Malrajbag, Nagpur.
	<i>Rosa moschata</i> ...	Achibal, Kashmir.
<i>pirechina hoeneriana</i> (P. Henn.) Arth. ...	<i>Rubus Bogotensis</i> H. B.K. ...	Tungas, Bolivia.
<i>pongospora subterranea</i> (Wallr.) John. ...	<i>Solanum tuberosum</i> ...	Mahabaleshwar, Bombay.
<i>poronema atr-bilinum</i> Desm. ...	<i>Abies excelsa</i> ...	Thuringen, Germany.
<i>porotrichum angustatum</i> Catt. ...	<i>Oryza sativa</i> affected by Ufra disease. ...	Comilla District.
<i>ragonospora Arecae</i> Died. ...	<i>Areca Catechu</i> ...	Chittagong, Bengal.
<i>Cedri</i> Syd. et Butl. ...	<i>Cedrus Libani</i> var. <i>Deodara</i>	Manali, Kulu, Punjab.
<i>maritima</i> Syl. ...	<i>Scirpus maritima</i> ...	Schleswig-Holstein.
<i>Suaedae</i> Syd. ...	<i>Suaeda maritima</i> ...	
<i>tauronema Sacchari</i> Syd. et Butl. ...	<i>Saccharum officinarum</i> ...	Dehra Dun.
<i>tegia fenestrata</i> (Rob. et Desm.) Rehm. ...	<i>Scirpus Tabernaemontani</i> ...	Schleswig-Holstein.
<i>subvelata</i> Rehm var. ...	On dead carex leaves ...	Mark Brandenburg, Germany.
<i>Winteri</i> Rehm. ...		
<i>temonitis fenestrata</i> Tex.	Washington, D. C.
<i>Morgani</i> Pk.	Iowa City.
<i>splendens</i> Rost. ...	Bark of dead wood ...	Pusa.
<i>tephanoma strigosum</i> Wallr. ...	<i>Lachnea hemisphaerica</i> ...	Thuringen, Germany.
<i>tereum affine</i> Lev.	Benguet, Luzon.
<i>annosum</i> Berk et Br.	Island of Polillo.
<i>elegans</i> Mey.? ² ...	On bamboo leaves in the ground. ...	Dehra Dun.
	Old wood	Saklespur, Mysore; Lachiwalli Forest, Mysore.

Fungus.	Host.	Locality.
<i>Staseum fasciatum</i> Schwein. ...	<i>Ricoria ovata</i> ...	Ft. Thomas, Kentucky.
<i>hirsutum</i> (Willd.) Fr. ...	<i>Quercus garryana</i> ...	Grants Pass, Oregon.
<i>involutum</i> Kl.	Negros.
<i>lobatum</i> Kunze. f. con- color Jungh.	Cagayan, Luzon; Cadiz, Negros O.
<i>lobatum</i> Fr. ...	Old wood ...	Koppa, Mysore; Wahjain, Assam; Balabonnur, Mysore; Laguna, Luzon; Nambor Forest, Siba- gar, Assam; Bongobang River, Mindoro.
<i>lugubre</i> Cke.	Besoboso, Rizal, Inton.
<i>Ostrea</i> Nees.	Panai, Benguet, Luzon.
<i>papyraceum</i> Mass. ...	Old wood ...	Wahjain, Assam.
<i>perlatum</i> Berk.	Island of Polillo.
<i>sanguinolentum</i> (Alb. et Schw.) Fr. ...	<i>Tauga heterophylla</i> ...	Priest River, Idaho.
<i>scytale</i> Berk. forma re- supinatum Bres.	Polillo Islands.
<i>sulcatum</i> ...	<i>Larix occidentalis</i> ...	Priest River, Idaho.
<i>Sterigmatocystis castanea</i> Patt. ...	<i>Punica Granatum</i> ...	Bombay; Mandalay, Burma; Gangapur; Lyallpur; Peshawar.
<i>Sterile mycelium</i> resembling <i>Bel-</i> <i>licularia</i>	<i>Camellia Thea</i> ...	Moabund Estate, Assam.
<i>mycelium</i> ...	<i>Gossypium arboreum</i> ...	Kirkee, Poona.
<i>Stichopsora Solidaginis</i> (Schw.) Diet. ...	<i>Mangifera indica</i> ...	Kanouth, Tellicherry, Malabar.
<i>Stigmina Visianica</i> Sacc. ...	<i>Solidago canadensis</i> L. ...	N. America.
<i>Stilbum lateritium</i> Berk. ...	<i>Platanus orientalis</i> ...	Shillong, Assam; Harwan, Kash- mir; Ooty, Nilgiris, Madras; Nainital, Kumaon.
<i>nanum</i> Mass. ...	<i>Hibiscus Rosa-sinensis</i> ...	Calcutta.
<i>Striga euphrasiodes</i> Benth. ...	<i>Camellia Thea</i> ...	Assam; Basahepjan, Upper Assam.
<i>Stromella Coffea</i> Butl. ...	<i>Eriobotrya japonica</i> ...	Assam.
<i>Styranus Stemonites</i> (Pers.) Corda.	Ferns in a tea garden ...	Moabund Estate, Assam.
<i>Synchytrium Anemones</i> (DC.) Wor. ...	Roots of <i>Sorghum vulgare</i> & <i>Pennisetum typhoi-</i> deum. ...	Poona; Dhar State.
<i>collapsum</i> Syd. ...	<i>Coffea arabica</i> ...	Koppa, Mysore.
<i>Mercurialis</i> (Lib.)	<i>Colanum tuberosum</i> ...	Pusa; Poona.
Puck. ...	<i>Aspidone nemorosa</i> Linn. ...	Brandenburg, Germany.
<i>Rytzii</i> Syd. ...	<i>Clerodendron infortuna-</i> tum. ...	Pusa; Wahjain, Assam; Anand- sar Deghi, Comilla, Bengal.
<i>Telesia cinerella</i> Rehm. ...	<i>Mercurialis perennis</i> Linn. ...	Hessen-Nassau, Germany.
<i>Taphrina adrea</i> (Pers.) Fr. (Excoecus Populi Thum.)	<i>Anisomeles ovata</i> ...	Pusa; Dehra Dun.
	<i>Dicliptera</i> ...	Dehra Dun.
	<i>Justicia</i> ...	Nagpur, C. P.; Samalkot; Aitampudi, Kistna, Madras.
	<i>Lepidagathis</i> ...	Dehra Dun.
	<i>Leucas</i> ...	Benares City.
	<i>Leucas aspera</i> ...	Pollachi, Coimbatore.
	<i>Peristrophe</i> ...	Pusa.
	<i>Fagus silvatica</i> ...	Thuringen, Germany.
	<i>Populus ciliata</i> ...	Murree, Punjab.

Fungus.	Host.	Locality.
<i>pharina coerulescens</i> (Mont. et Deam.) Tul.	<i>Quercus pedunculata</i> ...	Schleswig-Holstein, Germany.
<i>Corpus-cervi</i> Giesn. ...	<i>Aspidium aristatum</i> ...	Coonoor, Madras.
<i>maculans</i> Butl. ...	<i>Curcuma Amada</i> Roxb. ...	Government Bot. Gardens, Saharanpur.
	<i>Curcuma angustifolia</i> ...	Bageswar, Kumaon; Ananadsar Degi, Comilla.
	<i>Curcuma longa</i> L. ...	Sarat; Pusa near Sarat; Poona; Lalampur, Bombay; Pusa; Parialkapur; Rangpur; Samalkot; Suri, Birbhum, Bengal; Dehra Dun; Hatkanagle, B. mbay; near Razole, Godavari, Madras.
	<i>Hedychium</i> ..	Mussoorie.
	<i>Zingiber casumuner</i> Roxb.	Rangpur.
	<i>Zangiber Zerumbet</i> ...	Awapur; Champapur (Muzafferpur).
<i>polyspora</i> (Sorok.) Johans.	<i>Acer tataricum</i> ...	Brandenburg.
<i>rhomboidalis</i> Syd. et Butl.	<i>Pteris quadriaurita</i> ...	Barma Gori Valley, Kumaon.
<i>Vestergreni</i> Giesenh...	<i>Aspidium filix-mas</i> ...	Elsaa.
a Canker	<i>Camellia Thea</i> ...	Duais, Bengal; Begarcote, W. Duais; Dolicherra Tea Estate, Kachar.
<i>stratosphaeria fibrillose</i> Syd. ...	<i>Protea grandiflora</i> ...	Africa.
<i>teropeora areolata</i> (Wallr.) P. Magn.	<i>Prunus virginia</i> ...	Germany.
<i>Galti</i> (Lk.) Dedoni. ...	<i>Galium verum</i> ...	Brandenburg, Germany.
<i>telephora caryophyllae</i> (Schaff) Pers.	On ground under Pines ...	Cour d' Alene, Idaho.
<i>telephora diamese</i> Ricker	Lamao, Bataan, Luzon.
<i>striatus</i> Jung. ...	On the ground ...	Dehra Dun.
<i>terrestris</i> Erh. ...	<i>Pinus ponderosa</i> ...	Couer d' Alene, Idaho.
<i>telavia basicola</i> Zopf. ...	<i>Viola odorata</i> ...	Lahore.
<i>telaviopsis chaoticica</i> Went. ...	<i>Saccharum officinarum</i> ...	Pusa; Cossipur, Bengal; Muzafferpur, Behar.
<i>paradoxa</i> (de Seyne) v. Hoba.	<i>Ananas sativa</i> ...	Comilla, Bengal; Calcutta, Bazar.
<i>Helia Brizze</i> Ule ...	<i>Briza media</i> Linn. ...	Hessen-Nassau, Germany.
<i>horrida</i> Tak ...	<i>Oryza sativa</i> (Rice bran) ..	Berlin, Germany; Sangla Hill, Punjab; Pusa; Bassein, Burma; Hmawbi Farm; Samalkot.
<i>levis</i> Kuhn ...	<i>Triticum vulgare</i> ...	Gilgit; Sibi, Baluchistan, Sopor, Kashmir; Australia.
<i>rugispora</i> Ell. ...	<i>Paspalum</i> sp. ...	Chapala, Mexico.
<i>styliformis</i> (West) Wint.	<i>Holcus mollis</i> ...	Brandenburg.
<i>Tritici</i> (Bjerk) Wint. ...	<i>Triticum vulgare</i> ...	Gilgit; Simla; Australia.
<i>Tumefaciens</i> Syd. ...	<i>Panicum antidotale</i> ...	Lyallpur Farm, Punjab.
<i>umadoche-alba</i> (Bull) R.	Iowa city.
<i>lyposporium filiferum</i> Busae ...	<i>Sorghum vulgare</i> ...	Talegan; Jhelum, Punjab; Ugo-go, Java; Karamadai, Coimbatore; Koilpatti, Tinnevely.
<i>penicillariae</i> Bref.	<i>Pennisetum typhoidesum</i>	Poona Farm; Sialkot; Nadiad Farm; Coimbatore; Pusa.

Fungus.	Host.	Locality.
<i>Tolyposporium philippinense</i> Syd.	<i>Andropogon contortus</i> ...	Manila, Luzon.
<i>Trabutia Butleri</i> Thies. et Syd. (<i>Phyllachora abyssinica</i> P. Henn).	<i>Ficus</i> ...	Wahjain, A'sam; Syndai, K. & Hills, Assam.
<i>Trametes acuta</i> Lev.	Cagayan, Luzon.
<i>badia</i> Berk.	Cabanatuan, Nueva Ecija, Luzon.
<i>caespitosa</i> Murr.	Camarines, Luzon.
<i>carnea</i> Nees. ...	<i>Larix occidentalis</i> ...	Mt. Mariveles, Bataan, Luzon.
<i>conchata</i> Berk.	Priest River, Idaho.
<i>coaglobata</i> Murr.	Cagayan, Luzon.
<i>corrugata</i> (Pers.) Bres.	Camp Keithley, Lake Lanao, Mindanao.
(forma <i>risupinata</i>)	Rizal, Luzon; Sablang, Benguet, Luzon.
<i>fuscella</i> Lev.	Sablang, Benguet, Luzon.
<i>gibbosa</i> (Pers.) Fr.	Sablang, Benguet, Luzon.
<i>heteromorpha</i> Murr. ...	<i>Pseudotsuga taxifolia</i> ...	Bontoc, Luzon; Panai, Benguet, Luzon.
<i>hispidula</i> Bagl. (<i>Trametes</i> <i>Peckii</i> Kalchbr.).	<i>Populus trichocarpa</i> ...	Priest River, Idaho.
<i>mulleri</i> Berk. ...	<i>Dipterocarpus</i> sp. ...	Priest River, Idaho.
<i>piceana</i> Pk. ...	Squared timber ...	Lamao, Ba'taan, Luzon.
<i>Pini</i> (Brot.) Fr. ...	<i>Crataegus Douglasii</i> ...	Tarlac, Philippine Islands; Bontoc, Luzon; Zambales, Luzon.
<i>strigata</i> (Berk.) Bres. ...	<i>Pinus excelsa</i> ...	Priest River, Idaho.
<i>suaveolens</i> (L) Fr.	Simla.
<i>Trichamphora pezizoidea</i> Jung. ...	<i>Populus trichocarpa</i> ...	Island of Polillo.
	On the bark of dead wood	Missoula, Montana.
<i>Trichia scabra</i> Rost. ...	<i>Bad Acer-stump</i> ...	Pusa.
<i>varia</i> Pers. ...	<i>Bad tree stump</i> ...	Brandenburg, Germany.
<i>Trichosphaeria macularis</i> Syd. et Butl.	<i>Bridelia</i> ...	Brandenburg, Germany.
<i>Sacchari</i> Mass. (<i>Melanconium</i> <i>Sacchari</i> Mass.).	<i>Saccharum officinarum</i> ...	Pullianur, Travancore.
<i>Trichosporium vesiculosum</i> Butl.	<i>Casuarina equisetifolia</i> ...	Siraha, Champaran, Bihar.
<i>Trichothecium roseum</i> (Pers.) Link.	<i>Gossypium</i> sp. ...	Temmenapatam, South Arcot.
<i>Triphragmium echinatum</i> Lev. ...	<i>Tilia</i> (fallen twigs) ...	Chatrapur, Ganjam, Madras.
<i>Filipendula</i> (<i>Lasch.</i>) Pass.	<i>Meum athamanticum</i> ...	Sargodha, Punjab.
<i>Koeleruteria</i> Syd.	<i>Spiraea filipendula</i> ...	Brandenburg.
<i>Thwaitesii</i> Berk. et Br.	<i>Koeleruteria paniculata</i> ...	Thuringen, Germany.
	<i>Araliaceae</i> ...	Dania.
<i>Trybliella rufula</i> (Spreng) Sacc.	<i>Heptapleurum</i> ...	Morioka, Japan.
	<i>Acalypha</i> ...	Pussimbing, Darjeeling.
	On wood of <i>Citrus</i> ...	Burlyar, Nilgiris, Madras.
	<i>Dalbergia sissoo</i> ...	Pusa.
	<i>Lagerstroemia indica</i> <i>rosea</i> ...	Sageing, Burma.
	Dead twigs ...	Pusa.
		Pusa; Pullianur; Dehra Dun; Bassein; Poona.

Fungus.	Host.	Locality.
<i>Bercularia Agaves</i> Pat. ...	<i>Agave</i> sp. ...	Costa Rica.
<i>maculicola</i> Sacc. ...	<i>Capparia</i> ...	Pusa.
<i>vulgaris</i> Tode ...	<i>Juglans regia</i> ...	Verinag, Kashmir.
<i>Bercularia Trientalis</i> Berk. et Br.	<i>Trientalis europaea</i> Linn.	Braunschweig, Germany.
<i>Bercularia perisicaria</i> (Ditm.) Sacc.	<i>Phragmites communis</i> ...	Harwan, Kashmir.
(parasitic on <i>Uredo sori</i>).		
"Andu" disease ...	<i>Triticum vulgare</i> ...	Jhang, Punjab.
<i>Uromyces scandens</i> (Ear cockle of wheat).	<i>Triticum vulgare</i> ...	Punjab.
<i>Uromyces fimbriatum</i> Fr. ...	Ground ...	Brandenburg, Germany.
<i>Uromyces necator</i> Schwein. Form	<i>Vitis vinifera</i> ...	Deolali; Poona, Bombay ;
<i>Oidium Tuckeri</i> Berk.		Harwan, Kashmir.
<i>Polychaeta</i> (B. & C.)	<i>Celtis caucasica</i>	Harwan, Kashmir.
Trac. & Gall.		
<i>Salicis</i> DC. ...	<i>Salix</i> ...	Mussoorie.
<i>Tectonae</i> Salmon. ...	<i>Cordia Macleodii</i>	Jubbulpore, C. P.
	<i>Tectona grandis</i> ...	Jubbulpore ; Nagpur. C. P. ;
		Dohad, Bombay ; Burma.
<i>Uredo Acori</i> Racib ...	<i>Acorus Calamus</i> ...	Gauhati, Assam ; Bombay.
<i>assamensis</i> Syd. ...	<i>Floscopa scandens</i>	Kanaighat, Assam.
<i>Bambusarum</i> P. Henn. ...	<i>Bambusa</i> sp. ...	Campinas, Brazil.
<i>Belamcandae</i> P. Henn. ...	<i>Belamcanda chinensis</i> ...	Kumaon, U. P.
<i>Bombacis</i> Petch ...	<i>Bombax malabaricum</i>	Peradeniya, Ceylon.
<i>Brideliae</i> Koord ...	<i>Bridelia</i> ...	Mussoorie, U. P.
<i>Cajani</i> Syd. ...	<i>Cajanus indicus</i> ...	Pusa.
<i>Castaneae</i> P. Henn. ...	<i>Castanea vulgaris</i> ...	Lepanto, Luzon.
<i>Chasaliae</i> Petch ...	<i>Chasalia curviflora</i>	Hakgala, Ceylon.
<i>Cordia</i> P. Henn. ...	<i>Cordia</i> sp. ..	Campinas, Brazil.
<i>Cypericola</i> P. Henn. ...	<i>Cyperus rotundus</i>	Cawnpore ; Dehra Dun ; Saharanpur ; Calcutta ; Pusa ; Hunsar, Mysore.
	<i>Cyperus subcapitatus</i> ...	Poona ; Surat.
	<i>Cyperus tuberosus</i> ...	Samalkota, Madras ; Tellicherry, Madras.
<i>Davacensis</i> Syd. ...	<i>Cyanotis tuberosa</i> ...	Droog, Nilgiris, Madras.
<i>Dioscoreae</i> P. Henn. ...	<i>Dioscorea</i> ...	Birch Hill, Darjeeling.
<i>Dioscoreae-sativae</i> Syd. ...	<i>Dioscorea sativa</i> ...	Chaumuhani, Noakhali District.
<i>Echinulatus</i> (Neesl.) Syd. ...	<i>Bassia latifolia</i> ...	Palghar, Bombay ; Sirsi, Bombay ; Bankura ; Burdwan ; Calcutta ; Pusa.
<i>Eriochloae</i> Syd. ...	<i>Eriochloa polystachya</i> ...	Barhagab, Saran, Bihar.
<i>erythrinae-valifoliae</i> Petch.	<i>Erythrina</i> ...	Chaumuhani, Noakhali District.
<i>Fuirenae</i> P. Henn. ...	<i>Fuirena</i> sp. ...	Tellicherry, Malabar.
	<i>Fuirena glomerata</i> ...	Bassein, Burma.
	<i>Fuirena umbellata</i> ...	Vayitri, Madras ; Tellicherry, Malabar, Madras.
<i>Hemidesmi</i> Syd. ...	<i>Hemidesmus indicus</i> ...	Chittagong.
<i>Ichnocarpus</i> Barel. ...	<i>Ichnocarpus frutescens</i> ...	Yelwal, Mysore ; Dacca ; Kanaighat, Sylhet ; Raipur, Dehra Dun.
<i>ignobilis</i> Syd. ...	<i>Sporobolus</i> sp. ...	Anandpur Deghi, Comilla, Bengal.
	<i>Sporobolus diander</i> ...	Pusa.
<i>Ischaemi</i> Syd. et Batl. ...	<i>Ischaemum timorense</i> ...	Chittagong.
<i>Kuhnil</i> (Krug.) Wakk. et Went.	<i>Saccharum officinarum</i> ...	Laguna, Luzon.
<i>Leonotidis</i> P. Henn. ...	<i>Leonotis nepetaefolia</i> ...	Islampur, Bombay ; Goshenhatti, Belgaum, Bombay.

Fungus.	Host.	Locality.
Uredo Lipocarphae Syd. ...	Lipocarpha sphaecelata ...	Yelwal, Mysore.
Murariae P. Magn. ...	Asplenium ruta muraria L. ...	Germania.
Myrtacearum Pazezschke ...	Eugenia sp. ...	Campinas, Brazil.
ochracea Diet. ...	Commelina spec. ...	Kanaighat, Sylhet & Tukva Darjeeling, Bengal.
operta Syd. & Butl. ...	Commelina obliqua ...	Nilgiri Hills.
ophiuri Syd. et Butl. ...	Cix Lachryma-Jobi ...	Wynaad, Madras.
	Ophiurus corymbosus Gaertn. ...	Pusa; Dehra Dun.
	Rottboellia compressa ...	Pusa.
Oxytropidis Peek. ...	Oxytropis Lamberti Parsh. ...	N. America.
Paederiae Syd. ...	Paederia foetida ...	Chittagong.
Paspalli-sorobiculati Syd. ...	Paspalum sorobiculatum ...	Kumaon; Kanaighat, Sylhet.
philippinensis Syd. ...	Cyperus polytachyus ...	Philippine Islands.
Poa-audeticae West. ...	Poa-audetica Haenke ...	Germany.
Pouzolziae Syd. ...	Pouzolzia pentandra ...	Nilgiri Hills, Madras.
Scheffleri Syd. ...	Capparis daceae ...	Africa.
Scelopendrii (Fueh) Schroet. ...	Scelopendrium officinarum Sw. ...	Alsatia.
Sesbaniae P. Henn. ...	Sesbania aegyptiaca ...	Manjri, Bombay.
Sissou Syd. et Butl. ...	Dalbergia Sissou ...	Dehra Dun; Pusa; Wynaad Madras; Kiriho, Poona.
Socotrae Syd. ...	Cassia Sophera ...	Chittagong; Rumbhat, Bengal.
Tectonae Rac. ...	Tectona grandis ...	Suri, Birbhun, Bengal; Larvalli Mysore; Obmilla; Calcutta Raagpur; Pusa Hakala, Ceylon.
Toddaliae Peteh. ...	Toddalia aculeata ...	Mussoorie.
Valerianae Wallichii Diet. ...	Valeriana sp. ...	Shillong.
	" Leschenaultii ...	Kumaon.
	" Wallichii ...	Kumaon.
Vicetiae Syd. ...	Vicatia Coniifolia ...	Brazil.
Vitidis-polygamae P. Henn. ...	Vitex flavens ...	Palzhar, Bombay.
Wedeliae-biflorae Syd. ...	Wedelia urticaefolia ...	Philippine Islands.
Uredinopsis Pteridis D. & H. ...	Wedelia biflora Benth ...	Priest River, Idaho.
	Abies grandis ...	Chelan Lake, Washington.
	Pteridium aquilinum pubescens. ...	
Urnula Craterinum (Schw.) Fr. ...	Quercus alba ...	Scottsburg, Indiana.
Urocystis Anemones (Pers.) Schroet. ...	Anemone silvestris ...	Brandenburg, Germany.
	Triticum vulgare ...	Lyallpur.
Urophendersonia indica Syd. ...	Erythrina ...	Darjeeling.
Uromyces Acetosae Schroet. ...	Rumex Acetosae ...	Germany.
achrous Syd. ...	Dalbergia Sissou ...	Pusa.
Aconiti-Lycocotoni (D. C.) Wint. ...	Aconitum Lycocotonium Linn. ...	Hessen-Nassau, Germany.
Alchemillae (Pers.) Lav. ...	Alchemilla vulgaris ...	Serbia.
Amurensis Kom. ...	Cladrastis amurensis var. floribunda. ...	Japan.
Andropogonis-annulati Syd. & Butl. ...	Andropogon annulatus ...	Samalkota; Bassein, Bombay; Dehra Dun; Kumbhat, U. P.; Lyallpur; Owarpor; Ganeskhund; Pusa; Orat, U. P.; Saharanpur.

Fungus.	Host.	Locality.
romyces Anthyllidis (Grev.) Sch.	Anthyllis tetraphylla L...	Tunisia.
Aloes (Cke.) P. Magn.	Aloe spicata ...	Coimbatore.
smoenus Syd. ...	Anaphalis margaritacea occidentalis.	Crater Lake, Oregon.
Apludae Syd. & Butl.	Apluda aristata ...	Bassein; Amritsar.
app-ndiculatus (Pers.) Lk.	Dolichos Lablab ...	Nagpur C. P.; Kanaighat, Sylhet, Dauracherra, Sylhet, Assam.
	Phaseolus sp. ...	Mexico, Anda Tode, Wynaad.
	Phaseolus Mungo var radiatus.	Samalkot, Madras.
	Phaseolus vulgaris. ...	Palghat, Malabar, Madras.
	Vigna Catjang ...	Ramchandrapur, Godaveri; Anand, Bombay.
	Vigna vexillata. ...	Coimbatore, Madras; Myingyan, Burma; Mandalay, Burma; Dacca; Pachanadi; Mangalore; Pusa; Poona.
Arisaemae Cke. ...	Arisaema ...	Dharmasala.
Armeriae (Schl.) Lev.	Armeria maritima Willd.	Sitakund, Chittagong.
Astragali (Opiz.) Sacc.	Astragalus danicus Retz...	Germany.
Behenii (DC.) Ung...	Oxytropis pilosa DC. ...	Germany.
Betae (Pers.) Lev. ...	Lychnis indica ...	Harwan, Kashmir.
Bidentis Lagh. ...	Beta vulgaris ...	Brandenberg, Germany.
Blainvilleae Berk ...	Bidens pilosa; ...	Nilgiri Hills.
Bouvardiae Sydi ...	Blainvillea latifolia ...	Samalkot, Madras.
Cacaliae (DC.) Ung....	Bouvardeia sp. ...	Oaxaca, Mexico.
Caladii (Schw.) Farl...	Adenostyles albifrons ...	Elaea.
caryophyllinus (Sch. rank Schroet.	Arisaema triphyllum ...	Lafayette, Indiana.
Chenopodii (Duby) Schroet.	Dianthus Caryophylli L...	Dania.
	Saneda fruticosa ...	Lahore.
	Sunda maritima ...	Schleswig-Holstein Germany.
[Ciceris-arietini (Grog.) Jacz.	Cicer arietinum ...	Pusa; Gokak Farm; Kotchaudpur, Jessore.
Commeliniae Cooke ...	Commelina sp. ...	Dhalghat, Chittagong; Mandalay, Burma; Wynaad, Madras; Chekodi, Bombay.
	Commeliniae bengalensis...	Tellicherry, Malabar; Bangalore; Dhalghat, Chittagong.
	Cyanotia tuberosa ...	Yelwal, Mysore; Hunsur, Mysore.
coronatus Yosh ...	Zizania aquatica ...	Japan.
cristatus Schw. et Niessl.	Viscosia Viscosa Ascher...	Dania.
cucullatus Syd. ...	Perymenium discolor ...	Oaxaca, Mexico.
Cunninghamianus Baro. (Uromyces Hobsoni Vize.)	Jasminum grandiflorum.	Dehra Dun; Poona.
Cyathulae P. Henan...	Cyathula capitata ...	Kumaon; Mussoorie.

Fungus.	Host.	Locality.
<i>decoratus</i> Syd. ...	<i>Crotalaria albida</i> ... <i>Crotalaria juncea</i> ...	Samalkot, Madras. Sainalkotta, Madras; Sialkot; Ramchandrapur, Godavari; Dacca; Dehra Dun.
<i>echinulatus</i> Niessl. ...	<i>Bassia longifolia</i> ...	Peradeniya, Ceylon.
<i>Eleocharidis</i> Arth. ...	<i>Eleocharis palustris</i> R. Br. var. <i>glaucescens</i> Schltl.	Kansas, N. America.
<i>Eragrostidis</i> Tracy ...	<i>Eragrostis cynosuroides</i> ...	Pusa; Chenab Bank, Punjab.
<i>Erichlæe</i> Syd. & Butl.	<i>Erichloe polystachya</i> ...	Pusa.
<i>Euphorbiae</i> C. et P. ...	<i>Euphorbia spec.</i> ...	Dharwar; Nagpur, C. P.
<i>excavatus</i> (DC.) P. Magn.	<i>Euphorbia luteola</i> Cass. et Durn.	Hispania.
<i>Fabae</i> (Pers.) de By. ...	<i>Euphorbia serrata</i> L. ... <i>Lathyrus pauciflorus</i> ... " <i>silvestris</i> ... " <i>sphaericus</i> ... <i>Lens esculenta</i> ... <i>Pisum arvense</i> ... " <i>sativum</i> ... <i>Vicia Faba</i> ...	Gallia. Klamath Falls, Oregon. Dahleu, Germany. Ranikhet, Kumaon; Pusa. Cawnpore; Pusa. Pusa. Pusa; Maymyo, Burma. Pusa; Sabaranpur, U. P.; Lyall- pur.
<i>Ferulae</i> Juel. ...	<i>Ferula communis</i> L. ...	Algeria.
<i>Gageæ</i> Beak. ...	<i>Gagea pratensis</i> Schult. ...	Bohemia.
<i>Galphimiae</i> Diet. et Holw.	<i>Galphimia Humboldtiana</i> Bartl.	Mexico.
<i>Genistæ-tinctoriæ</i> (Pers.) Wint.	<i>Cytisus capitata</i> ...	Serbia.
<i>Geranii</i> (DC.) Oth. et Wartn.	<i>Geranium palustre</i> L. ...	Bavaria.
<i>Harzæus</i> Syd ...	<i>Geranium Wallichianum</i> <i>Scirpus cyperinus</i> ...	Harwan, Kashmir. Japan.
<i>Hedysari-paniculati</i> (Schw.) Farl.	<i>Desmodium sp.</i> ... <i>Desmodium illincense</i> Farl. (<i>Meibomia illincensis</i> A. Gray). <i>Desmodium strobilaceum</i> Sohl.	Mexico. Kansas, N. America. Mexico.
<i>Heimerlianus</i> P. Magn.	<i>Vicia pannonica</i> ...	Serbia.
<i>Hewittiae</i> Syd. ...	<i>Hewettia bicolor</i> ...	Philippine Islands; Cabanatuan, Negros.
<i>Hobsoni</i> Vize. ...	<i>Jasminum sp.</i> ... <i>Jasminum arborescens</i> ... <i>Jasminum grandiflorum</i> ...	Srinagar, Kashmir. Pusa. Mysore City; Dehra Dun; Kumaon; Poona, Bombay.
(<i>Uromyces</i> Cunning- hamianus Barc.).	<i>Jasminum malabaricum</i> ...	Aldore, Mysore.
<i>Hobsoni</i> Vize. ...	<i>Jasminum officinale</i> ...	Baijoath, Kangra, Punjab.
<i>Inayati</i> Syd. ...	<i>Apluda aristata</i> ... (<i>Apluda varia</i> subsp. <i>aristata</i>)	Kumaon, U. P.
<i>Jordianus</i> Bubak ...	<i>Apluda aristata</i> ... <i>Astragalus exscapus</i> L. ...	Mussoorie; Auda Tode, Wynaad. Germany.

Fungus.	Host.	Locality.
<i>omyces Junci</i> (Desm.) Tul. ...	<i>Juncus tenuis</i> Willd. ...	Kansas, N. America.
<i>Leptodermis</i> Syd. ...	<i>Panicum Isachne</i> ...	Phulgaon, Deccan; Nagpur, C. P.; Ganeshkhind Bot. Gardens, Poona; Samalkot.
	<i>Panicum javanicum</i> ...	Pusa; Dehra Dun; Wynaad, Madras; Dohad Farm; Hoshangabad.
	<i>Panicum sp.</i> ...	Bular, Punjab.
	<i>Panicum prostratum</i> ...	Pusa; Nilgiris.
<i>Lespedeza</i> (Schw.) Peck. ...	<i>Lespedeza</i> ...	Achibal, Kashmir.
...	<i>Lespedia bicolor</i> ...	Harwan, Kashmir.
<i>Lespedeza-procumben-</i> <i>tia</i> (Sch.) Lagh. ...	<i>Lespedia capitata</i> ...	Canada.
<i>Limonii</i> (DC.) Lev. ...	<i>Statice Limonium</i> ...	Germany.
<i>Linearis</i> B. & Br. ...	<i>Panicum miliare</i> ...	Poona.
	<i>Panicum repens</i> ...	Pusa; Mandalay, Burma; Coim- batore; Poona; Khunti, Ranchi.
<i>Loti</i> Blytt. ...	<i>Lotus corniculatus</i> ...	Schleswig-Holstein, Germany.
	„ <i>uliginosus</i> ...	Schleswig-Holstein, Germany.
<i>Lucuma</i> Diet. ...	<i>Lucuma cainitonis</i> ...	Brazil.
<i>Lupini</i> B. et C. ...	<i>Lupinus mexicana</i> H. B. K. ...	Mexico.
<i>McIntirianus</i> Barc. ...	<i>Hemigraphis latebrosa</i> ...	Parianath, Bengal.
<i>melosporus</i> (Therry) Syd. (<i>Uromyces</i> <i>Alchemilla</i> , <i>alpina</i> Ed. Fisch). ...	<i>Alchemilla saxatilis</i> ...	Bayern, Germany.
<i>Mimnopsidis</i> Cke. ...	<i>Mimnops Elengi</i> ...	Dapoli, Bombay.
<i>Mucuna</i> Rabenh. ...	<i>Mucuna sp.</i> ...	Maymyo, Burma; Wynaad, Madras; Mussoorie.
	<i>Mucuna pruriens</i> ...	Gya, Bihar.
	<i>Stizolobium Deeringianum</i> Bort. ...	Pusa; C. P.
<i>Muscoriensis</i> Syd. ...	<i>Stipa siberica</i> ...	Mussoorie.
<i>Myrsine</i> Diet. ...	<i>Myrsine sp.</i> ...	San Francisco, Brazil.
<i>Orientalis</i> Syd. ...	<i>Indigofera</i> ...	Hoshangabad, C. P.
	<i>Indigofera cordifolia</i> ...	Poona.
	<i>Indigofera glandulosa</i> ...	Poona, Bombay.
	<i>Indigofera linifolia</i> ...	Pusa; Hoshangabad; Gujrat, Punjab.
<i>Orobi</i> (Pers.) Plowr. ...	<i>Lathyrus montanus</i> Bernh. ...	Hessen-Nassau, Germany.
<i>Phacae-frigidæ</i> (Wahl- bog) Lagh. ...	<i>Phaca frigida</i> L. ...	Kongsvold, Dovre Fjeld, Nor- wegia.
<i>Phyteumatum</i> (DC.) Üng. ...	<i>Phyteuma orbiculare</i> Linn. ...	Hessen-Nassau, Germany; Thu- ringen, Germany.
	<i>Phyteuma spicatum</i> Linn. ...	Hessen-Nassau, Germany.
<i>Pisi</i> (Pers.) de Bary. ...	<i>Euphorbia Cyparissias</i> ...	Grünwald, Dahlem, Germany.
<i>Polygoni</i> (Pers.) Fock. ...	<i>Polygonum aviculare</i> ...	Harwan, Kashmir.
<i>Psophocarpi</i> Syd. ...	<i>Psophocarpus tetragona-</i> <i>lobus</i>	Manila & Vicinity, Luzon.
<i>Psoraleæ</i> Peck ...	<i>Psoralea lanceolata</i> Pursh ...	Kansas, N. America.
<i>Punctatus</i> Schroet ...	<i>Astragalus purshii</i> ...	Austin, Oregon.
<i>Rottboelliae</i> (Diet.) Art. ...	<i>Rottboellia speciosa</i> Hack ...	Mashobra, Simla; Harwan, Kash- mir.
<i>Rudbeckia</i> Arth. et Holw. ...	<i>Rudbeckia laciniata</i> L. ...	N. America.
<i>Salicorniæ</i> (DC.) De By. ...	<i>Salicornia herbacea</i> ...	Germany.

Fungus.	Host.	Locality.
<i>Uromyces Schoenanthi</i> Syd. ...	<i>Andropogon schoenanthus</i>	Poona; Wynad, Madras; Tharwar.
<i>Scirpi</i> (Cast.) Bux. ...	<i>Scirpus</i> ...	Lahore.
<i>Scleranthi</i> Rostr. ...	<i>Scirpus campestris</i> ...	America Bor.
<i>Scrophulariae</i> (DC.) Wint. ...	<i>Scleranthus perennis</i> L. ...	Jutlandia, Dania.
<i>Senecionicola</i> Arth. ...	<i>Scrophularia nodosa</i> L. ...	Germany.
<i>Setariae-italicae</i> (Diet.) Yosh. ...	<i>Senecio Roldana</i> ...	Amocamcca, Mexico.
	<i>Setaria glauca</i> ...	Hansur, Mysore; Dehra Dun, Kusa; Boshangabad; Poona; Saharanpur; Kurseong, Darjeeling.
	<i>Setaria intermedia</i> ...	Poona.
	<i>Setaria italica</i> ...	Poona; Kothapet, Godavari; Wynad, Madras; Islampur; Bombay.
<i>Sparganii</i> Cke. et Peck	<i>Setaria verticillata</i> ...	Poona; Jala, Darbhanga
<i>sparsus</i> (Kanz. et Schum) Lev. ...	<i>Sparganium euricarpum</i> Engelm.	America Bor.
<i>speciosus</i> Holw. ...	<i>Spergularia salina</i> ...	Schleswig-Holstein, Germany.
<i>splendens</i> A. Blytt. ...	<i>Fraseria macrophylla</i> Greene.	N. America.
<i>striatus</i> Schroet. ...	<i>Astragalus oroboides</i> Horn.	Kongsvald, Dovre Fjeld, Norway.
	<i>Medicago sativa</i> ...	Banga, Jallundhur, Punjab; Hissar, Punjab; Karnal, Punjab; Hoshiarpur, Punjab; Manjri; Kirkee; Bankipore; Bihar; Poona.
<i>superfluus</i> Syd. ...	<i>Panicum antidotale</i> ...	Dehra Dun.
<i>tingitanus</i> P. Henn.	<i>Rumex Tingitanus</i> L. ...	Algeria.
<i>Trifolii</i> (Hedw.) Lev. ...	<i>Trifolium pratense</i> ...	Harwan, Kashmir.
	<i>Trifolium resupinatum</i> ...	Tarnab Farm, Peshawar.
<i>Trigonellae</i> Pass. ...	<i>Trigonella Foeniculum-graceum</i> ...	Poona.
<i>Valerianae</i> Wallichii (Diet.) Butl. ...	<i>Valeriana</i> ...	Shillong.
<i>Vestergrenii</i> Syd. ...	<i>Bauhinia acuminata</i> ...	Palghat, Madras.
<i>(Uromyces verrucosus</i> B. & Br.)	<i>Bauhinia tomentosa</i> ...	Yelwal, Madras.
<i>viciae fabae</i> Schrot. ...	<i>Vicia Faba</i> ...	Dahlen, Germany.
<i>Uromycladium maritimum</i> McAlp. ...	<i>Acacia longifolia</i> Willd. ...	Tasmania.
<i>notabile</i> (Ludw.) McAlp. ...	<i>Acacia dealbata</i> Link. ...	Australia.
<i>Robinsoni</i> McAlp. ...	<i>Acacia melanoxylon</i> ...	Australia.
<i>simplex</i> McAlp. ...	<i>Acacia procyantha</i> Benth. ...	Australia.
<i>Tepperianum</i> (Sacc) McAlp. ...	<i>Acacia implexa</i> Benth. ...	Australia.
<i>Urophlyctis Alfalfae</i> (V. Lagerh) Magn. ...	<i>Medicago sativa</i> ...	Botanical garden, Lahore.
<i>Uropyxis sanguinea</i> ...	<i>Vicia hirsuta</i> ...	Lahore.
<i>Ustilaginoides ochracea</i> P. Henn.	<i>Berberis repens</i> ...	Priest River, Idaho.
	<i>Panicum auritum</i> ...	Rizal, Luzon.

Fungus.	Host.	Locality.
<i>Helminthosporium virens</i> (Cke.) Tak.	<i>Oryza sativa</i>	South Canara, Malabar; Burma; Kepulipalayam, Coconada, Madras; Dacca; Masulipatam, Madras; 24-Parganas; Monghyr; Bagaimungur, Noakhali; Tharawaddy, Burma; Ranchi; North Lushai, Assam; Nalbari, Assam; Manila & Vicinity, Luzon; Nagpur, C. P.; Cuttack.
<i>Helminthosporium annulatum</i> Syd. & Butl.	<i>Andropogon</i> sp.	Muzafferpur.
<i>Andropogonis-annulatus</i> Bref.	<i>Andropogon</i> sp.	Nagpur, C. P.
	<i>Andropogon annulatus</i>	Chattisgarh, Ganjam; Nagpur, C. P.; Dehra Dun; Samalkote, Madras; Bassein, Bombay; Kirkee, Poona; Punjab.
<i>Aristida-cynantheae</i> Bref.	<i>Aristida</i> sp.	Dehra Dun.
<i>Arundinellae</i> Bref.	<i>Arundinella setosa</i> .	Kumaon, U. P.
<i>Avenae</i> (Pers.) J. Emsw.	<i>Avena sativa</i> .	Pusa; Landhi, Sind; Jagannathpur; Dumraon, Bihar; Dahlem; Kailash, Delhi; Lahore; Motihari, Champaran, Bihar.
<i>bengalensis</i> Syd. & Butl.	<i>Cymbopogon pendulus</i>	Banarhat, Dacca, Bengal.
Burkilli Syd. & Butl.	<i>Anisolema nodiflorum</i>	Gauripur, Mymensing, Bengal.
<i>burmanica</i> Syd. & Butl.	<i>Ischaemum</i> sp.	Kyau-ta, Moulemein, Bassein.
	<i>Ischaemum spathiflorum</i>	Garva, Bombay.
Bursa Berk.	<i>Anthistiria</i>	Between Asirgarh and Chanda, Lakshmi, east of Ghatang; Bassein, Bombay; Dohad; Hoshangabad.
Butleri Syd.	<i>Scleria</i>	Cherrapunji, Assam; Syndai, Assam.
	<i>Scleria elata</i> .	Thurya, Assam.
Coicis Bref.	<i>Coix Lacryma Jobi</i>	Girvar Hills, Junagadh, Bombay; Goshenhatti, Bombay.
<i>cornuta</i> Syd. & Butl.	<i>Ophiurus corymbosus</i>	Surat, Bombay.
Crameri Korn.	<i>Setaria italica</i> .	Manjri, Beart, Poona; Poona; Haveri, Dharwar.
<i>Cynodontis</i> P. Hedw.	<i>Cynodon dactylon</i>	Samahat, Bihar, Bhopur, Calcutta; Lucknow, U. P.; Dohad; Dehra Dun, U. P.; Balwa, Nepal border; Samalkote; Harwan, Kashmir; Tarnab Farm, Peshwar; Chinsurah, Bengal.
<i>Digitariae</i> (Kunze) Raben.	<i>Panicum repens</i> .	Yelwal, S. Mysore; Hunsur, Mysore; Harleg, S. Mysore.
<i>effusa</i> Syd.	<i>Andropogon aciculatus</i>	Cherrapunji, Assam.
	<i>Andropogon muricatum</i>	Kanaighat, Sylhet, Assam.
	<i>Arundinella Wallichii</i>	Webjain, Assam.
<i>exoniola</i> Syd. & Butl.	<i>Eragrostis nutans</i> .	Pusa.
<i>emodensis</i> Berk.	<i>Polygonum chinense</i> .	Hakgala, Ceylon; Anaimala, Coimbatore.
<i>erythraeensis</i> Syd.	<i>Manisuris</i>	Dohad Farm; Dharwar.
	<i>Manisuris granulata</i>	Pusa; Amraoti, C. P.
<i>Regellata</i> Syd.	<i>Rottboellia exaltata</i> .	Rizal, Luzon.
<i>Goeppertiana</i> Schreb.	<i>Rumex</i>	Mussoorie.

Fungus.	Host.	Locality.
<i>Ustilago Hordei</i> (Pers.) Kell. and Swin.	<i>Hordeum vulgare</i> ...	Shahdara, Lahore; Cawnpore, P.; Wazirabad; Hissar, Punjab; Dacca; Orai, U. P.; Lahore; Kharian, Gujarat; Tarnab Farm; Orai, U. P.; Nagpur, C. P.
<i>Inayati</i> Syd. et Butl. ...	<i>Iseilema laxum</i> ...	Hoshangabad.
<i>indica</i> Syd. et Butl. ...	<i>Iseilema</i> ...	Pathankot, Punjab.
<i>Iseilematis</i> Syd. et Butl.	<i>Iseilema angustifolium</i> (Pollinia eriopoda).	
	<i>Iseilema laxum</i> ...	Samalota, Madras; Nagpur; South India; Alamore, Godavari; Madras.
<i>kusanoi</i> Syd. ...	<i>Micranthus</i> sp. ...	Canlaon Volcano, Negros.
<i>longissima</i> (Sow) Tul. ...	<i>Glyceria</i> ...	Duberow I. M. German.
<i>Microchloa</i> Syd. et Butl.	<i>Microchloa setacea</i> ...	Bilikere, Mysore.
<i>Nardi</i> Syd. ...	<i>Andropogon Nardus</i> ...	Vayitri, Malabar.
<i>nuda</i> (Jens.) Kell. et Swing.	<i>Hordeum vulgare</i> ...	Pusa.
<i>operta</i> Syd. et Butl. ...	<i>Panicum javanicum</i> ...	Fox How, Ootacamund.
	<i>Panicum prostratum</i> ...	Tukvar, Darjeeling.
	<i>Panicum villosum</i> ...	Ootacamund, Nilgiri.
<i>Panici-frumentacei</i> Bref.	<i>Panicum frumentaceum</i> ...	Nambur, Kistna, Madras; Pusa.
<i>Panici-glaucae</i> (Wallr.) Wint.	<i>Setaria glauca</i> ...	Chikalda plateau; Bellary, Madras.
<i>Panici-miliacei</i> (Pers.) Wint.	<i>Panicum miliaceum</i> ...	Larkipur, Kashmir.
<i>paradoxa</i> Syd. et Butl. ...	<i>Panicum frumentaceum</i> ...	Pusa.
<i>Rabenhorstiana</i> J. Kuhn.	<i>Paspalum</i> (<i>Panicum</i>) <i>sanguinale</i> .	Tukvar, Darjeeling.
<i>Reiliana</i> Kuhn. ...	<i>Andropogon halepensis</i> ...	Srinagar, Kashmir; Kolkhar, C. P.
	<i>Andropogon Sorghum</i> ...	Kilossa, Dutch East Africa.
	<i>Sorghum vulgare</i> ...	Talaxanj, Jhelum, Punjab; U. P.; Coimbatore, Madras; Nagpur, C. P.; Khed, Bombay.
	<i>Zea Mays</i> ...	Dubgaon, Kashmir; Dohad Farm, Bombay.
<i>Rottboelliae</i> Syd. and Butl.	<i>Rottboellia compressa</i> ...	Pusa.
<i>Royleani</i> Syd. et Butl. ...	<i>Paspalum Royleanum</i> ...	Debra Dun.
<i>Sacchari</i> Rabenh. ...	<i>Saccharum fuscum</i> Roxb.	Sibsagar, Assam.
	<i>Saccharum officinarum</i> ...	Burhogah, Saran, Bihar; Jabbalpur, C. P.; Rithal, Rohtak, Punjab; Luzon, Philippines; Raipur, C. P.; Burdwan; Sambalpur; Manjri; Dumraon; Arrah; Hoshangabad; Samalkot; Sibpur, Bengal; Amritsar; Gurdaspur; Cawnpur; Jullundur; Lyallpur Pusa; Dacca Farm; Bhopal State; Gwalior.
<i>Sacchari-ciliaris</i> Bref. ...	<i>Saccharum spontaneum</i> ...	Pusa.
	<i>Saccharum arundinaceum</i> var. <i>ciliaris</i> .	Mozaffarpur.
<i>Schoenanthi</i> Syd. et Butl.	<i>Andropogon Schoenanthus</i> .	Palmcotta, Tinnevely, Madras.
<i>Shiraiana</i> P. Henk. ...	<i>Bambusa</i> ...	Dehra Dun; Pusa.

Fungus.	Host.	Locality.
<i>Ustilago Shiraiana</i> Henn. ...	<i>Phyllanthachys quilioides</i> ...	Louisiana.
<i>Sorghii</i> (Lk.) Pass. ...	<i>Andropogon Sorghum</i> ...	Namba, Dutch East Africa.
<i>spermophora</i> B. and C. ...	<i>Eragrostis (?) elegantula</i> ...	Pusa.
	<i>Eragrostis (?) rhachitricha</i> ...	Pusa.
<i>superflua</i> Syd. ...	<i>Andropogon foveolatus</i> ...	Samalkot, Madras.
<i>tenuis</i> Syd. ...	<i>Andropogon pertusus</i> ...	Palamcott, Tinevelly, Madras;
		Hunsur, Mysore.
<i>tonglinensis</i> Tracy et Earle.	<i>Ischæmum</i> ...	Samalkot, Madras; Chattrapur, Ganjam; Hoshangabad, C. P.
	<i>Ischæmum ciliaris</i> ...	Peradeniya, Ceylon.
<i>tonkinensis</i> P. Henn.	Calococan, Rizal, Luzon.
<i>Trichophora</i> (Lk.) Kunze.	<i>Panicum colomum</i> ...	Poona; Yedehalli, Mysore; Nagpur, C. P.
<i>Tritici</i> (Pers.) Jens. ...	<i>Triticum vulgare</i> ...	Dehra Dun; Nagpur, C. P.; Cawnpore; Amritsar; Punjab; Baroda; Sangachelling, Darjeeling; Lahore; Nadiad; Kumari-kheta; Tarnab Farm, Peshawar; Ramgarh, Kumaon; Insein, Burma; Paleik, Burma; Powerkhara Farm, Hoshangabad; Surat Farm.
(Var. <i>foliicola</i> Henn.) ...	<i>Triticum vulgare</i> ...	Dehra Dun.
<i>tuberculiformis</i> Syd. ...	<i>Polygonum chinense</i> ...	Darjeeling.
<i>utriculosa</i> (Nees) Tul. ...	<i>Polygonum glabrum</i> ...	Pusa.
	<i>Polygonum tomentosum</i> ...	Pusa; Rangoon; Brandenburg.
<i>vittata</i> Berk. ...	<i>Oplismenus compositus</i> ...	Lawsingi Ghat, Vizagapatam.
<i>Warneckiana</i> P. Henn. ...	<i>Andropogon contortus</i> ...	North Malabar.
<i>Zæa</i> (Beckm.) Ung. ...	<i>Zea Mays</i> ...	Kashmir.
<i>Ustilina maxima</i> (Hb.) Schroet	Rizal, Luzon.
<i>zonata</i> (Lev) Sacc ...	<i>Camellia Thea</i> ...	Singell, Darjeeling, Bengal; Duars, Bengal; Moabund Estate, Assam.
<i>Valsa ceratophora</i> Tul. var. <i>Rosarum</i> de Not.	<i>Rosa</i> ...	Pusa.
(<i>Euvalsa</i>) <i>Coichori</i> Syd. et Butl.	<i>Corchorus</i> sp. ...	Poona, Bombay.
<i>etherealis</i> Eli. et Ev. ...	<i>Acer saccharinum</i> ...	Ontario, Canada.
<i>pusillata</i> Awd. ...	<i>Fagus sylvatica</i> Linn. ...	Hessen-Nassau, Germany.
<i>salicina</i> (Pers.) Fr. ...	<i>Salix bebbiana</i> ...	Darby, Montana.
<i>Valsaria exasperans</i> (Ger.) E. et Ev. Var. <i>Aceris</i> Rehm.	<i>Acer saccharinum</i> ...	Ontario, Canada.
<i>Vermicularia Capeici</i> Syd. ...	<i>Capsicum</i> sp. ...	Pusa; Barisal.
	<i>Capsicum annum</i> ...	Manamdeo, Darbhanga; Tarn; Peshawar.
	<i>Capsicum frutescens</i> ...	Masakalipalayam, Coimbatore; Boothapadi, Coimbatore; Pusa; Dehra Dun.
	<i>Dolichos Lablab</i> ...	Pusa.
<i>Curcumae</i> Syd. ...	<i>Curcuma longa</i> ...	Angalur, Kistna, Madras; Takari, Bombay; South India; Nagpur.
<i>Dematium</i> (Pers.) Fr.	<i>Rudbeckia laciniata</i> Linn.	Brandenburg, Germany.
<i>Jatrophae</i> Speg. ...	<i>Jatropha integerrima</i> ...	Calcutta.
<i>varians</i> Duc. ...	<i>Solanum tuberosum</i> ...	Fanchi; Parulia; Manbhum; Pusa.

fungi forma huiusmodi et aliis et aliis Calcutta

Fungus.	Host.	Locality.
Wilt of <i>Piper nigrum</i> ...	<i>Piper nigrum</i> ...	Wynaad, Madras.
Witches Broom ...	<i>Phyllanthus Emblica</i> ...	Bandra, Bombay.
<i>Wernonia Dolichi</i> (Cke.) Syd ...	<i>Dunbaria ferruginea</i> ...	Runnymede, Madras.
<i>Xerotus lateritius</i> B. & C. ...	Twigs ...	Khandala, Bombay; Anmod, N. Kanara, Bombay.
<i>Xylaria allantoidea</i> Berk ...	Old wood ...	Wanjain, Assam.
<i>aspera</i> Mass. ...	<i>Dalbergia Sissoo</i> ...	Pusa; Dahra Dun.
	Fallen branches ...	Pusa.
	Rotten wood ...	Godavari, Madras.
	Old wood ...	Pusa; R. B. G., Calcutta.
<i>corniformis</i> Fr. ...		Rizal, Luzon.
<i>Desertiola</i> Speg ...	<i>Ficus</i> sp. ...	Fraserpet, Coorg.
	On old wood in the ground.	Pusa.
<i>englossa</i> Fr. ...	<i>Tamarindus indica</i> ...	Surat, Bombay.
	Old wood ...	R. B. G., Calcutta.
<i>excelsa</i> Syd. ...		Narasimhpur, C. P.
<i>Heloidea</i> Penz. & Sacc. ...	Fallen capsules of <i>Cedrela</i> Toona.	Dehra Dun.
<i>Hypoxylen</i> (L.) Grev. ...	Old wood ...	Barguai, Mysore; Solebil, Mysore; Balehannur, Mysore; Saklespur, Mysore; Kallar Hills, S. India.
<i>involuta</i> Kl. ...	Old wood ...	Dehra Dun; Pusa.
<i>Nigripes</i> (Kl.) Sacc. ...	On the ground	Jullundhur; Pusa; Dhulia; Dehra Dun; Singapore; Seodrahpur, Koppa, Mysore; Burma.
(<i>Sclerotium stipitatum</i> Berk.)	On nests of white ants	Assam; Gurdaspur, Punjab; Chaumuhani, Noakhali Dist.
<i>Nigripes</i> (Kl.) Sacc. ...	On a stone ...	Kallar Nilgiris, Madras.
<i>plebeja</i> Ces. ...	Old wood ...	Pusa.
	<i>Areca Catechu</i> ...	Sirsi, Bombay.
<i>trichopoda</i> Penz. & Sacc. ...	<i>Terminalia Arjuna</i> ...	Dehra Dun.
	Fallen branches and twigs	Dehra Dun.
<i>Tuberosa</i> (Pers.) Cke. ...	On old wood ...	Barguai, Mysore; Mt. Maquilung, Laguna, Luzon.
<i>Zoghouania Phillyrea</i> Pat. ...	<i>Phillyrea angustifolia</i> L.	Corsica.
<i>Zakalia erysiphina</i> Syd. ...	<i>Quercus</i> ...	Shana Odya, Kumson, U. P.

Host.	Fungi.
bies sp. (Spruce)	Acidium Piceae Baro. Peridermium Piceae Baro. Barelayella deformans (Baro.) Diet. Melampsorella Caryophyllacearum (D. C.) Schroet. Lophoderium nervisequium (D. C.) Rehm. Sporonema strobilinum Desm. Meliola Abietis (Cks.) Sacc. Uredinopsis Pteridia D. & H. Melampsorella elatina (A. & S.) Arth. (Peridermium elatinum S. & K.) Melampsorella Cerastii (Pers.) Schroet. Ravenelia ornata Syd. Puccinia heterospora B. et C. Puccinia heterospora B. & C. Ravenelia (Plecoravenelia) deformans Maubl. Fomes lucidus (Leys.) Fr. Fomes Pappianus Bres. Hexagonia similis Berk. Septogloeum Acaciae Syd. Erysiphe Polygoni D. C. <i>acaciae Blum</i> Fomes Pappianus Bres. Uromyces notabile (Ludw.) McAlp. Ravenelia Mac-Owensiana Pazschke. Uromyces Tepperianus (Sacc.) McAlp. Catacauma Acaciae Thiess. et Syd. Haplophragmium punderosum Syd. et Bull. Uromyces maritimum McAlp. Uromyces Robinsoni McAlp. Septobasidium protractum Syd. Uromyces simplex McAlp. Trybliella rufula (Spreng.) Sacc. Rhytisma acerinum (Pers.) Fr. Cytodiplospora Aceria Gud. Sclerotium scutellatum Alb. et Schw. Gnomonia acerina Starb. Rhytisma punctatum (Pers.) Fr. Diaporthe ontariensis Ell. et Ev. Schizothyrium annuliforme Syd. et Bull. Rhytisma punctatum (Pers.) Fr. Marssonina acerina (West) Bres. Septogloeum hercynicum Syd. Eutypa spinosa (Pers.) Tul. Valsa etherialis Ell. et Ev. Valsa exasperans (Ger.) E. et Ev. var. Aceris Rehm. Taphrina polyspora (Sorok.) Johans. Puccinia Millefolii Fuck. Cystopus Bliti (Biv.) de By. Cystopus Bliti (Biv.) de By. Puccinia Lycocteni Fuck. Uromyces Aconiti-Lycocteni (D. C.) Wint. Uredo Aceri Raab. Cytotheca Actinidiae Syd. Sphaerella punctiformis (Pers.) Rabh. Rosellinia bunodes (B. et Br.) Sacc. Puccinia cognata Syd. Uromyces Camphas (D. C.) Uen.
alba Mill	
concolor	
excoela	
grandis	
lasiocarpa	
pectinata	
brus pulchellus Wall	
butilon Abutili	
crispum	
Acacia sp.	
arabica Willd.	
Catechu Willd.	
dealbata Link	
horrida	
implacata Benth.	
leucophlea	
longifolia Willd.	
melanoxylen Br.	
nigrescens var. pallens	
pycnostachya Benth.	
Acalypha	
Acer caesium	
californicum	
campestre L.	
macrophyllum	
nigrum	
oblongum	
palmatum	
Pseudoplatanus	
saccharinum	
tataricum	
Achillea Millefolii L.	
Achyranthes sp.	
Achyranthes aspera	
Aconitum Lycocteni Linn	
Acorus Calamus Linn	
Actinidia arguta	
polygama	
Actinodaphne angustifolia Nees	
(Litsea angustifolia Kurz.)	
Actinomeria teraptera D. C.	
(Verbesina)	
A. Gray	
Adenostyles albifrons	

Host.	Fungi.
<i>Adhatoda Vasica</i> Nees. ...	<i>Aecidium Adhatodae</i> Syd.
<i>Adoxa moschatellina</i> ...	<i>Chnoospora Butleri</i> Diet. et. Syd.
<i>Aechmanthera</i> sp. ...	<i>Puccinia argentata</i> (Schultz.) Wint.
" <i>gossypina</i> Nees.	<i>Aecidium Aechmantherae</i> Syd.
<i>Achmanthera tomentosa</i> Nees.	<i>Aecidium Aechmantherae</i> Syd.
<i>Aegopodium Podagraria</i> Linn.	<i>Phyllachora Podagrariae</i> (Roth.) Karst.
<i>Aesculus Hippocastanum</i>	<i>Septoria aesculina</i> Thuem.
<i>Agaricus</i> ...	<i>Isaria brachiata</i> (Batsch) Schum.
<i>Agave</i> ...	<i>Botryosphaeria Agaves</i> (P. Henn.) Butl.
	<i>Colletotrichum Agaves</i> Cav.
	<i>Coniothyrium Agavea</i> (Mont.) Sacc.
	<i>Curcubitararia Agaves</i> Syd. et. Butl.
	<i>Diplodia Agaves</i> Niessl.
	<i>Physalospora Agaves</i> P. Henn.
<i>Agave</i> sp. ...	<i>Tubercularia Agaves</i> Pat.
" <i>cautula</i> ...	<i>Colletotrichum Agaves</i> Cav.
" <i>longifolia</i> (Sisal)	<i>Colletotrichum Agaves</i> Cav.
" <i>rigida</i> Mill	<i>Colletotrichum Agaves</i> Cav.
" var. <i>sisalana</i> Perrine.	<i>Diplodia Agaves</i> Niessl.
" <i>rigida</i> var. <i>Sisalana</i>	<i>Leptosphaeria Agaves</i> Syd. et. Butl.
" <i>vera</i> Cruz.	<i>Capnodium Anonae</i> Pat.
" <i>Wightii</i> var. <i>Cookei</i> Cke.	<i>Diplodia</i> ? <i>Agaves</i> Niessl.
<i>Aglaonema densinervii</i> ...	<i>Gloeosporium Graffii</i> Syd.
<i>Agrimonia Eupatorium</i> Linn.	<i>Pucciniastrum Agrimoniae</i> (D. C.) Diet.
" <i>pilosa</i> Ledeb.	
" <i>Eupatoria</i> ...	<i>Sphaerotheca Humli</i> (D. C.) Burr.
" <i>pilosa</i> ...	<i>Pucciniastrum Agrimoniae</i> (D. C.) Diet.
<i>Agropyron</i> sp. ...	<i>Puccinia coronata</i> Corda.
" <i>occidentalis</i> ...	<i>Puccinia Agropyri</i> Ell. et. Ever.
<i>Aira caespitosa</i> ...	<i>Hadotrichum virescens</i> Sacc. et. Roum.
<i>Ajuga</i> sp. ...	<i>Aecidium Ajugae</i> Syd.
" <i>reptans</i> ...	<i>Ramularia Ajugae</i> (Niessl.) Sacc.
<i>Albizia</i> sp. ...	<i>Fomes lucidus</i> (Leys) Fr.
" ...	<i>Ravenelia sessilis</i> Berk.
<i>Albizia Lebbek</i> Benth	<i>Ascochyta Saccardina</i> F. Tassi.
" ...	<i>Ravenelia sessilis</i> Berk.
" ...	<i>Sphaerophragmium Acaciae</i> (Cke.) Magn.
<i>Alchemilla saxatilis</i> ...	<i>Uromyces melosporus</i> (Therry) Syd.
" <i>vulgaris</i> ...	<i>Uromyces Alchemillas-alpinae</i> Ed. Fisch.
<i>Alisma Plantago</i> ...	<i>Uromyces Alchemillae</i> (Pers.) Lev.
<i>Allium Ceba</i> ...	<i>Doassansia Alismatis</i> (Nees.) Cornu.
	<i>Macrosporium cladesporioides</i> Desm.
	<i>Sclerotinia bulborum</i> Wakker.
<i>Allium reticulatum</i> ...	<i>Sterile stage.</i>
" <i>sativum</i> ...	<i>Puccinia mutabilis</i> Ell. & Gall.
" <i>Schoenoprasum</i> ...	<i>Oidiopsis taurica</i> (Lev.) Salmon.
<i>Allium Scordoprasum</i> L.	<i>Pleospora Allii</i> (Rabh.) Ces. et. De Not.
<i>Alnus glutinosa</i> Medic. ...	<i>Puccinia Allii</i> (D. C.) Rudolphi.
	<i>Cryptospora suffusa</i> (Fr.) Tul.
	<i>Exosascus Tosquinetti</i> (West.) P. M. gn.
" <i>Oregana</i> ...	<i>Gloeosporium cylindrospermum</i> (Bon.) Sacc.
" <i>tenuifolia</i> ...	<i>Gnomonia perversa</i> Rehm.
<i>Alocasia indica</i> ...	<i>Hymenochaeta tabacina</i> Sow.
<i>Aloe spicata</i> ...	<i>Mycosphaerella Alocasiae</i> Syd.
<i>A. opocnina</i> atensis	<i>Uromyces Aloes</i> (Cke.) P. Magn.
<i>Alopecurus pratensis</i> ...	<i>Mastigosporium album</i> Piess.

Host.	Fungi.
<i>Alstonia scholaris</i> ...	<i>Cephaeleuros virescens</i> Kunze. <i>Meliola alstoniae</i> Koord.
<i>Alternanthera</i> ...	<i>Cystopus Bliti</i> (Biv.) De By.
" <i>sessilis</i> Br. ...	<i>Cystopus Bliti</i> (Biv.) De By.
<i>Athaea rosea</i> ...	<i>Cercospora nebulosa</i> Sacc.
" <i>officinalis</i> ...	<i>Septeria Lachastreaana</i> Sacc. et Let.
" <i>rosea</i> Cav. ...	<i>Puccinia Malvacearum</i> Mont.
<i>Lysicarpus</i> ...	<i>Rhizoctonia Solani</i> Kuhn.
" <i>vaginalis</i> var. <i>nummulari-</i> <i>folia</i>	<i>Acanthostigma heterochaeta</i> Syd. et Butl.
<i>Amaranthus Blitum</i> ...	<i>Cystopus Bliti</i> (Biv.) De By.
" <i>paniculatus</i> Linn. ...	<i>Cystopus Bliti</i> (Biv.) De By.
" <i>triandra</i> ...	<i>Cystopus Bliti</i> (Biv.) De By.
" <i>tristis</i> ...	<i>Cystopus Bliti</i> (Biv.) de Bary.
" <i>viridis</i> Linn. ...	<i>Rhizoctonia Napi</i> West.
<i>Amaryllis</i> sp. ...	<i>Cystopus Bliti</i> (Biv.) de By.
<i>Amelanchier alnifolia</i> ...	<i>Ascidium Amaryllidis</i> Syd. et Butl.
" <i>canadensis</i> ...	<i>Phyllostictia suffulta</i> (Rebent.) Sacc.
<i>Ammophila arenaria</i> ...	<i>Dimerosporium Collinsii</i> (Schw.) Thum.
" <i>longifolia</i> Vasey <i>Calamagrostis longifolia</i> Hook. ...	<i>Diaporthe tuberosa</i> (Ell.) Sacc.
<i>Amomum subulatum</i> ...	<i>Anthostomella ammophila</i> (Phill. et Plow.) Sacc.
<i>Anacardium occidentale</i> Linn. ...	<i>Mollisia arnevega</i> (Desm.) Phill.
<i>Anagallis aerulea</i> Schreb ...	<i>Puccinia amphigena</i> Diet.
<i>Ananas sativa</i>	<i>Acrostalagmus cinnabarinus</i> Corda.
<i>Araphis</i> sp. ...	<i>Cephaeleuros virescens</i> K.
" <i>margaritacea occidentalis</i> ...	<i>Peronospora candida</i> Fuck.
<i>Anchusa officinalis</i> Linn. ...	<i>Asterina Schublmanni</i> P. Henn.
<i>Andrachne cordifolia</i> ...	<i>Thielaviopsis paradoxa</i> (de Seynes) v. Hohn.
<i>Andropogon</i> ...	<i>Puccinia investita</i> Schw.
" <i>sp.</i> ...	<i>Uromyces amoenus</i> Syd.
" <i>sp.</i> ...	<i>Puccinia dispersa</i> Eriks & Henn.
" <i>sp.</i> ...	<i>Monosporidium Andrachnes</i> Baro.
" <i>sp.</i> ...	<i>Phyllachora Graminis</i> (Pers.) Fuck.
" <i>sciculatus</i> ...	<i>Puccinia propinqua</i> Syd. et Butl.
" <i>annulatus</i> ...	<i>Puccinia versicolor</i> Diet. & Holw.
" <i>assimilis</i> ...	<i>Sorosporium geminellum</i> Syd. et Butl.
" <i>contortus</i> ...	<i>Ustilago amadelpha</i> Syd. et Butl.
" <i>foveolatus</i> ...	<i>Ustilago Andropogonis annulati</i> Bref.
" <i>gryllus</i> ...	<i>Balansia Andropogonis</i> Syd.
" <i>halepense</i> ...	<i>Ustilago effusa</i> Syd.
" <i>halepensis</i> ...	<i>Entyloma obscurum</i> Syd.
	<i>Uromyces Andropogonis-annulati</i> Syd. et Butl.
	<i>Ustilago Andropogonis-annulati</i> Bref.
	<i>Phyllachora assimilis</i> Syd.
	<i>Phyllachora Graminis</i> (Pers.) Fuck.
	<i>Balansia sclerotica</i> (Pat) v. Hohnel.
	<i>Cerabella Andropogonis-centortii</i> Sabrm.
	<i>Dothidella dispar</i> Syd.
	<i>Edothisella dispar</i> Syd.
	<i>Ophiostoma sclerotica</i> (Pat.) P. Henn.
	<i>Puccinia versicolor</i> Diet. & Holw.
	<i>Sorosporium contortum</i> Griff.
	<i>Tolyposporium philippinense</i> Syd.
	<i>Ustilago Warneckeana</i> P. Henn.
	<i>Ustilago superba</i> S. d.
	<i>Puccinia Chrysopogi</i> Barc.
	<i>Colletotrichum Linicola</i> Corda.
	<i>Sclerospora graminicola</i> (Sch.) Sacc.

Host.	Fungi.
<i>Andropogon halepensis</i> ...	(<i>Ustilago cruenta</i> Kuhn). ... (<i>Sphacelotheca cruenta</i> Kuhn.) Pott. <i>Ustilago Reiliana</i> Kuhn. ...
" <i>laniger</i> ...	<i>Puccinia Nakanishikii</i> Diet. ...
" <i>micranthus</i> ...	<i>Phyllachora acimilis</i> Syd. <i>Phyllachora Graminis</i> (Pers.) Fuck. <i>Puccinia kozukensis</i> Diet. <i>Phyllachora Cyperi</i> Rehm. var. <i>Donacis</i> Berl. et F. Sacc. <i>Ustilago effusa</i> Syd. <i>Cerebella</i> Nardi Butl. <i>Ophiodothis sclerotica</i> (Pat.) Henn. <i>Puccinia Nakanishikii</i> Diet. ...
" <i>muricatus</i> ...	<i>Ustilago Nardi</i> Syd. <i>Puccinia Duthiae</i> Ell et Tracy. <i>Ustilago tenuis</i> Syd. ...
" <i>Nardus</i> ...	<i>Ophiodothis sclerotica</i> (Pat.) Henn. <i>Uromyces Schoenanthi</i> Syd. <i>Ustilago Schoenanthi</i> Syd. et Butl. <i>Puccinia Andropogonis</i> Schw. <i>Phyllachora Graminis</i> (Pers.) Fuck. <i>Puccinia prunicolor</i> Syd. et Butl. <i>Colletotrichum Lineola</i> Corda. <i>Puccinia purpurea</i> Cke. <i>Sclerospora graminicola</i> (Schrot.) Sacc. <i>Ustilago effusa</i> Syd. <i>Ustilago effusa</i> Syd. ...
<i>Schoenanthus</i> Linn. ...	<i>Phyllachora Graminis</i> (Pers.) Fuck. <i>Ustilago</i> [Burkilli] Syd. et Butl. <i>Aecidium leucospermum</i> D C. <i>Ochrospora Sorbi</i> (Oud.) Diet. <i>Puccinia similina</i> Arth. <i>Puccinia gigantispora</i> Bubak. <i>Puccinia fusca</i> (Pers.) Wint. ...
" <i>scoparius</i> ...	<i>Synchytrium Anemones</i> (D C.) Wor. <i>Puccinia Pulsatillae</i> Kalchbr. <i>Urocystis Anemones</i> (Pers.) Schrot. <i>Puccinia Angelicae-bistortae</i> Kleb. <i>Puccinia Anisacanthi</i> Diet et Holw. <i>Synchytrium Rytzii</i> Syd. <i>Puccinia heterospora</i> Berk. et Curt. <i>Phyllachora atro-maculata</i> Syd. ...
" <i>serratus</i> ...	<i>Oospora variabilis</i> Lindner. <i>Phyllachora Graminis</i> (Pers.) Fuck. <i>Ustilago Bursa</i> Berk. <i>Puccinia Anthistirie</i> Barol. ? <i>Puccinia Oenophylli</i> Part. <i>Plasmopara nivea</i> (Unger) Schrot. <i>Uromyces Anthyllidis</i> (Grev.) Sch. <i>Entomophthora Aphidis trifida</i> . <i>Cercospora Apii</i> . Fres. <i>Cercospora Chester</i> . <i>Oidium erysiphoides</i> Fr.
" <i>Sorghum</i> Brot. (<i>Sorghum vulgare</i> Pers.) ...	<i>Puccinia Apludae</i> Syd. <i>Uromyces Apludae</i> Syd. et Butl. <i>Ophiodothis sclerotica</i> (Pat.) Henn. <i>Uromyces Inayati</i> Syd. <i>Uromyces Inayati</i> Syd. <i>Cephaeleuros virescens</i> Kunze.
" <i>squarrosus</i> Linn. ...	
" <i>maricatus</i> Retz. ...	
" <i>triticeus</i> ...	
<i>Aneilema nodiflorum</i> ...	
<i>Anemone</i> ...	
" <i>canadense</i> ...	
" <i>cylindrica</i> ...	
" <i>montana</i> Hoppe. ...	
" <i>memorosa</i> Linn. ...	
" <i>sylvestris</i> Linn. ...	
<i>Angelica silvestris</i> ...	
<i>Anisacanthus virgularis</i> L. ...	
<i>Anisomeles ovata</i> R. Br. ...	
<i>Anoda lavaterioides</i> Med. ...	
" sp. ...	
<i>Anant</i> ...	
<i>Anthistiria</i> ...	
" <i>anathera</i> ...	
<i>Anthriscus nemorosa</i> ...	
" <i>sylvestris</i> Hoffm ...	
<i>Anthyllis tetraphylla</i> L. ...	
<i>Aphis</i> sp. ...	
<i>Apium graveolens</i> Linn. ...	
<i>Apluda mutica</i> Linn. ...	
" <i>aristata</i> Linn. ...	
" <i>aristata</i> ...	
" var. sub sp. <i>aristata</i> ...	
<i>Apocrosa Lindleyana</i> ...	

Host.	Fungi.
<i>poseria foetida</i> ...	<i>Protomyces krenthensis</i> Kuhn.
<i>rachis hypogaea</i> ...	<i>Cercospora personata</i> (B. et C.) Ell.
	<i>Diplodia Arachidis</i> Petch.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Rhizoctonia violacea</i> Tul.
<i>calliacea</i> ...	<i>Triphragmium Thwaitesii</i> Berk. et Br.
<i>rbutus Menziesii</i> ...	<i>Rhytisma Arbuti</i> Phil.
<i>retostaphyles manzanita</i> ...	<i>Phyllosticta amicta</i> Ell. et Ev.
	<i>Pucciniastrum sparsum</i> (Wint.) Ed. Fisch.
<i>retium Lappa</i> ...	<i>Phomopsis Arotii</i> (Lasch.) Trav.
<i>teca Catechu</i> Linn. ...	<i>Brachysporium Arecae</i> (B. et Br.) Sacc.
	<i>Colletotrichum Catechu</i> Died.
	<i>Diplodia Catechu</i> Syd. et Butl.
	<i>Fomes lucidus</i> (Leys.) Cke.
	<i>Phyllosticta Arecae</i> Died.
	<i>Phytophthora Arecae</i> (Colem.) Pethyb.
	<i>Siagonospora Arecae</i> Died.
	<i>Xylaria plebeja</i> Ces.
<i>argemone mexicana</i> Linn. ...	<i>Peronospora arborecens</i> (Berk.) de Bary.
	<i>Rhizoctonia Napi</i> West.
<i>argyreia argentea</i> Arn. ...	<i>Aecidium Argyreiae</i> (B. et Br.)
" <i>cynosa</i> Sweet ...	<i>Aecidium Argyreia</i> (B. et Br.)
" <i>hirsuta</i> Arn. ...	<i>Meliola clavulata</i> Wint.
" <i>speciosa</i> Sweet. ...	<i>Aecidium Argyreiae</i> B. et Br.
<i>arisaema</i> ...	<i>Uromyces Arisaemae</i> Cke.
" <i>triphyllum</i> ...	<i>Uromyces Caladii</i> (Schw. Farl.)
<i>aristida depressa</i> ...	<i>Puccinia aristidicola</i> P. Henn.
" <i>sp.</i> ...	<i>Ustilago Aristidae-cynanthae</i> Bref.
<i>distolochia bracteata</i> Retz. ...	<i>Oidiopsis taurica</i> (Lev.) Sal.
<i>umeria maritima</i> Willd. ...	<i>Uromyces Armeriae</i> (Schl.) Lev.
<i>artabotrys odoratissimus</i> ...	<i>Phomopsis Artabotrydis</i> Syd.
<i>Artemisia</i> sp. ...	<i>Puccinia Absinthii</i> D. C.
" ...	<i>Puccinia artemisiella</i> Syd.
" ...	<i>Puccinia ferruginea</i> Syd.
" <i>Absinthii</i> ...	<i>Septoria tabacina</i> Died.
" <i>dracunculius</i> ...	<i>Puccinia Absinthii</i> D. C.
" <i>frigida</i> ...	<i>Puccinia Absinthii</i> D. C.
" <i>gnaphaloides</i> Nutt ...	<i>Leptosphaeria tetopensis</i> (Ell et Ev.)
" <i>ludoviciana</i> ...	Rehm.
" <i>maritima</i> ...	<i>Puccinia Absinthii</i> D. C.
" <i>vulgaris</i> ...	<i>Puccinia Absinthii</i> D. C.
<i>arthroxon</i> ...	<i>Phoma picea</i> (Pera.) Sacc.
" <i>laucolatus</i> Hochst. ...	<i>Puccinia Absinthii</i> D. C.
<i>Artiplex hortensis</i> E. ...	<i>Puccinia Artemisiella</i> Syd.
<i>Artocarpus integrifolia</i> ...	<i>Septoria Arthroxonis</i> (P. Henn.)
" <i>mysorensis</i> ...	Syd. et Butl.
<i>Aruncus silvestris</i> ...	<i>Puccinia Arthroxonis</i> (P. Henn.) Syd. et Butl.
<i>Arundinaria</i> ...	<i>Cercospora dubia</i> (Ries) Wint.
<i>Arundinella</i> sp. ...	<i>Phyllosticta artocarpina</i> Syd. et Butl.
" <i>anomala</i> ...	(Mucor Artocarpi B. et Br.)
	<i>Rhizopus Artocarpi</i> Rac.
	<i>Limacina Butleri</i> Syd.
	<i>Ochropsora Sorbi</i> (Qud.) Diet.
	<i>Phyllachora shirahana</i> Syd.
	<i>Puccinia melanocephala</i> Syd.
	<i>Puccinia Arundinellae</i> Barcl.
	<i>Puccinia Arundinellae-anomala</i> Diet.

Host.	Fungi.
<i>Arundinella brasiliensis</i> Raddi. ...	<i>Puccinia Arundinellae</i> Barel.
" <i>setosa</i> Trin. ...	<i>Ustilago Arundinellae</i> Bref.
" <i>Wallichii</i> Nees. ...	<i>Puccinia Arundinellae</i> Barel.
<i>Arundo</i> sp. ...	<i>Ustilago effusa</i> Syd.
" <i>Donax versicolor</i> ...	<i>Phyllachora Cyperi</i> Rehm.
<i>Asclepias tuberosa</i> L. ...	var. <i>Donacis</i> Berl. et. F. Sacc.
<i>Asparagus</i> ...	<i>Coniosporium Arandinis</i> (Corda) Sacc.
" sp. ...	<i>Puccinia Bartholomaei</i> Diet.
" <i>lucidus</i> Lindl. ...	<i>Aecidium Jamesianum</i> Peck.
" <i>officinalis</i> ...	<i>Leptosphaeria indica</i> Syd. et Butl.
" " ...	<i>Puccinia Asparagi</i> D C.
<i>Asperula odorata</i> ...	<i>Puccinia Asparagi lucidi</i> Diet.
<i>Asphodelus fistulosus</i> Linn. var. <i>Piazi</i>	<i>Cercospora Asparagi</i> Sacc.
<i>Asphondylia Mayeri</i> ...	<i>Puccinia Asparagi</i> D C.
<i>Aspidium aristatum</i> ...	<i>Puccinia Asperulae-odoratae</i> Wurtl.
" <i>fili-mas</i> ...	<i>Puccinia Barbeyi</i> (Roun.) P. Magn.
" <i>lobatum</i> ...	<i>Macrophoma Coronillae</i> (Desm.) Neger.
<i>Asplenium ruta muraria</i> L. ...	<i>Taphrina Cornu-cervi</i> Giesn.
<i>Aster asperulus</i> ...	<i>Herpobasidium filicium</i> (Rostr.) Lind.
" <i>conspicuous</i> Lindl. ...	<i>Taphrina Vestergreni</i> Geinsehn.
" <i>macrophyllus</i> ...	<i>Milescia vogesinca</i> Syd.
<i>Astilbe</i> ...	<i>Uredo Murariae</i> P. Magn.
" <i>japonica</i> ...	<i>Aecidium Asterum</i> Sch.
" <i>rivularis</i> Ham. ...	<i>Coleosporium Solidaginis</i> (Schw.) Thum.
<i>Astragalus</i> ...	<i>Puccinia asteris</i> Duby.
" <i>danicus</i> Retz. ...	<i>Septoria atropurpurea</i> Peck.
" <i>exscapus</i> L. ...	<i>Pucciniostele Clarkiana</i> (Barc.) Diet.
" <i>eroboides</i> Horn. ...	<i>Pucciniostele Clarkiana</i> (Barc.) Diet.
" <i>purshii</i> ...	<i>Pucciniostele Clarkiana</i> (Barc.) Diet.
<i>Aucuba japonica</i> ...	<i>Pleospora spinarum</i> Syd.
<i>Avena sativa</i> Linn. ...	<i>Uromyces Astragali</i> (Opiz.) Sacc.
" " ...	<i>Uromyces Jordanius</i> Babak.
" " ...	<i>Uromyces splendens</i> A. Blytt.
" " ...	<i>Uromyces punctatus</i> Schrot.
<i>Balfoa</i> ...	<i>Asterina Aucubae</i> P. Henn.
<i>Balsamorhiza sagittata</i> ...	<i>Helminthosporium Avenae</i> Br & Cav.
<i>Bambusaceae</i> ...	<i>Puccinia graminis</i> Pers.
<i>Bambusa</i> ...	<i>Puccinia Lolii</i> Neils.
	<i>Puccinia coronifera</i> Kleb.
	<i>Rhizoctonia Napi</i> West.
	<i>Ustilago Avenae</i> (Pers.) Jens.
	<i>Mollisia Teucrii</i> (Fuck.) Rehm.
	<i>Puccinia Balsamorhizae</i> P.K.
	<i>Apiospora indica</i> Thiess et Syd.
	<i>Apiospora Montagnei</i> Sacc.
	<i>Rosellinia Bambusae</i> P. Henn.
	<i>Astrocystis mirabilis</i> B et Br.
	<i>Ballardina Butleri</i> Syd.
	<i>Coniosporium Bambusae</i> (B & T) Sacc.
	<i>Cyathus sulcatus</i> Kuhn.
	<i>Cytospora bambusina</i> Died.
	<i>Diatype chlorosarca</i> B et Br.
	<i>Diplodia bambusina</i> Died.
	<i>Diplozithella bambusina</i> Died.
	<i>Epichloe Bambusae</i> Pat.
	<i>Puccinia gracilentia</i> Syd. et Butl.
	<i>Puccinia xanthosperma</i> Syd.
	<i>Scirrhia luzonensis</i> P. Henn.

Host.	Fungi.
ambusa	Endodothella Bambusae (Rabh.) Thies et Syd. Eriosphaeria calospora Speg. Dothidella bambusicola Syd. et Butl. Hypoxyton fuscopurpureum (Schw.) B. et C. Hypoxyton rubiginosum (Pers.) Fr. Irpea flavus Jungh. Konradia bambusina Rac. Metachora Bambusae Syd. et Butl. Phyllachora Bambusae Syd. et Butl. Phyllachora Bonariensis Speg. Phyllachora malabarensis Syd. et Butl. Phyllachora Shiraiana Syd. Puccinia melanocephala Syd. Scirrhopoditis seriata Syd. et Butl. Scirrhis seriata Syd. et Butl. Sphaerella bambusina Syd. et Butl. Uredo Bambusarum P. Henn. Ustilago shiraiana P. Henn.
" blumeana ...	Daedalea lenzites (Lev.) Bres. f. daedaloides Bres.
" (P vulgaris) Schrad. ...	Merulius gigantous Sauter.
Barringtonia acutangula ...	Meliola indica Syd.
Bassia latifolia ...	Uredo echinulatus (Niessl.) Syd.
" longifolia ...	Uromyces echinulatus Niessl.
Bauhinia acuminata ...	Uromyces Vestergreni Syd. Uromyces verruculosus B. et Br.
" tomentosa ...	Uromyces verruculosus B. & Br.
" VahlII ...	Lasmenia globulifera (Rabh.) V. Hoeh. Phyllachora ? Bauhiniae (Wint.) Thies et Syd. Phyllachora tenuis (Berk.) Sacc.
Begonia sp. ...	Coleosporium Begoniae Arth.
Belamcanda punctata Moench. ...	Uredo Belamcandae P. Henn.
" chinensis. Lewan. ...	
Bellidiastrum Michelii ...	Puccinia firma Diet.
Bellis perenne ...	Puccinia obscura Schrot.
Berberis ...	Erysiphe Polygoni D C. Puccinia graminis Pers. (Aecidium).
" aristata D C. coriaria ...	Aecidium montanum Butl.
" Royle ...	
" aristata ...	Aecidium montanum Butl. Puccinia droogensis Butl.
" Lycium ...	Aecidium montanum Butl. Aecidium Berberidis Gmel. Puccinia graminis Pers.
" nepalensis ...	Puccinia graminis Pers.
" repens ...	Gambleola cornuta Massac. Uropyxis sanguinea.
" umbellata Wall ...	Aecidium Berberidis Gmel. Puccinia graminis Pers.
" vulgaris ...	Puccinia Arrhenatheri (Kleb.) Erikss.
Beta bengalensis ...	Rhizoctonia Napi West.
" vulgaris ...	Phoma tabifica Frill. Uromyces Betae (Pers.) Lev.
Betonica officinalis ...	Puccinia B-tonicae (Alb. et Schw.) D C.
" " var. alpestris ...	Puccinia Betonicae (Alb. et Schw.) D C.
Betula alba Linn. ...	Fomes nigricans Fr. Gloeosporium betulinum West. Marssonina Betulae (Lib.) Sacc. Solenia confusa Bres.

Host.	Fungi.
<i>Betula occidentalis</i> ...	<i>Melampsoridium Betulae</i> (Sclum.) Diet.
" <i>verrucosa</i> ...	<i>Phylloticta Betulae</i> Oud.
<i>Bidens pilosa</i> Linn ...	<i>Polystictus cinnabarinus</i> Fr.
" " <i>triparita</i> ...	<i>Foria punctata</i> Fr.
<i>Bigelovia veneta</i> A. Gray.	<i>Polyporus rutilans</i> (Pers.) Fr.
<i>Bischofia javanica</i> ...	<i>Sphaerotheca Hamuli</i> (D. C.) Burr.
<i>Blainvillea latifolia</i> ...	var. <i>fuliginosa</i> Schlecht.
<i>Blechnum Spicant</i> R. H.	<i>Uromyces Bidentis</i> Lagh. (Uredo.)
<i>Blepharis boerhaaviaefolia</i> ...	<i>Septoria Bidentis</i> Sacc.
<i>Blumea balsamifera</i> ...	<i>Puccinia tuberculans</i> E. & E.
<i>Boehmeria nivea</i> ...	<i>Fomes kamphovereri</i> Fr.
<i>Boerhaavia repens</i> ...	<i>Phyllachera Bischofia</i> Syd.
<i>Phloetis</i> ...	<i>Uromyces Blainv. leae</i> Berk.
<i>Bomarea acutifolia</i> Herb. Amaryll.	<i>Melampsorella Blechni</i> Syd.
<i>Bombax malabaricum</i> ...	<i>Aecidium Blepharidis</i> Har. et Pat.
<i>Borassus flabellifer</i> Linn flabelliformis Murr.	<i>Aecidium Blumeae</i> P. Henn.
" "	<i>Allescherina Boehmeriae</i> Syd. et Butl.
" "	<i>Cystopus platensis</i> Speg.
<i>Borrchia frutescens</i> D. C.	<i>Hymomyces chrysospermus</i> Tul.
<i>Boussingaultia baselloides</i> ...	<i>Puccinia Bomareae</i> P. Henn.
<i>Bouteloua oligostachya</i> Torr.	<i>Fuligo ovata</i> Schaeffer.
<i>Bouvardia</i> sp. ...	<i>Peystictas occidentalis</i> Kl.
<i>Brabeum stellatifolium</i> ...	<i>Uredo Bombaciae</i> P. Reb.
<i>Bruchypodium sylvaticum</i> Beauv.	<i>Exosporium palmivorum</i> Sacc.
" <i>Sylvaticum</i> ...	<i>Gyaphiola Borassi</i> Syd. et Butl.
<i>Brassica</i> sp. ...	<i>Pliceria repens</i> (Wahl.) Rehm.
" <i>Alba</i> ...	<i>Pythium palmivorum</i> Butl.
" <i>campestris</i> Linn. Oleracea Loud.	<i>Phytophthora palmivora</i> Butl.
<i>Brassica campestris</i> var. <i>glauca</i> ...	<i>Puccinia Mirifica</i> Diet. & Holw.
" " <i>gaudivalvis</i> ...	<i>Macrophoma Boussingaultiae</i> Syd. et Butl.
" " <i>Linn Napus</i> Linn.	<i>Puccinia Bartholomaei</i> Diet.
" " <i>var rapa</i> ...	<i>Uromyces Bouvardiae</i> Syd.
" <i>juncea</i> Cosg.	<i>Periconiella velutina</i> (Wint.) Sacc.
" <i>nigra</i> ...	<i>Puccinia glumarum</i> (Schun.) Erikss. & Henn.
" <i>oleracea</i> ...	<i>Puccinia graminis</i> Pers.
" <i>rugosa</i> ...	<i>Cystopus candidus</i> (Pers.) Lev.
<i>Breyia rhaunoides</i> Muell.	<i>Peronospora parasitica</i> (Pers.) De By.
	<i>Alternaria Brassicae</i> (Berk.) Sacc.
	<i>Alternaria Brassicae</i> (Berk.) Sacc.
	<i>Alternaria Brassicae</i> (Berk.) Sacc.
	<i>Cystopus candidus</i> (Pers.) Lev.
	<i>Macrosporium Brassicae</i> Berk.
	<i>Alternaria Brassicae</i> (Berk.) Sacc.
	<i>Aecidium Breyiae</i> Syd.
	<i>Hexagonia similis</i> Berk.
	<i>Ravenelia Breyiae</i> Syd.

Host.	Fungi.
<i>Calamintha</i> ...	<i>Rhizoctonia Napi</i> West.
<i>Clinopodium</i> ...	<i>Puccinia Menthae</i> Pers.
<i>umbrosa</i> ...	<i>Puccinia Menthae</i> Pers.
<i>Calamovilfa</i> (<i>Calamagrostis</i>) <i>longifolia</i> ...	<i>Puccinia amphigena</i> Diet.
<i>Calamus</i> ...	<i>Cytospora calami</i> Syd.
<i>tenuis</i> ...	<i>Diplodia Calami</i> Niessl.
<i>Calceolaria scabiosifolia</i> ...	<i>Physalospora Calami</i> Syd.
<i>Calea hypoleuca</i> ...	<i>Peronospora Linariae</i> Fuck.
<i>sp.</i> ...	<i>Puccinia Caleae</i> Arth.
<i>Zacatechichi regosa</i> ...	<i>Puccinia Caleae</i> Arth.
<i>Calendula officinalis</i> L. ...	<i>Puccinia Caleae</i> Arth.
<i>Calliandra</i> ...	<i>Puccinia Calendulae</i> Mo. Alp.
<i>Calluna vulgaris</i> ...	<i>Chaconia alutacea</i> Juel.
<i>Calochortus flava</i> Schult.	<i>Niptera Calunae</i> Syd.
<i>Calophyllum inophyllum</i> ...	<i>Puccinia Calochorti</i> Peck.
	<i>Macrophoma Calophylli</i> Syd.
<i>Calotropis procera</i> ...	<i>Sirococcus Calophylli</i> Syd.
<i>Calotropis gigantea</i> ...	<i>Cercospora Patouillardi</i> Sacc. et D. Sacc.
<i>Caltha palustre</i> L. ...	<i>Cercospora Patouillardi</i> Sacc. et D. Sacc.
<i>Camellia drupifera</i> ...	<i>Puccinia Calthae</i> Link.
<i>Thea</i> ...	<i>Exobasidium assamense</i> Syd. et Butl.
<i>Camellia Thea</i> on scale insect ...	<i>Asterina Camelliae</i> Syd. et Butl.
<i>Camellia Thea</i> ...	<i>Aschersonia Eugeniae</i> Koorders.
	<i>Cephaleuros mycoidea</i> K.
	<i>Cephaleuros virescens</i> K.
	<i>Cercospora Theae</i> B. de Haam.
	<i>Colletotrichum Camelliae</i> Mass.
	<i>Dimerium Wattii</i> Syd. et Butl.
	<i>Dinen asporium hispidulum</i> (Schrad) Sacc.
	<i>Exobasidium veranense</i> Mass.
	<i>Hymenochaete noxia</i> Berk.
	<i>Lasioidiplodia Theobromae</i> (Pat.) Griff et Maubl.
	(<i>Lastadia Theae</i> Racib.)
	(<i>Lastadia Camelliae</i> (Oke.) B. et Vogl.)
	<i>Limacinula Theae</i> Syd. et Butl.
	<i>Nectria cinnabarina</i> (Tode) Fr.
	<i>Papulospora sepedonioides</i> Preuss.
	<i>Pestalozzia Guepini</i> Desm.
	<i>Pestalozzia Palmarum</i> Cke.
	<i>Rosellinia bothryna</i> (H & Br.) Sacc.
	<i>Sphaerostilbe repens</i> B. et Br.
" " " (seedling stem) ...	<i>Ustilina zonata</i> (Lev.) Sacc.
<i>Campanula argyrotricha</i> Wall ...	<i>Stilbum nanum</i> Massee.
<i>cana</i> Wall ...	<i>Coleosporium Campanulae</i> (Pers.) Lev.
<i>canescens</i> ...	<i>Coleosporium Campanulae</i> (Pers.) Lev.
<i>colorata</i> Wall ...	<i>Coleosporium Campanulae</i> (Pers.) Lev.
<i>rapunculoides</i> Linn. ...	<i>Coleosporium Campanulae</i> (Pers.) Lev.
<i>sp.</i> ...	<i>Ramularia macrospora</i> Fries.
<i>sylvatica</i> Wall ...	var. <i>major</i> Lindr.
<i>Canavalia ensiformis</i> ...	<i>Coleosporium Campanulae</i> (Pers.) Lev.
<i>turgida</i> ...	<i>Coleosporium Campanulae</i> (Pers.) Lev.
<i>Canna indica</i> L. ...	<i>Colletotrichum Lindemuthianum</i> Sacc. et Magn.
<i>Cannabis sativa</i> ...	<i>Gloeosporium Canavaliae</i> Syd.
	<i>Puccinia Cannae</i> (Wint.) P. Henn.
	<i>Botryospheria marconii</i> (Cav.)
	Charles & Jenkins.
	<i>Rhizoctonia Napi</i> West.
	<i>Septoria Cannabis</i> (Lasch.) Sacc.

Host.	Fungi.
<i>anthium parviflorum</i> Schlecht. Ran-	<i>Hamileia Canthii</i> B. et Br.
<i>dia malabarica</i> Lam.	<i>Hamileia Canthii</i> B. et Br.
" <i>Rheedii</i> ...	<i>Meliola ascerinoides</i> Wint. var. <i>major</i> Gail.
" <i>umbellatum</i> ...	<i>Asterina Cappariidis</i> Syd. et Butl.
<i>apparie</i> ...	<i>Oidium erysiphoides</i> Fr.
	<i>Ophiobolus Butleri</i> Syd.
	<i>Paranthostomella Cappariidis</i> Syd. et Butl.
	<i>Phyllosticta Cappariidicola</i> Spag.
	<i>Pleosphaeropsis Cappariidis</i> Died.
	<i>Tubercularia maculicola</i> Sacc.
" <i>dacea</i> ...	<i>Uredo Scheffleri</i> Syd.
" <i>borrida</i> ...	<i>Oidium erysiphoides</i> Fr.
" <i>sepiaria</i> ...	<i>Microthyrium annuliforme</i> Syd.
" <i>spinosa</i> var. <i>leucophylla</i> ...	<i>Paranthostomella Cappariidis</i> Syd et Butl.
<i>apsella Bursa-pastoris</i> Medic.	<i>Cystopus candidus</i> Pers. Lev.
	<i>Peronospora parasitica</i> (Pers.) de By.
<i>apsicum</i> sp. ...	<i>Colletotrichum nigrum</i> Ell. et Hals.
	<i>Gleosporium piperatum</i> E. & E.
" ...	<i>Vermicularia Capsici</i> Syd.
" <i>annuum</i> ...	<i>Colletotrichum nigrum</i> Ell. et Halst.
	<i>Pythium Butleri</i> Subrm.
	<i>Nectria Bolbophylli</i> P. Henn.
	<i>Vermicularia Capsici</i> Syd.
" <i>frutescens</i> ...	<i>Colletotrichum nigrum</i> Ell. et Halst.
	<i>Oidiopsis taurica</i> (Lev.) Sal.
	<i>Vermicularia Capsici</i> Syd.
<i>aragana</i> ...	<i>Phyllachora erebia</i> Syd.
<i>arex</i> sp. ...	<i>Contractia mullerii</i> P. Henn.
" <i>acutiformis</i> ...	<i>Peizella turgidella</i> (Karst.) Sacc.
" <i>aquatilis</i> Whlbg. ...	<i>Puccinia Caricis</i> (Schum.) Rebert.
" <i>conjuncta</i> ...	<i>Puccinia Opizii</i> Bubak.
" <i>foenea</i> Muhl. ...	<i>Puccinia caricis-asteris</i> Arth.
" <i>glauca</i> Murr. ...	<i>Pyrenochaeta exosporioides</i> Sacc.
" <i>japonica</i> Thumbg. ...	<i>Puccinia Caricis-japonica</i> Diet.
" <i>muricata</i> ...	<i>Puccinia Opizii</i> Bubak.
" <i>panicea</i> on uredo of <i>Puccinia</i>	<i>Darlusa Filum</i> (Biv.) Cast.
<i>paludosa</i> ...	<i>Puccinia paludosa</i> Plowr.
" <i>panicea</i> ...	<i>Puccinia Caricis</i> (Schum.) Rebert.
" <i>paniculata</i> ...	<i>Puccinia Grossulariae</i> (Schum.) Lagh.
" <i>phyllomanica</i> ...	<i>Puccinia Ribesii-Pseudocyperiperi</i> Kleb.
" <i>Pseudo-cyperus</i> L. ...	<i>Puccinia tecta</i> Ell. et Barth.
" <i>sparganioides</i> ...	<i>Puccinia tenuistipes</i> Rostr
" <i>varia</i> Muhl. ...	<i>Aspergillus Ficum</i> .
<i>arica Papaya</i> ...	<i>Cephaleuros virescens</i> Kze.
	<i>Diplodia Papaya</i> Thom.
	<i>Phytophthora Faberi</i> Maubl.
	<i>Pythium Butleri</i> Subrm.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Sterigmatocystis Ficum</i> P. Henn.
	<i>Ustilago Ficum</i> Reich.
	<i>Sphaerella affinis</i> Wint.
<i>arlina vulgaris</i> Linn. ...	<i>Ciboria bolaris</i> (Batsch.) Fock.
<i>arpinus Betulus</i> Linn. ...	<i>Dermatea Carpinif</i>
	<i>Pezicula carpinea</i> (Pers.) Tul.
<i>arthamus Oxyacantha</i> Bieb. ...	<i>Puccinia Carthami</i> (Hutzel.) Cda.
" <i>tinctorius</i> ...	<i>Puccinia Carthami</i> (Hutzel.) Corda.
<i>arum copticum</i> ...	<i>Rhizoctonia Napi</i> West.

Host.	Fungi.
<i>Carya glabra</i> ...	<i>Glaucosporium Carya</i> Ell. et Desmaz.
<i>Caryota</i> ...	<i>Macrophoma Caryotae</i> Syd.
	<i>Phyllosticta Cocos</i> Cke.
<i>Cassia</i> ...	<i>Oidium erysiphoides</i> Fr.
" <i>biflora</i> L.	<i>Ravenelia spinulosa</i> Diet. et Holw.
" <i>Holwayi</i> Rose.	<i>Ravenelia spinulosa</i> Diet. et Holw.
" <i>occidentalis</i> ...	<i>Oidium erysiphoides</i> Fr.
" <i>Sophera</i> Linn., <i>Sophera</i> Auct.	<i>Uredo Scoptræ</i> Syd.
" <i>timorensis</i> ...	<i>Asterina Cassia</i> Syd.
" <i>Tora</i> Linn	<i>Aecidium Tora</i> P. Henn.
	<i>Oidium erysiphoides</i> Fr.
<i>Castanea dentata</i> ...	<i>Sporinella castanæ</i> Butl.
" <i>vulgaris</i> ...	<i>Endothia parasitica</i> Murr.
<i>Castanopsis javanica</i> ...	<i>Uredo castanea</i> P. Henn.
<i>Castilleja miniata</i> ...	<i>Puccinistrum castanea</i> Diet.
<i>Castilleja elastica</i> ...	<i>Crenartium coleosporioides</i> (Diet. & Holw.) Arth.
<i>Casuarina</i> sp. ...	<i>Botryodiplodia Theobromæ</i> Pat.
" <i>equisetifolia</i> Linn.	<i>Phoma Casuarinae</i> F. Tassi.
<i>Cedrela Toona</i> Roxb.	<i>Trichosporium vesiculosum</i> Butl.
<i>Cedrus Libani</i> Barrel <i>Deodra</i> Loud.	<i>Formes lucidus</i> (Leys.) Fr.
	<i>Fomes annosus</i> Fr.
	(<i>Fraxinus radiciperda</i>) Hartiq.
" <i>Deodora</i> ...	<i>Peridermium Cedri</i> Barc.
	<i>Fomes annosus</i> Fr.
" <i>Libani</i> var. <i>Deodora</i> ...	<i>Sclerophoma Piceæ</i> (Fuck.) v. Höhl.
	<i>Cytospora Cedri</i> Syd. et Butl.
	<i>Fomes annosus</i> Fr.
<i>Celastrus</i> ...	<i>Stagonospora Cedri</i> Syd. et Butl.
" <i>paniculata</i> Willd.	<i>Hypoxylon ? hypomiltum</i> Mont.
<i>Celsia coromandeliana</i> ...	<i>Macrophoma celastrina</i> Diet.
<i>Celtis</i> ...	<i>Mataspheia celastrina</i> Syd. et Butl.
" <i>caucasica</i> ...	<i>Hexagonia similis</i> Berk.
	<i>Puccinistrum Celastris</i> Syd.
<i>Cenchrus biflorus</i> ...	<i>Peronospora Celsiae</i> Syd.
<i>Centaurea</i> ...	<i>Gyrocera Celtidis</i> (Bivona) M. et Cam.
" <i>Calitapa</i> ...	<i>Coryneum Mori</i> Nomura.
" <i>Cyanus</i> ...	<i>Uncinula polychæta</i> (B. & C.) Trac. & Gall.
<i>Centotheca lappacea</i> ...	<i>Cerebella cenchræidis</i> Subrm.
" <i>latifolia</i> ...	<i>Puccinia Centauræ</i> Mart.
<i>Cephalandra indica</i> ...	<i>Puccinia Cyani</i> (Schleich.) Pass.
	<i>Phyllachora Centothecæ</i> Syd.
<i>Cephalostigma Schimperii</i> Hochst.	<i>Balanis claviceps</i> Spag.
<i>Cephalotaxi drupaceæ</i> ...	<i>Erysiphe Cichoracearum</i> D. C.
<i>Chaerophyllum hirsutum</i> ...	<i>Oidium erysiphoides</i> Fr.
	<i>Puccinia Cephalandræ indicæ</i> Syd.
<i>Chamaerops</i> ...	<i>Coleosporium Campanulæ</i> Pers.
<i>Chasalia curviflora</i> ...	<i>Lactadia Cephalotaxi</i> Syd. et Hara.
<i>Chenopodium album</i> Linn	<i>Puccinia Chaerophylli</i> Port.
	<i>Puccinia Pozii</i> Semad.
	<i>Heterosporium minutulum</i> Cke. et Mass.
<i>Chenopodium ambrosioides</i> ...	<i>Uredo Chasilæ</i> Patch.
" <i>Botrya</i> ...	<i>Cercospora dubia</i> (Riess.) Wint.
<i>Chloris barbata</i> ...	<i>Peronospora effusa</i> (Ærev.) Rbh.
	<i>Phyllosticta Ambrosioides</i> Thum.
	<i>Rhizoctonia Napi</i> West
	<i>Cercospora anthelmintica</i> Atk.
	<i>Erysiphe Polygoni</i> D. C.
	<i>Phyllachora graminis</i> (Pers.) Fuck.

Host.	Fungi.
<i>Chloris elegans</i> H. B. K. ...	<i>Puccinia Chloridis</i> Speg.
<i>Chrysanthemum</i> ...	<i>Phyllosticta Chrysanthemi</i> Ell. et Dean.
<i>indicum</i> Linn ...	<i>Septoria chrysanthemella</i> Cav.
<i>Perthenium</i> ...	<i>Puccinia chrysanthemi</i> Roze.
<i>Chrysopogon mutans</i> Benth (Andropogon incompletus Presl).	<i>Septoria chrysanthemella</i> Sacc.
	<i>Cystopus Tragopogonis</i> (Pers.) Schroet.
	<i>Puccinia virgata</i> Ell. et Ever.
<i>Chrysopogon pictus</i> Hance (Andropogon assimilis Steud).	<i>Puccinia pusilla</i> Syd.
<i>Chrysosplenium oppositifolium</i> ...	<i>Puccinia Chrysosplenii</i> Grav.
<i>Cicer arietinum</i> Linn ...	<i>Ascochyta Pisi</i> Lib.
	<i>Neocosmospora vasinfecta</i> Smith.
	<i>Rhizoctonia Napi</i> West.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Uromyces Ciceris-arietini</i> Jacz. et. Bý.
<i>Cichorium Intybus</i> ...	<i>Puccinia Cichorii</i> (D C.) Bell.
<i>Cicuta occidentalis</i> ...	<i>Puccinia Cicutae</i> Lasch.
" <i>virosa</i> ...	<i>Puccinia Cicutae</i> Lasch.
<i>Cinnamomum</i> ...	<i>Puccinia Cicutae</i> Lasch.
	<i>Cephauros vitesceus</i> K.
<i>Cipura paludosa</i> Aubl. ...	<i>Meliola</i> ? Zg.—Zag Berk. et Curt.
<i>Circaea lutetiana</i> ...	<i>Puccinia Cipurae</i> Syd.
<i>Cirsium heterophyllum</i> L. ...	<i>Puccinia Circaeae</i> Pers.
<i>oleraceum</i> L. ...	<i>Puccinia Cirsii</i> Lasch.
<i>Citropogon</i> (Andropogon) Martini ...	<i>Puccinia Cirsii—oleraceae</i> Pers.
<i>Citrullus Colocynthis</i> ...	<i>Sorosporium Wildemanianum</i> P. Henn.
" <i>vulgaris</i> (Melon.) ...	<i>Puccinia Citrulli</i> Syd et Butl.
<i>Citrus</i> ...	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Aegaria webberi</i> Fawcett.
	<i>On Aleurodes citri</i> R. & H.
	<i>Aschersonia aleurodis</i> Webber.
	<i>On Aleurodes citri</i> R. & H.
	<i>Aschersonia flavo—Citrina</i> P. Henn.
	<i>On Aleurodes umbifera</i> Preger.
	<i>Cephauros virescens</i> K.
	<i>Cytospora Citri</i> Died.
	<i>Drymoglossum piloselloides</i> Pres.
	<i>Fusarium Limonis</i> Briosi.
	<i>Meliola Butleri</i> Syd.
	<i>Meliola Camelliae</i> (Cart.) Sacc.
	<i>Phoma macrophoma</i> McAlp.
	<i>Peronotypella pusilla</i> Syd.
<i>Aurantium</i> Linn ...	<i>Triblidia refula</i> (Spreng.) Sacc.
	<i>Colletotrichum gloeosporioides</i> Penz.
	<i>Daldinia concentrica</i> (Bolt) de Not & Cke.
	<i>Diplodia indica</i> Died.
	<i>Fusarium Limonis</i> Briosi.
	<i>Massarina neembarensis</i> (P. Henn.) v. Hohnel.
	<i>Nectria heterosperma</i> Kalch. et Cke.
	<i>Oidium Citri</i> Butl.
	<i>Oospora Citri—Aurantii</i> (Ferr.) Sacc. et Syd.
" " (Medica ?) Linn	<i>Pericillium olivaceum</i> Wehm.
	<i>Gloeosporium intermedium</i> Sacc.
fruits... ...	<i>Var. Fabramulorum</i> Sacc.
	<i>Rhyndiplodia Citri</i> Briosi.

Host.	Fungi.
<i>Citrus medica</i> ...	<i>Aschersonia placentis</i> Berk. <i>Ascochyta Citri</i> Penz. <i>Colletotrichum gloeosporioides</i> Penz. <i>Diplodia citrina</i> Died. <i>Melanosoma citricola</i> Syd. et Butl. <i>Meliola Butleri</i> Syd. <i>Phoma macrophoma</i> M.-Aip. <i>Ascochyta Citri</i> Penz. <i>Meliola Butleri</i> Syd. <i>Pestalozzia Guepini</i> Desm. <i>Phoma macrophoma</i> McAip.
" " var. <i>acida</i> ...	<i>Uromyces amurensis</i> Kun.
" " <i>Limetta</i> ...	<i>Pythium delbaryanum</i> Hesse.
" <i>decumana</i> ...	<i>Puccinia Wattiana</i> Barcl. <i>Coleosporium Clematidis</i> Barcl. <i>Puccinia Wattiana</i> Barcl. <i>Puccinia Wattiana</i> Barcl. <i>Puccinia exhausta</i> Diet. <i>Puccinia Wattiana</i> Barcl. <i>Coleosporium Clematidis</i> Barcl. <i>Puccinia Clematidis</i> (D. C.) Lagh. <i>Coleosporium Clematidis</i> Barcl. <i>Coleosporium Clematidis</i> Barcl. <i>Diplodina Vitalbae</i> (Br. et Har.) Allesch. <i>Cercospora Clematis</i> Ell. et Haet. <i>Cystopus candidus</i> (Pers.) Lev. <i>Chrysomyxa peregrina</i> Syd. et Butl. <i>Phyllosticta Clerodendri</i> Syd. et Butl. <i>Colletotrichum Clerodendri</i> Died. <i>Meliola Clerodendricola</i> P. Henn. <i>Synchytrium collapseum</i> Syd. <i>Aecidium Clerodendri</i> P. Henn. <i>Cercospora Clitoriae</i> Atk. <i>Puccinia mesomergala</i> B. & C. <i>Cercospora pantoleuca</i> Syd. <i>Puccinia suaveolens</i> Pers. <i>Puccinia suaveolens</i> Pers. <i>Septoria diversimaculans</i> Died. <i>Cystopus Tragopogonis</i> (Pers.) Schroet.
<i>Cladrastis amurensis</i> var. <i>floribunda</i> ...	
<i>Clarkia</i> ...	
<i>Clematis</i> ...	
" <i>Buchananiana</i> D. C. ...	
" <i>connata</i> ...	
" <i>Gouriana</i> Roxb. ...	
" <i>grata</i> ...	
" <i>lasiantha</i> ...	
" <i>montana</i> ...	
" <i>triloba</i> Heyne ...	
" <i>Vitalba</i> Linn ...	
<i>Clematis</i> ...	
" <i>viscosa</i> Linn ...	
<i>Clerodendron</i> sp. ...	
" ...	
" <i>infortunatum</i> ...	
" <i>intermedium</i> ...	
<i>Clitoria Ternatea</i> Linn ...	
<i>Clintonia uniflora</i> ...	
<i>Clitoria ternatea</i> ...	
<i>Cnicus</i> ...	
<i>Cnicus argyranthus</i> ...	
" <i>arvensis</i> ...	
<i>Cnicus arvensis</i> ...	
" " Hoffm ...	
<i>Cirsium arvense</i> Scop ...	
<i>Coccinia indica</i> Wight.	
<i>Cephalandra indica</i> Naud.	<i>Puccinia Cephalandrae-indicae</i> Syd.
<i>Cocos nucifera</i> Linn ...	<i>Exosporium palmivorum</i> Sacc. <i>Laschia pustulata</i> Berk. et Br. <i>Nectria Bolbophylli</i> P. Henn. <i>Phoma palmarum</i> Cooke. <i>Physalospora transversalis</i> Syd. <i>Pestalozzia Palmarum</i> Cooke. <i>Pythium palmivorum</i> Butl. <i>Rosellinia cocos</i> P. Henn. <i>Sphaeropsis palmarum</i> Cke. <i>Cephauros virescens</i> Kunze. <i>Hypochnus ochroleucus</i> Noack. <i>Phyllosticta codiasicola</i> Died.
<i>Codiaeum</i> ...	

Host.	Fungi.
<i>Coffea</i> sp. ...	<i>Hemileia vastatrix</i> B. et Br.
" <i>arabica</i> Linn ...	<i>Aecidium nobile</i> Syd.
	<i>Capnodium brasiliense</i> Puttemans.
	(Scale insect, <i>Lecanium hemisphaeri</i> —canum from <i>Coffea arabica</i>).
	<i>Cephalosporium Lecanii</i> Zimm.
	<i>Cercospora coffeicola</i> Burk. et Curt.
	<i>Colletotrichum coffeanum</i> Noack.
	<i>Hemileia vastatrix</i> B. et Br.
	<i>Melanospora parasitica</i> Tul.
	Var. <i>Calcea</i> Butl.
	? <i>Microthyrium Coffeae</i> P. Henn.
	<i>Pellicularia Koleroga</i> Cke.
	<i>Phyllosticta coffeicola</i> Speg.
	<i>Strumella Coffeae</i> Butl.
<i>Coffea liberica</i> Hiern ...	<i>Cephaleuros virescens</i> K.
	<i>Coniothyrium Coffeae</i> A. Zimm.
	<i>Hemileia vastatrix</i> B. et Br.
	? <i>Microthyrium coffea</i> P. Henn.
	<i>Pellicularia Koleroga</i> Cke.
	<i>Phyllosticta coffeicola</i> Speg.
	<i>Sphaerella coffeicola</i> Cke.
<i>Coffea robusta</i> ...	<i>Hemileia vastatrix</i> B. et Br.
<i>Coffea Lacryma-Jobi</i> Linn. ...	<i>Phyllachora Coicis</i> P. Henn.
	<i>Uredo operta</i> Syd. et Butl.
	<i>Ustilago Coicis</i> Bref.
<i>Colocasia antiquorum</i> Scott. ...	<i>Phytophthora Colocasiae</i> Racib.
" sp. ...	<i>Cercospora Caladii</i> Cooke.
	var. <i>Colocasiae</i> V. Hohnel.
	<i>Phytophthora colocasiae</i> Racib.
<i>Colquhounia coccinea</i> ...	<i>Puccinia leucophaea</i> Syd. et Butl.
<i>Colutea arborescens</i> ...	<i>Camarsporium Colutae</i> (Peck. et Clint.) Sacc.
<i>Comandra pallida</i> ...	<i>Cronartium Comandrae</i> Peck.
" " ...	<i>Puccinia Comandrae</i> Peck.
<i>Comarum palustre</i> ...	<i>Septoglen Comari</i> Brea. et Allesch.
<i>Comamelina</i> ...	<i>Uromyces Commelinae</i> Cooke.
" <i>benghalensis</i> ...	<i>Uromyces Commelinae</i> Cke.
" <i>obliqua</i> Ham. ...	<i>Uredo ochracea</i> Diet.
" sp. ...	<i>Uredo ochracea</i> Diet.
<i>Conium maculatum</i> ...	<i>Puccinia Conii</i> (Str.) Fuck.
<i>Conopodium denudatum</i> (D. C.) Koch. ...	<i>Puccinia tumida</i> Grev.
<i>Convolvulus</i> sp. ...	<i>Puccinia Convolvuli</i> (Pers.) Cast.
" <i>artiplicifolius</i> ...	<i>Puccinia Convolvuli</i> (Pers.) Cast.
<i>Conyza</i> ...	<i>Bremia Lactucae</i> Regel.
	<i>Septoria Conyzae</i> Died.
<i>Cooperia pendunculata</i> Herb. ...	<i>Puccinia Cooperiae</i> Long.
<i>Corchorus</i> sp. ...	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Valsa</i> (Euvalsa) <i>Corchori</i> Syd. et Butl.
<i>Corchorus capsularis</i> Linn. ...	<i>Aspergillus fumigatus</i> Fr.
	<i>Diplodia Corchori</i> Syd.
	<i>Rhizoctonia Solani</i> Kuhn.
<i>Cordia</i> Sp. ...	<i>Uredo Cordiae</i> P. Henn.
" <i>Macleodii</i> Hook. ...	<i>Uncinula Tectonae</i> Salmou.
" <i>Rothii</i> ...	<i>Aecidium brasiliense</i> Diet.
	<i>Septoria Cordiae</i> Syd.
<i>Coreopsis Galeotti</i> Hemsl. ...	<i>Puccinia Electrae</i> Diet. & Holw.
<i>Electra Galeotti</i> A. Gray. ...	
<i>Coriandrum sativum</i> Linn. ...	<i>Erysiphe Polygoni</i> D. C. (Oidium only.)
	<i>Proomyces macrosporus</i> Ung.

Host.	Fungi.
<i>Cordia nepalensis</i> Wall.	... <i>Pucciniastrum Cordariae</i> Diet.
<i>Cornus sanguinea</i> Linn.	... <i>Septoria cornicola</i> Desm.
<i>Corylus Avellana</i> Linn.	... <i>Gnomoniella vulgaris</i> (Ces. et De Not.) Sacc.
	... <i>Helotium virguliforme</i> (Vahl.) Karst.
<i>Corylus Columna</i> L.	... <i>Microsphaera Alni</i> (Wallr.) Salm.
<i>Corypha elata</i>	... <i>Heterosporium Coryphae</i> Syd.
<i>Cotoneaster bacillaris</i>	... <i>Aecidium Cunninghamianum</i> Barc.
<i>Coulterophytum Holwayi</i>	... <i>Puccinia Coulterophyti</i> Diet. & Holw.
<i>Crataegus</i>	... <i>Cylindrosporium Oxycanthae</i> (Kze. et Schum.) Died.
<i>" coccinea</i> Linn.	... <i>Aecidium patulum</i> Syd.
<i>" "</i>	... <i>Gymnosporangium globosum</i> (Thart.) Farl.
<i>" Douglasii</i>	... <i>Cylindrosporium Crataegi</i> Ell. et Ev.
	... <i>Gymnosporangium tubulatum</i> Kern.
<i>" Oxycantha</i> Linn.	... <i>Trametes piceana</i> Pk.
	... <i>Exosporus Crataegi</i> (Sadeb.) Sacc.
<i>Crataeva religiosa</i>	... <i>Podosphaera Oxycanthae</i> (DC.) De B.
	... <i>Aecidium Crataevae</i> Syd.
<i>Crepis glauca</i>	... <i>Napieridium Crataevae</i> Syd.
<i>Cressa cretica</i>	... <i>Cystopus Tragopogonis</i> (Pers.) Schrot.
<i>" truxillensis</i>	... <i>Aecidium Cressae</i> D C.
<i>Crinum</i>	... <i>Aecidium Cressae</i> D C.
<i>" asiaticum</i>	... <i>Aecidium Amaryllidis</i> Syd. et Butl.
<i>Crotalaria albida</i>	... <i>Aecidium Amaryllidis</i> Syd. et Butl.
<i>" filipes</i>	... <i>Uromyces decoratus</i> Syd.
<i>" juncea</i>	... <i>Parodiella perisporioides</i> (B. & C.) Speg.
	... <i>Corticium vagum</i> B. et Br.
<i>" Leschenaultii</i>	... <i>Neocosmospora vasinfecta</i> Smith.
<i>" Striata</i>	... <i>Rhizoctonia Solani</i> Kühn.
<i>Croton Tiglium</i>	... <i>Uromyces decoratus</i> Syd.
<i>Crude</i> Lac.	... <i>Parodiella grammodes</i> (Ke.) Cke.
<i>Cryptolopia Buchanani</i> Roem.	... <i>Corticium javanicum</i> Zimm.
<i>Cryptotaenia canadensis</i> D C.	... <i>Placosphaeria Tiglii</i> P. Henn.
	... <i>Penicillium glaucum</i> Link.
<i>Cucumis melo</i>	... <i>Aecidium ponderosum</i> Syd.
<i>" sativus</i>	... <i>Puccinia Cryptotaeniae</i> Peck.
<i>Cucurbita</i> sp.	... <i>Septoria Cryptotaeniae</i> Ell. et Rau.
<i>" maxima</i>	... <i>Oidium erysiphoides</i> Fr.
	... <i>Plasmopara cubensis</i> (B. & C.) Humph.
<i>" moschata</i>	... <i>Pseudoperonospora cubensis</i> (B. & C.)
<i>" Pepo</i> var. <i>ovifera</i>	... var. <i>twerionensis</i> Rostov.
<i>Cudrania javanensis</i>	... <i>Oidium erysiphoides</i> Fr.
	... <i>Oidium erysiphoides</i> Fr.
	... <i>Rhizoctonia Solani</i> Kühn.
	... <i>Sphaerotheca Humuli</i> (D C.) Burr.
	... var. <i>fuliginea</i> Schlecht.
	... <i>Oidium erysiphoides</i> Fr.
	... <i>Melaemia Cudraniae</i> Mass.
	... <i>Hymenopsis Cudraniae</i> Mass.
	... <i>Sclerodiscus nitens</i> Pat.
<i>Cunninghamia sinensis</i>	... <i>Pestalozzia funerae</i> Desm.
<i>Cuphea</i> sp.	... <i>Puccinia Cupheae</i> Holw.
<i>Cupressus sempervirens</i>	... <i>Pestalozzia funerae</i> Desm.
<i>Cupressus torulosa</i> D. Don.	... <i>Gymnosporangium Cunninghamianum</i> Barc.
<i>Curculigo orchicoides</i> Gaertn.	... <i>Puccinia Curculionis</i> Racib.
<i>Curcuma Amada</i> Roxb.	... <i>Taphrina maculans</i> Butl.
<i>" angustifolia</i>	... <i>Taphrina maculans</i> Butl.
<i>" Longa</i> L.	... <i>Taphrina maculans</i> Butl.
	... <i>Vermicularia Curcuma</i> Syd.

Host.	Fungi.
<i>Bracum tetragonum</i> ...	<i>Coleosporium morrillii</i> Henn.
<i>Pyamopsis psoraliodes</i> D C.	<i>P. Alternaria Brassicae</i> (Berk.) Sacc. <i>Neocosmospora vasinfecta</i> Smith. <i>Oidiopsis (Bryisiphe) taurica</i> (Lev.) Salmov. <i>Rhizoctonia destruens</i> Tass. <i>Uredo dawaensis</i> Syd. <i>Uromyces Commeliniae</i> Cke. <i>P. Uromyces Cyathulae</i> P. Henn. <i>Phyllosticta cycadina</i> Passer. <i>Gymnosporangium confusum</i> Plow. <i>Diplodia Cydoniae</i> Sacc. <i>Entomosporium maculatum</i> Lev. <i>Botryosphaeria egenula</i> Syd. et Butl. <i>Ustilago bengalensis</i> Syd. et Butl. <i>Cercospora Belyneckii</i> (West.) Sacc. <i>Hypoderma virgultorum</i> D C. <i>fa Vincetoxicii</i> Duby. <i>Cerebella Cynodontis</i> Syd. <i>Dimerosporium erysiphoides</i> E. et Ever. <i>Phyllachora Cynodontis</i> (Sacc.) Niessl. <i>Puccinia Cynodontis</i> Desm. <i>Ustilago Cynodontis</i> P. Henn. <i>Oidiopsis taurica</i> (Lev.) Salmon. <i>Cintractia peribebuensis</i> Speg. <i>Puccinia Romagnoliana</i> Maire et Sacc. <i>Puccinia Romagnoliana</i> Maire et Sacc. <i>Puccinia Cyperi</i> Arth. <i>Puccinia Romagnoliana</i> Maire et Sacc. <i>Uredo philippinensis</i> Syd. <i>Puccinia Romagnoliana</i> Maire & Sacc. <i>Uredo cypericola</i> P. Henn. <i>Uredo cypericola</i> P. Henn. <i>Puccinia Romagnoliana</i> Maire & Sacc. <i>Kawakania Cyperi</i> (M. & I.) M. <i>Uredo cypericola</i> P. Henn. <i>Hyalospora Polysporii</i> (Pers.) P. Magn. <i>Uromyces Genistae-tinctoriae</i> (Pers.) Wint. <i>Mastigosporium album</i> Riera. <i>Puccinia dactylidina</i> Bubak. <i>Micropera Dahliae</i> Died. <i>Phyllachora Dalbergiae</i> Niessl. <i>Phyllachora spissa</i> Syd. <i>Robillarda sessilis</i> Sacc. <i>Phyllachora Dalbergiae</i> Niessl. <i>Daldinia concentrica</i> (Bolt.) Caes. et De Not. <i>Diplodia Dalbergiae</i> Died. <i>Fomes Cornu-bovis</i> Cke. <i>Fomes lucidus</i> (Lev.) Fr. <i>Hypoxylon P. investiens</i> (Schw.) Berk. <i>Hypoxylon rubiginosum</i> (Pers.) Fr. <i>Myriangium Duriani</i> Mont. et Berk. <i>Nummularia cinnabarina</i> P. Henn. <i>Peronea pella indica</i> Syd. et Butl. <i>Phyllachora spissa</i> Syd. <i>Phyllactinia Corylea</i> (Pers.) Karst. <i>Phyllosticta Sissoo</i> Died.
<i>Cyanotis tuberosa</i> Schult.	
<i>Cyathula capitata</i> ...	
<i>Cycas revoluta</i> ...	
<i>Cydonia</i> sp. ...	
<i>vulgaris</i> ...	
<i>Cymbidium aloifolium</i> ...	
<i>Cymbopogon pendulus</i> ...	
<i>Cynanchum Vincetoxicum</i> ...	
<i>Cynodon dactylon</i> Pers.	
<i>Cynoglossum Wallichii</i> ...	
<i>Cyperus</i> sp. ...	
<i>Cyperus arenarius</i> ...	
<i>compressus</i> ...	
<i>Iria</i> L. ...	
<i>longus</i> L. ...	
<i>polystachyus</i> ...	
<i>rotundus</i> ...	
<i>subcapitatus</i> ...	
<i>tegetum</i> Roxb.	
<i>tegetiformis</i> ...	
<i>tuberosus</i> ...	
<i>Cystopteris fragilis</i> Bernh.	
<i>Cytisus capitata</i> ...	
<i>Dactylis glomerata</i> Linn.	
<i>Dahlia</i> ...	
<i>Dalbergia</i> ...	
<i>lanceolaria</i> ...	
<i>Sissoo</i> Roxb.	

Host.	Fungi.
<i>Datisca cannabina</i> ...	<i>Pleocphaeropsis Dalbergiae</i> Died.
<i>Datura</i> ...	<i>Tryblidiella rufula</i> (Spreng.) Sacc.
" <i>chlorantha flore-plena</i> ...	<i>Uredo Sissoc Syd. et Butl.</i>
" <i>stramonium</i> ...	<i>Uromyces aschrous</i> Syd.
<i>Daucus Carota</i> ...	<i>Xylaria aspera</i> Mass.
<i>Deeringia celosioides</i> R. Br. ...	<i>Coleosporium Datiscae</i> Tranzsch.
<i>Delphinium</i> ...	<i>Alternaria crassa</i> (Sacc.) Rands.
" <i>Ajacia</i> ...	<i>Alternaria crassa</i> (Sacc.) Rands.
<i>Derris</i> sp. (affinis elliptica.) ...	<i>Alternaria crassa</i> (Sacc.) Rands.
<i>Derris</i> sp. (aff. D. elliptica) ...	<i>Cercospora Apii</i> Fres.
" <i>uliginosa</i> ...	var. <i>Carotae</i> Pass.
<i>Desmanthodium fruticosum</i> ...	<i>Puccinia calosperma</i> Syd. et Butl.
" <i>ovatum</i> Benth. ...	<i>Rhizoctonia destruens</i> Tassi.
<i>Desmodium</i> ...	<i>Erysiphe communis</i> (Waler.) Fr.
" <i>illinoense</i> A. Gray. ...	<i>Oidiopsis taurica</i> (Lev.) Salmon.
(<i>Meibomia illinoensis</i> A. Gray.) ...	<i>Cercospora pamila</i> Syd.
<i>Desmodium rufescens</i> D. C. ...	<i>Physalospora Ramosii</i> P. Henn.
" <i>strobilaceum</i> Schl. ...	<i>Asterina derridis</i> P. Henn.
<i>Desmodium triflorum</i> ...	<i>Puccinia Desmanthodii</i> Diet. & Holw.
<i>Deutzia staminea</i> ...	<i>Puccinia Desmanthodii</i> Diet. & Holw.
<i>Dianthus</i> ...	<i>Meliola bicornis</i> Wint.
<i>Dianthus Caryophyllus</i> ...	<i>Parodiella perisporoides</i> (B. & C.) Speg.
<i>Diatrypella favacea</i> (Fr.) Ces. et De Not. ...	<i>Phyllachora Desmodii</i> P. Henn.
<i>Dichrocephala latifolia</i> D. C. ...	<i>Phyllosticta desmodiicola</i> Died.
<i>Dieltiera</i> sp. ...	<i>Uromyces Hedysari-paniculati</i> (Schw.) Farl.
<i>Dictamnus albus</i> Linn ...	<i>Uromyces Hedysari-paniculati</i> (Schw.) Farl.
<i>Fraxinella</i> Pers. ...	<i>Parodiella perisporioides</i> (Br. et Cr.) Sacc.
<i>Digera arvensis</i> ...	<i>Uromyces Hedysari-paniculati</i> (Schw.) Farl.
<i>Digitaria sanguinalis</i> ...	<i>Parodiella perisporioides</i> Speg.
<i>Dillenia indica</i> ...	<i>Aecidium Deutziae</i> Diet.
<i>Dioscorea</i> ...	<i>Macrophoma Dianthi</i> Gabetto.
" ...	<i>Rhizoctonia destruens</i> Tassi.
" <i>sativa</i> ...	<i>Uromyces Caryophyllinus</i> (Sehrank) Wint.
<i>Diospyros Embropteria</i> ...	<i>Hymenula epistroma</i> V. Hohn.
" <i>montana</i> ...	<i>Aecidium Dichrocephali</i> P. Henn.
" <i>tomentosa</i> ...	<i>Aecidium Tweedianum</i> Speg.
<i>Diphysa suberosa</i> ...	<i>Synchytrium Rytzii</i> Syd.
<i>Dipterocarpus</i> ...	<i>Septoria Dictamni</i> Fuck.
" sp. ...	<i>Cystopus Bliti</i> (Biv.) De By.
<i>Dolichos</i> sp. ...	<i>Piricularia grisea</i> (Cks.) Sacc.
	<i>Cephalenros virescens</i> K.
	<i>Ascochyta Dioscoreae</i> Syd.
	<i>Cercospora Dioscoreae</i> Ell. et Mart.
	<i>Cercospora Ubi</i> Racib.
	<i>Laetadia perusta</i> (B. et Br.) Sacc.
	<i>Uredo Dioscoreae</i> P. Henn.
	<i>Cercospora Ubi</i> Racib.
	<i>Uredo Dioscoreae Sativae</i> Syd.
	<i>Phyllosticta Diospyri</i> Syd. et Butl.
	<i>Meliola Diospyri</i> Syd.
	<i>Aecidium rhytismoideum</i> Berk.
	<i>Callosiphora Diphysae</i> Arth.
	<i>Hirneola ampla</i> Pers.
	<i>Hypoxyton annulatum</i> Mont.
	<i>Trametes nulleri</i> Berk.
	<i>Cercospora Dolichi</i> Ell et Ever.

Host.	Fungi.
<i>Dolichos biflorus</i> ...	<i>Neocosmospora vasinfesta</i> Smith. <i>Phyllosticta Dolichii</i> Braun. <i>Rhizoctonia Solani</i> Kuhn.
" <i>Lablab</i> Linn. ...	<i>Cercospora Dolichii</i> Ell. et Ever. <i>Colletotrichum Lindemuthianum</i> (Sacc. et Magn.) Scrib. <i>Corticium vagum</i> B. & C. var. <i>Solani</i> Burt. <i>Neocosmespora vasinfesta</i> Smith. <i>Rhizoctonia Solani</i> Kuhn. <i>Sclerotia Dolichii</i> B. & C. <i>Uromyces appendiculatus</i> (Pers.) Lk. <i>Vermicularia Capsici</i> Syd.
" <i>Lignosia</i> ...	<i>Cercospora Dolichii</i> Ell. et Ever.
" <i>typica</i> (Prain.) ...	<i>Cercospora Dolichii</i> Ell. et Ever.
<i>Doronicum cordatum</i> ...	<i>Puccinia doronicella</i> Syd.
<i>Draba aizoides</i> ...	<i>Puccinia Drabae</i> Rud.
<i>Dracaena</i> ...	<i>Diplodia dracaenicola</i> Died.
<i>Dumasia</i> ...	<i>Acanthostigma heterochaeta</i> Syd. et Butl. <i>Acanthostigma heterochaeta</i> Syd. et Butl.
" <i>villosa</i> DC. ...	<i>Woroninella Dolichii</i> (Cke.) Syd.
<i>Dumbaria ferruginea</i> ...	<i>Puccinia Etoniae</i> Arth.
<i>Eatonia Pennsylvanica</i> ...	<i>Cephaeleuros virescens</i> Kze.
<i>Ebenaceae</i> plant ...	<i>Puccinia pulvinata</i> Rabb.
<i>Echinops cornigerus</i> ...	<i>Puccinia pulvinata</i> Rabb.
" <i>echinatus</i> Roxb. ...	<i>Puccinia faccida</i> B. et Br.
<i>Echinochloa</i> sp. ...	<i>Sarcopodium roseum</i> (Cda.) Fr.
<i>Echium vulgare</i> Linn. ...	<i>Acidum ? Anchusae</i> Eriks & Henn.
<i>Ehretia</i> ...	<i>Schroeteriaster Ehretiae</i> (Hirate) Syd. et Butl.
" <i>acuminata</i> ...	<i>Hexagonia similis</i> Berk.
<i>Eleocharis serratus</i> ...	<i>Polydictus Persoonii</i> Fr. <i>Puccinia Eleocharidis</i> Arth. <i>Uromyces Eleocharidis</i> Arth.
<i>Eleocharis palustre</i> var. <i>glauescens</i> ...	
" <i>palustris</i> R. Br. var. <i>glauescens</i> Schult.	
<i>Elephantopus carolinianus</i> ...	<i>Coleosporium Elephantopodis</i> (Sch.) Thum.
" <i>scaber</i> ...	<i>Coleosporium Elephantopodis</i> (Sch.) Thum.
<i>Elephant's dung</i> ...	<i>Poronia gigantea</i> Sacc.
<i>Elettaria cardamomum</i> ...	<i>Phyllachora Elettariae</i> Pat.
<i>Eleusine aegyptiaca</i> Desf. ...	<i>Helminthosporium nodulosum</i> B. & C.
" <i>coracana</i> ...	<i>Helminthosporium nodulosum</i> B. & C.
<i>Eliurus hirsutus</i> ...	<i>Phyllachora Graminis</i> (Pers.) Fuck.
<i>Elymus arenarius</i> ...	<i>Rostraria Elymi</i> (West) Lagh.
<i>Elytraria tridentata</i> Vahl ...	<i>Puccinia Eltrariae</i> P. Henn.
<i>Empetrum nigrum</i> ...	<i>Chrysomyxa Empetri</i> (Pers.) Rostr. <i>Melasma Empetri</i> P. Magn.
<i>Encelia</i> ...	<i>Puccinia Enceliae</i> Diet. & Holw.
<i>Ephedra vulgaris</i> ...	<i>Peridermium Ephedrae</i> Cooke.
<i>Epilobium</i> sp. ...	<i>Puccinia Epilobii-tetragoni</i> (D C.) Wint.
" <i>angustifolium</i> L. ...	<i>Pucciniastrum Abiet-Chamaenerii</i> Kleb.
" <i>clavatum</i> Trel. ...	<i>Puccinia scandica</i> Johans.
" <i>collinum</i> Gm. ...	<i>Puccinia Epilobii-tetragoni</i> (D C.) Wint.
" <i>hirsutum</i> L. ...	<i>Puccinia Epilobi-tetragoni</i> (D C.) Wint.
" <i>Hornemanni</i> ...	<i>Puccinia Epilobii</i> DC.
" <i>palutre</i> L. ...	<i>Pucciniastrum Epilobii</i> (Chail) Ottb.
" <i>paniculatum</i> ...	<i>Puccinia Epilobi-tetragoni</i> (D C.) Wint.
" <i>roseum</i> Sch. ...	<i>Puccinia Epilobii</i> DC.
" <i>trigonum</i> Schrk. ...	<i>Puccinia Epilobi-tetragoni</i> (D C.) Wint.
(?) <i>Eragrostis</i> ...	<i>Ephelis Japonica</i> P. Henn.
<i>Eragrostis cynosuroides</i> Beauv. ...	<i>Uromyces Eragrostidis</i> Tracy.
" (?) <i>elegantula</i> ...	<i>Ustilago spermophora</i> B. & O.
" <i>nutans</i> ...	<i>Ustilago egenula</i> Syd. et Butl.

Host.	Fungi.
<i>Eragrostis tenuifolia</i> ...	<i>Epichloe cinerea</i> Berk. et Br.
" <i>tremula</i> Hochst <i>rhachitricha</i> Hochst.	<i>Ustilago spermophora</i> B. & C.
<i>Erianthes Hostii</i> Gris ...	<i>Puccinia Daniloi</i> Bubak.
<i>Erigeron alpina</i> ...	<i>Puccinia dovrensis</i> Blytt.
<i>Eriobotrya japonica</i> Lindl. ...	<i>Diplodia</i> (?) <i>Eriobotryae</i> Sacc.
	<i>Leptosphaeria Eriobotryae</i> Syd. et Butl.
	<i>Pestalozzia longi-aristata</i> Maub.
	<i>Stilbum nanum</i> Massee.
<i>Eriochloa polystachya</i> H. B. K. ...	<i>Uredo Eriochloae</i> Syd.
	<i>Uromyces Eriochloae</i> Syd. et Butl.
<i>Eriodendron anafractuosum</i> ...	<i>Phyllosticta Eriodendri</i> Died.
<i>Eriophorum angustifolium</i> Roth	<i>Lachnum Eriophori</i> (Quel) Rehm.
<i>Eriophorum latifolium</i> Hoppe.	<i>Lachnum Eriophori</i> (Quel) Rehm.
<i>Eriophorum vaginatum</i> Linn. ...	<i>Lachnum helotioides</i> Rehm.
<i>Eruca sativa</i> Mill. ...	<i>Alternaria Brassicae</i> (Berk.) Sacc.
	<i>Cystopus candidus</i> (Pers.) Lev. & Peronospora parasitica (Pers.) de By.
" <i>sativa</i> and <i>Raphanus sativus</i> var. <i>candatus</i> .	<i>Cystopus candidus</i> (Pers.) Lev. & Peronospora parasitica (Pers.) de By.
<i>Eryngium Billardieri</i> ...	<i>Erysiphe Polygoni</i> D C.
" <i>campestre</i> Linn. ...	<i>Entyloma Eryngii</i> (Corda.) de Bary.
<i>Erysimum</i> sp. ...	<i>Rhizoctonia Napi</i> West.
<i>Erythraea Roxburghii</i> Don. ...	<i>Peronospora Chloerae</i> De Bary.
<i>Erythrina</i> ...	<i>Helminthosporium calicicoides</i> B. et Br.
	<i>Uredo Erythrinae ovalifoliae</i> Peich.
	<i>Urophendersonia indica</i> Syd.
<i>Eucalyptus</i> ...	<i>Cephaleuros virescens</i> Kunze.
<i>Euchlaena luxurians</i> ...	<i>Sclerospora graminicola</i> (Sacc.) Schroet.
<i>Eugenia</i> sp. (?) <i>tetragona</i> ...	<i>Entyloma engieniarum</i> Ck. & Mas.
	<i>Uredo Myrtacearum</i> Pazschko.
" <i>Heyneana</i> ...	<i>Asterina crustosa</i> B. et Cke.
" <i>Jambolana</i> ...	<i>Neobarclaya natalensis</i> Syd.
	<i>Diplodia variispora</i> Died.
	<i>Meliola cladotricha</i> Lev.
	<i>Neobarclaya natalensis</i> Syd.
	<i>Phyllachora ambigua</i> Syd.
	<i>Trabutia ambigua</i> Syd.
" <i>Jambos</i> ...	<i>Celidium</i> sp.
<i>Eupatorium brevipes</i> D C. ...	<i>Puccinia inanipes</i> Diet. et Holw.
" <i>Espinosaum</i> A. Gray ...	<i>Puccinia Espinosaum</i> Diet. & Holw.
" <i>hirantum</i> ...	<i>Puccinia inanipes</i> D. & H.
" <i>neesaum</i> D C. ...	<i>Puccinia Conoclinii</i> Seym.
" <i>sp.</i> ...	<i>Puccinia inanipes</i> Diet. & Holw.
<i>Euphorbia</i> sp. ...	<i>Cercospora Euphorbiae</i> Cke.
	<i>Uromyces Euphorbiae</i> C. et P.
" <i>amygdaloides</i> ...	<i>Endophyllum Euphorbiae-silvaticae</i> (D C.) Lev.
" <i>Cyparissias</i> Linn. ...	<i>Naevia tithymalina</i> (Kunze) Rehm.
	<i>Peronospora Cyparissiae</i> De Bary.
	<i>Uromyces Pisi</i> (Pers.) de Bary. (Aecidium.)
" <i>dendroides</i> L. ...	<i>Melampsora Gelmii</i> Bresad.
" <i>dracunculoides</i> Linn. ...	<i>Melampsora Helioscopiae</i> (Pers.) Cas.
" <i>fruticosa</i> ...	<i>Puccinia Euphorbiae</i> P. Henn.
" <i>helioscopia</i> Linn. ...	<i>Melampsora Helioscopiae</i> (Pers.) Cast.
" <i>luteola</i> ...	<i>Uromyces exoavatus</i> (D C.) P. Magn.
" <i>perifolia</i> ...	<i>Cercospora Euphorbiae</i> Kell et Swingle.
" <i>Peplus</i> ...	<i>Melampsora Euphorbiae-Pepli</i> W. Muller.
" <i>pilosa</i> ...	<i>Melampsora Helioscopiae</i> (Pers.) Cast.

Host.	Fungi.
<i>Ficus gibbosa</i> Blame ...	<i>Cephaleuros virescens</i> K.
" <i>glomerata</i> Roxb ...	<i>Botryodiplodia ficina</i> Syd.
	<i>Capnodium Anonae</i> Pat.
	<i>Diplodia ficina</i> West.
	<i>Hyperxylon stygium</i> (Lev.) Sacc.
" <i>heterophylla</i> Linn. ...	<i>Kuehneola Fici</i> (Cast.) Butl.
" <i>hispida</i> Linn. ...	<i>Phyllachora fici-fulva</i> Koord.
	<i>Phyllachora catervaria</i> (Berk.) Sacc.
	= <i>Phyllachora topographica</i> Sacc.
	= <i>Phyllachora marmorata</i> Rac.
" <i>indica</i> Linn. ...	<i>Cephaleuros virescens</i> K.
" <i>infectoria</i> ...	<i>Septoria arcuata</i> Cooke.
	<i>Catacauma infectorium</i> (Cke.) Thies et Syd.
	= <i>Phyllachora infectoriae</i> Cke.
" <i>mysorensis</i> Aeyre ...	<i>Catacauma microcentum</i> (B. et Br.) Thies et Syd.
	var. <i>Graphica</i> Thies et Syd.
	= <i>Phyllachora Ficum</i> Niessl.
	<i>Septoria arcuata</i> Cke.
" <i>odorata</i> ...	<i>Phyllachora Fici-minabassae</i> P. Henn.
" <i>palmata</i> ...	<i>Kuehneola Fici</i> (Cast.) Butl.
" <i>pumila</i> Thunb. ...	<i>Capnodium Anonae</i> Pat.
" <i>religiosa</i> Linn. ...	<i>Catacauma infectorium</i> (Cke.) Thies et Syd.
	= <i>Phyllachora infectoriae</i> Cke.
	<i>Catacauma repens</i> (Corda.) Thies et Syd.
	= <i>Phyllachora repens</i> (Corda.) Sacc.
	<i>Kuehneola Fici</i> (Cast.) Butl.
	<i>Macrophoma sycophila</i> (Masa.) Sacc. et D. Sacc.
	<i>Phyllosticta religiosa</i> Syd.
" <i>retusa</i> ...	<i>Capnodium Anonae</i> Pat.
" <i>scandens</i> ...	<i>Phyllachora aspilea</i> (Berk.) Sacc.
" <i>ulmifolia</i> ...	<i>Phyllachora fici-albae</i> Koord.
<i>Embristylis</i> sp ...	<i>Cintractia axicola</i> (Berk.) Corn.
	<i>Phyllachora? fimbriatylicola</i> Speg.
" <i>complanata</i> ...	<i>Cintractia axicola</i> (Berk.) Corn.
" <i>dichotoma</i> ...	<i>Phyllachora? fimbriatylicola</i> Speg.
" <i>niliacea</i> Vahl.	<i>Puccinia flavipes</i> Syd.
<i>Floscopa scandens</i> Lour	<i>Uredo asameusis</i> Syd.
Flower pot ...	<i>Cyathus limbatus</i> Tul.
<i>Foeniculum vulgare</i> ...	<i>Cercospora Foeniculi</i> P. Magn.
	<i>Rhizoctonia Napi</i> West.
<i>Fourcroya gigantea</i> ...	<i>Phoma Fourcroyae</i> Thum.
<i>Fragaria</i> ...	<i>Septoria aciculosa</i> Ell. et Ev.
	<i>Sphaerella Fragariae</i> (Tul.) Sacc.
" <i>indica</i> ...	<i>Septoria aciculosa</i> Ell. et Ev.
" <i>Vesca</i> ...	<i>Mycosphaerella Fragariae</i> (Tul.) Lind.
	<i>Ramularia Tulaneae</i> Sacc.
<i>Fraseria macrophylla</i> Gies.	<i>Uromyces speciosus</i> Holw.
<i>Fraxinus excelsior</i> Linn	<i>Diplodia inquinans</i> West.
" <i>Oregona</i> ...	<i>Phyllosticta Diedickei</i> Bubak. et Syd.
<i>Fuchsia thymifolia</i> ...	<i>Phyllosticta Fraxini</i> Ell. et Mart.
<i>Fuirena</i> sp. ...	<i>Puccinia Fuchstae</i> Syd. et Holw.
" <i>glomerata</i> ...	<i>Uredo Fuirenae</i> P. Henn.
" <i>umellata</i> Roth ...	<i>Uredo Fuirenae</i> P. Henn.
<i>Fumaria parviflora</i> ...	<i>Uredo Fuirenae</i> P. Henn.
	<i>Enallagma Fumaris</i> Schrost.
	<i>Peronospora affinis</i> Rossm.
<i>Gagea lutea</i> Schult	<i>Rhizoctonia Napi</i> West.
	<i>Puccinia pachyderma</i> Wettst.

Host.	Fungi.
<i>Gagea pratensis</i> Schult. ...	<i>Uromyces Gageae</i> Beck.
<i>Galium</i> sp. ...	<i>Pseudopeziza repanda</i> (Fr.) Karst.
" <i>Aparine</i> L. ...	<i>Pseudopeziza vernalis</i> (Fuck.) Sacc.
" <i>asperrimum</i> Gray ...	<i>Puccinia ambigua</i> (Alb. et Schw.) Lagh.
" <i>cruciata</i> ...	<i>Puccinia? punctata</i> Link.
" <i>palustre</i> ...	<i>Puccinia Valentis</i> Pers.
" <i>schultesium</i> ...	<i>Puccinia deminuta</i> Vleugel.
" <i>verum</i> ...	<i>Puccinia Valentis</i> Pers.
<i>Galphimia Humboldtiana</i> Bart. ...	<i>Erysiphe Cichoracearum</i> DC.
<i>Gardenia gummitifera</i> ...	<i>Thecospora Galii</i> (Lk.) Dedoni.
<i>Gaultheria nummularioides</i> ...	<i>Uromyces Galphimiae</i> Diet. et Holw.
" <i>shallon</i> ...	<i>Balladyna Gardeniae</i> Rac.
<i>Gentiana acuta</i> ...	<i>Hemileia Woodii</i> K'a'ch. et Cke.
" <i>oregona</i> ...	<i>Pucciniastrum Gaultheriae</i> Syd.
" <i>Pneumonanthes</i> L. ...	<i>Phyllosticta Gaultheriae</i> Ell. et Ev.
<i>Gerbera lanuginosa</i> Sch. ...	<i>Puccinia Gentianae</i> (Str.) Link.
<i>Geranium nepalense</i> ...	<i>Puccinia Gentianae</i> (Straps.) Link.
" <i>nepalense</i> ...	<i>Puccinia Gentianae</i> (Str.) Link.
" <i>palustre</i> L. ...	<i>Aecidium Crypticum</i> Kalchr. & Cke.
" <i>Wallichianum</i> ...	<i>Aecidium infrequens</i> Barcl.
<i>Gilia</i> ...	<i>Puccinia Geranii-silvatica</i> Karst.
<i>Girardinia Palmata</i> Gaudich (hetero- phylla Deane.)	<i>Uromyces Geranii</i> (DC.) Oth. & Wart.
<i>Glaucium flavum</i> ...	<i>Uromyces Geranii</i> (DC.) Oth. & Wart.
<i>Glechoma hederacea</i> ...	<i>Pythium de Baryanum</i> Hesse.
<i>Gliricidia maculata</i> ...	<i>Aecidium Girardiniae</i> Syd.
<i>Glochidion</i> sp. ...	<i>Entyloma Glaucii</i> Dang.
<i>Glyceria</i> ...	<i>Puccinia Glechomatis</i> DC.
" <i>nervata</i> ...	<i>Hirneola auricula judae</i> (Berk.) Jough.
<i>Glycine hispida</i> ...	<i>Aecidium innatum</i> Syd. et Butl.
" <i>Soja</i> ...	<i>Ustilago longissima</i> (Sow.) Tul.
<i>Glycosmis pentaphylla</i> Correa ...	<i>Botrytis Epiclæ</i> Ell. et Uearn., parasitic on <i>Epiclæ typhina</i> .
<i>Gmelina Philippinensis</i> ...	<i>Phyllosticta Glycini</i> Thum.
<i>Goodenia ovata</i> Sm. ...	<i>Peroispora Trifoliorum</i> De By.
<i>Gossypium</i> ...	<i>Cercospora? Glycines</i> Cke.
" <i>indicum</i> ...	<i>Rhizoctonia Solani</i> Kuhn.
<i>Gossypium neglectum</i> ...	<i>Septoria Sojae</i> Syd. et Butl.
<i>Grevillea</i> ...	<i>Phyllosticta Glycosmidis</i> Butl.
<i>Grewia</i> ...	<i>Dimerina Graffi</i> Syd.
<i>Guzuma tomentosa</i> ...	<i>Puccinia Saccardi</i> Ludw.
	<i>Alternaria? macrospora</i> Zimm.
	<i>Ascochyta Gossypii</i> Syd.
	<i>Cercospora gossypina</i> Cke.
	<i>Glomerella Gossypii</i> (South.) Edg.
	<i>Kuehneola Gossypii</i> Arth.
	<i>Tricothecum roseum</i> (Pers.) Link.
	<i>Neocosmospora vasinfecta</i> Smith.
	<i>Neocosmospora vasinfecta</i> Smith.
	<i>Pleosphaeropsis Gossypii</i> Died.
	<i>Ramularia Areola</i> Atk.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Chaetomium amphitrichum</i> Cda.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Oidium erysiphoides</i> Fr.
	<i>Rosellinia bunodes</i> (B. et Br.) Sacc.
	<i>Phyllosticta Grewia</i> Died.
	<i>Nectria tjitodensis</i> Penz. et Sacc.

Host.	Fungi.
Gynandris Slayrinchii Parl.	... Puccinia melanopsis Syd.
Gyrocarpus americanus	... Cylindrosporium Gyrocarpi Syd.
Grass (yard)	... Erysiphe communis (Wallr.) Fr.
Grassy fields	... Lepiota dolichaula F. & Br.
Grass land	... Panecolus campanulatus Lev.
Ground	... Armillaria eurbiza Berk.
	... Astraeus stellatus (Scop.)
	... Geaster hygrometricus Morg.
	... Bovista corvinus Berk.
	... Calvatia Gardovici Berk.
	... Calvatia craniformis (Schw.) Fr.
	... Clavaria argillacea Fr.
	... Cyathus stercoreus
	... Geoglossum (?) alveolatum Durand.
	... Helvella crispa (Scop.) Fr.
	... Humaria leucoloma (Helw.) Bond.
	... Ithyphallus aurantiacus (Mont.) Ed. Fischer.
	... Lentinus Baccarius Ces.
	... Lycoperdon craniatum Rostk.
	... Lycoperdon microsporum Berk.
	... Lycoperdon pusillum Batsch.
	... Lycoperdon (Cfr. Wrightii Berk.)
	... Lycoperdon piriforme Schaffer.
	... Lysurus Australiensis C. & M.
	... Mitromyces cinnabarinus.
	... Morchella crispa Karst.
	... Morchella deliciosa Fr.
	... Morchella elata Fr.
	... Mylitta lapidescens Hor.
	... Podaxon pistillaris Linn. Fries.
	... Polyporus tomentosus Fr.
	... Polystictus sacer Fr.
	... Scleroderma ? auranticum Pers.
	... Scleroderma aurantium Bull.
	... Scleroderma caespitosum.
	... Scleroderma cepa Persoon.
	... Scleroderma dictyosporum Pat.
	... Scleroderma flavidum Ell. et Ever.
	... Scleroderma verrucosum Bulliard.
	... Tylostoma sinbiatum Fr.
	... Xylaria misripes (K.L.) Sacc.
	... Otidea onotica (Pers.) Fuck.
	... Ithyphallus impudicus. (L.) Fr.
	... Fomes incidus (Leys.) Ck.
	... Geaster subiculosus Cooke & Masses.
	... Fomes pudens Berk.
	... Morchella esculenta (Linn.) Pers.
	... Thelephora caryophyllea (Scaff.) Pers.
	... Thelephora striatus Jang.
	... Melanogaster dextrisimus Cke.
Haplocerambyx spinicornis	... Botrytis Bassiana Bals.
Hedelia biflora	... Helminthosporium gigasporum B. & Br.
Hedera Helix	... Gloeosporium paradoxum (De Not.) Fuck.
Hedyotium	... Taphrina maculans Butl.
Hedyotis	... Puccinia lateritia B. & C.
" Auricularia	... Puccinia lateritia B. & C.
" nitida	... Aecidium Hedyotidis Syd.
" vestita R. Br.	... Puccinia lateritia B. & C.
Helecharis palustris	... Claviceps nigricans Tul.

Host.	Fungi.
<i>Helianthus scaberrimus</i> ...	<i>Puccinia Helianthi</i> Schwein.
<i>Helicteres Isora</i> ...	<i>Crepidotus reversa</i> B. et Br.
<i>Heliotropium indicum</i> ...	<i>Cercospora Heliotropii</i> E. et E.
<i>Hemidesmus indicus</i> ...	<i>Aecidium Hemidesmi</i> Syd. ...
	<i>Uredo Hemidesmi</i> Syd.
<i>Hemigraphis latebrosa</i> Nees.	<i>Uromyces</i> Mc Intirianus Barak.
<i>Heptapleurum</i> ...	<i>Triphragmium Thwaitesii</i> Berk.
" <i>venulosum</i> ...	<i>Aerospermum parasiticum</i> Syd.
<i>Heracleum</i> ...	<i>Cylindrosporium hamatum</i> Bres.
	<i>Hendersonia Heraclei</i> Sacc.
<i>Hevea brasiliensis</i> ...	<i>Botryodiplodia Theobromae</i> Pat.
	<i>Corticium javanicum</i> Zimm.
	<i>Corticium salmonicolor</i> B. et Br.
	<i>Hymenochaete noxia</i> Berk.
	<i>Nectria diversipora</i> Petch.
<i>Heuchera glabella</i> ...	<i>Puccinia Heucherae</i> (Schum) Diet.
<i>Hewettia bicolor</i> ...	<i>Uromyces Hewettiae</i> Syd.
<i>Hibiscus Abelmoschus</i> Linn	<i>Mycothiza</i> .
" <i>cannabinus</i> ...	<i>Diplodia hibiscina</i> Cke. et Ell.
	<i>Phyllosticta Hibisci</i> Peck. ...
" <i>esculentus</i> ...	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Cercospora Hibisci</i> Tr. & Earle.
	<i>Colletotrichum Hibisci</i> Pollacii.
	<i>Oidium erysiphoides</i> Fr.
	<i>Oidium Abelmoschi</i> Thum.
<i>Hibiscus Rosa-sinensis</i> Linn	<i>Rhizoctonia Solani</i> Kuhn.
" " ...	<i>Choanophora Cunninghamiana</i> Curr.
<i>Hieracium</i> ...	<i>Stilbum lateritium</i> Berk.
" <i>crocatum</i> ...	<i>Puccinia Hieracii</i> (Schum) Mart.
" <i>murorum</i> Linn	<i>Puccinia Hieracii</i> (Schum) Mart.
<i>Hippophae rhamnoides</i> ...	<i>Entyloma Calendulae</i> (Oudem.) De Barry.
<i>Holarrhena antidysenterica</i> ...	<i>Leptosphaeria fuscella</i> (B. et Br.) Ces et De Not.
	<i>Hemileia Holarrhenae</i> Syd.
<i>Holcus mollis</i> ...	<i>Spegazzinia Melicis</i> A. Zimm. ...
<i>Holigarna longifolia</i> ...	<i>Tillertia striformis</i> (West.) Wint.
<i>Hopea acuminata</i> ...	<i>Roselliana bunodes</i> (B. et Br.) Sacc.
<i>Hordeum vulgare</i> ...	<i>Septoglossum aureum</i> Syd.
	<i>Bryopsis graminis</i> DC.
	<i>Rhizoctonia Napi</i> West.
	<i>Ustilago nuda</i> (Jens.) Kell. et Swing.
	<i>Helminthosporium gramineum</i> Rbh.
	<i>Helminthosporium teres</i> Sacc.
	<i>Puccinia glumarum</i> Erik. & Henn.
	<i>Puccinia graminis</i> Pers.
	<i>Puccinia simplex</i> (Korn) Eriks. & He.
	<i>Rhynchosporium graminicola</i> Heimen.
	<i>Ustilago Hordei</i> (Pers.) Kell & Swin.
<i>Horsetung</i> ...	<i>Poronia Oedipus</i> Mont.
	<i>Saccharobolus Kerverni</i> (Cur.) Boud.
<i>Hoya</i> ...	<i>Phyllosticta Hedy</i> Died.
<i>House fly</i> ...	<i>Empusa Muscae</i> Cohn.
<i>Humulus Lupulus</i> ...	<i>Helotium Humuli</i> (Larck.) De Not.
	<i>Phyllosticta Humuli</i> Sacc. et Speg.
	<i>Septoria lupulina</i> E. et K.
<i>Hydrocotyle polycephala</i> W. & A.	<i>Puccinia Hydrocotyles</i> (Lk.) Cke. (Uredo.)
<i>Hygrophila salicifolia</i> ...	<i>Blastospora Hygrophilae</i> Syd. et Butl.
<i>Hyoscyamus</i> ...	<i>Alternaria Brasicae</i> (Berk P) Sacc.
<i>Hypericum Androsaemum</i> Linn.	<i>Meiampsora Hypericorum</i> (DC.)
(<i>Androsaemum officinale</i> All.)	

Host.	Fungi.
<i>Hypericum</i> ...	<i>Chnoopectora Sancti-Johannis</i> (Barcl.) Diet.
" <i>cernum</i> Roxb. ...	<i>Chnoopectora Sancti-Johannis</i> (Barcl.) Diet.
" <i>eledeoides</i> ...	<i>Hyaloceras hypericinum</i> (Ces.) Sacc.
" <i>patulum</i> Thunb. ...	<i>Chnoopectora Sancti-Johannis</i> (Barcl.) Diet.
" <i>perforatum</i> Linn. ...	<i>Chnoopectora Sancti-Johannis</i> (Barcl.) Diet.
	<i>Metasphaeria ocellata</i> (Niessl) Sacc.
	<i>Mollisia Teverii</i> (Fuck.) Rehm.
	<i>Phialea clavata</i> (Pers.) Gill.
" <i>virginicum</i> ...	<i>Septoria Hyperici</i> Desm.
<i>Hypochaeris radicata</i> L. ...	<i>Cladosporium gleosporoides</i> Atk.
" <i>uniflora</i> ...	<i>Puccinia Hypochaeridis</i> Oud.
<i>Hypocotes</i> sp. ...	<i>Puccinia montivaga</i> Bubak.
<i>Hypoxis aurea</i> ...	<i>Puccinia mesomorpha</i> Syd.
<i>Hyptis pectinata</i> ...	<i>Puccinia expallens</i> Syd.
" <i>spicigera</i> L. ...	<i>Puccinia distorta</i> Holw.
<i>Ichnocarpus frutescens</i> ...	<i>Puccinia Hyptidis</i> (Cart.) Tracy et Earle.
<i>Idesia polycarpa</i> ...	<i>Uredo Ichnocarpi</i> Barcl.
<i>Ilex Aquifolium</i> ...	<i>Melampsora Idesiae</i> Miyabe.
" <i>diphyrena</i> ...	<i>Cenothospora phacioides</i> Grev.
" <i>pedunculosa</i> ...	<i>Pleomassaria ilicina</i> Syd. et Butl.
<i>Impatiens</i> ...	<i>Rhytisma himalense</i> Syd. et Butl.
" <i>Balsamina</i> ...	<i>Aschersonia Tamural</i> P. Henn.
<i>Imperata arundinacea</i> ...	<i>Rhytisma ilicis-latifoliae</i> P. Henn.
	<i>Plasmopara obducens</i> Schrot.
	<i>Puccinia Komarovi</i> Tranzsch.
	<i>Plasmopara obducens</i> Schrot.
	<i>Phyllachora Cyperi</i> Rehm.
	var. <i>Donacis</i> Berl. et F. Sacc.
<i>Indigofera</i> ...	<i>Puccinia rufipes</i> Diet.
" <i>arrecta</i> ...	<i>Diplodia (?) Indigofera</i> P. Brun.
" <i>cordifolia</i> Heyne ...	<i>Neocosmospora vasinfecta</i> Smith.
" <i>Gerardiana</i> ...	<i>Parodiella perisporioides</i> (B. & C.) Speng.
" <i>glandulosa</i> ...	<i>Uromyces orientalis</i> Syd.
" <i>linifolia</i> Retz. ...	<i>Diplodia (?) Indigofera</i> P. Brun.
" <i>sumatrana</i> ...	<i>Neocosmospora vasinfecta</i> Smith.
" <i>tinctoria</i> Linn. ...	<i>Uromyces orientalis</i> Syd.
" <i>trifoliata</i> ...	<i>Uromyces orientalis</i> Syd.
<i>Inga (Pithecolobium) dulce</i> ...	<i>Oidium erysiphoides</i> Fr.
<i>Inula Cappa</i> ...	<i>Neocosmospora vasinfecta</i> Smith.
<i>Insects on dead</i> ...	<i>Parodiella perisporioides</i> B. & C.
<i>Iostephane heterophylla</i> Benth. ...	<i>Phyllosticta Inga-dulcis</i> Died.
<i>Ipomoea</i> sp. ...	<i>Coleosporium Inulae</i> (Kze.) Ed. Fisch.
<i>Ipomoea</i> ...	<i>Allomyces arbuscula</i> Butl.
	<i>Puccinia Iostephane</i> D. & H.
	<i>Aecidium Karbachii</i> P. Henn.
	<i>Cystopus Ipomoea-panduratae</i> (Schw.) Stev. et Swing.
	<i>Meliola clavulata</i> Wint.
" <i>aquatica</i> Forsk. ...	<i>Phyllosticta Ipomoea</i> E. et Kell.
" <i>Batata</i> ...	<i>Aecidium Karbachii</i> P. Henn.
" <i>biloba</i> Forsk. ...	<i>Cercospora Batatae</i> Zimm.
" <i>cymosa</i> ...	<i>Aecidium Karbachii</i> P. Henn.
" <i>eriocarpa</i> ...	<i>Erysiphe Polygoni</i> DC.
" <i>hederacea</i> ...	<i>Cystopus Ipomoea-panduratae</i> (Schw.) Stev. et Swin.
	<i>Aecidium Karbachii</i> P. Henn.
	<i>Cercospora alabamensis</i> Atk.
	<i>Coleosporium Ipomoea</i> (Schw.) Farl.
	<i>Cystopus Ipomoea-panduratae</i> (Schw.) Stev. et Swin.

Host.	Fungi.
<i>mea</i> <i>intropilosa</i> N. E. Rosa ...	<i>Puccinia nocticolor</i> Holw.
<i>reniformis</i> ...	<i>Cystopus Ipomoeae-panduratae</i> (Schw.) Stev. et Swin.
sp. ...	<i>Cladosporium fasciculatum</i> Corda.
	<i>Microdiplodia indica</i> Syd.
<i>germanica</i> ...	<i>Puccinia Iridis</i> (DC.) Wallr.
<i>Kashmiriana</i> ...	<i>Puccinia Iridis</i> (DC.) Wallr.
<i>aemum</i> ...	<i>Puccinia incompleta</i> Syd.
	<i>Sorosporium furcatum</i> Syd. et Butl.
	<i>Ustilago tonglinensis</i> Tracy et Earle.
<i>aemum</i> sp. ...	<i>Ustilago burmanica</i> Syd. et Butl.
<i>angustifolium</i> ...	<i>Ustilago indica</i> Syd. et Butl.
<i>ollinia</i> <i>eripoda</i> .	
<i>aemum</i> <i>aristatum</i> ...	<i>Sorosporium furcatum</i> Syd. et Butl.
<i>ciliaris</i> ...	<i>Ustilago tonglinensis</i> Tracy et Earle.
" var. <i>Walchii</i> ...	<i>Puccinia incompleta</i> Syd.
<i>laxum</i> ...	<i>Phyllachora Ischaemi</i> Syd.
<i>spanthiflorum</i> ...	<i>Ustilago burmanica</i> Syd et Butl.
<i>timorensis</i> ...	<i>Sorosporium flagellatum</i> Syd. et Butl.
	<i>Uredo Ischaemi</i> Syd. et Butl.
<i>loma</i> ...	<i>Ustilago Inayati</i> Syd. et Butl.
<i>laxum</i> Hack ...	<i>Ustilago Inayati</i> Syd. et Butl.
	<i>Ustilago Isellamatis</i> Syd. et Butl.
<i>Xanthiifolia</i> ...	<i>Basidiophora Kellermanii</i> (Ell. et Harkn.) Wilson.
sp. ...	<i>Phyllachora Ixorae</i> Thiess. et Syd.
	<i>Phyllachora demersa</i> (Corda) Sacc.
<i>polyantha</i> ...	<i>Phyllachora Ixorae</i> Thiess. et Syd.
	<i>Phyllachora demersa</i> (Corda) Sacc.
<i>olium</i> sp. ...	<i>Aecidium Jasmini</i> Barc.
	<i>Asterina Spissa</i> Syd.
	<i>Meliola</i> ? <i>Jasminicola</i> P. Henn.
" ...	<i>Sirococcus Butleri</i> Syd.
" ...	<i>Uromyces Hobsoni</i> Vize.
<i>arborescens</i> ...	<i>Dendrophoma Jasmini</i> Syd.
	<i>Microdiplodia Jasmini</i> Syd.
	<i>Ophiobolus Butleri</i> Syd.
	<i>Uromyces Hobsoni</i> Vize.
<i>fruticosa</i> ...	<i>Puccinia Jasmini</i> DC.
<i>grandiflorum</i> Linn. ...	<i>Uromyces Cunninghamianus</i> Barcl.
	<i>Uromyces Hobsoni</i> Vize.
<i>humile</i> ...	<i>Puccinia Chrysopogonis</i> Barcl.
<i>malabaricum</i> ...	<i>Asterina spissa</i> Syd.
	<i>Blastospora Butleri</i> Syd.
	<i>Meliola</i> (P) <i>Jasminicola</i> P. Henn.
<i>officinale</i> ...	<i>Uromyces Hobsoni</i> Vize.
<i>eripha curcas</i> ...	<i>Uromyces Hobsoni</i> Vize.
<i>integerrima</i> ...	<i>Fusicoccum Jatrophae</i> Syd.
<i>cinerea</i> ...	<i>Vermicularia Jatrophae</i> Speg.
<i>regia</i> ...	<i>Marsonia Juglandis</i> (Lib.) Sacc.
	<i>Marsonia Juglandis</i> (Lib.) Sacc.
	<i>Microstroma Juglandis</i> (Ber.) Sacc.
	<i>Phyllactinia Corylea</i> (Pers.) Karst.
	<i>Tubercularia vulgaris</i> Tod.
<i>ous</i> ...	<i>Phomatospora therophila</i> (Desm.) Sacc.
<i>balticus</i> ...	<i>Naevia pusilla</i> (Lib.) Rehm.
<i>conglomeratus</i> ...	<i>Phragmonievia exigua</i> (Desm.) Rehm.
	<i>Phyllachora Junci</i> (Fr.) Fuck.
" ...	<i>Sphaerella vogesiana</i> Syd.
<i>effusus</i> Linn. ...	<i>Erinella Juncicola</i> (Fuck.) Sacc.

Host.	Fungi.
<i>Juncus effusus</i> ...	<i>Naevia pusilla</i> (Lib.) Rehm.
" <i>maritimus</i> L. ...	<i>Puccinia rimosa</i> Link.
" <i>tenuis</i> Willd. ...	<i>Uromyces Junci</i> (Desm.) Tul.
<i>Juniperus communis</i> ...	<i>Gymnosporangium claviforme</i> (Jacq.) Rees.
" <i>chinensis</i> ...	<i>Gymnosporangium Haraeae</i> Syd.
" <i>Sabina</i> L. ...	<i>Gymnosporangium confusum</i> Plowr.
" <i>italensis</i> ...	<i>Gymnosporangium Kernianum</i> Bethel.
<i>Justicia</i> sp. ...	<i>Plasmopara Wildemansiana</i> P. Henn.
" <i>Gendarussa</i> Burm.	<i>Synchytrium Rytzii</i> Syd.
" <i>procumbens</i> L. ...	<i>Puccinia Thwaitesii</i> Berk.
<i>Koeleria ciliata</i> ...	<i>Puccinia Shraiana</i> Syd.
" <i>oristata</i> ...	<i>Phiala incertella</i> Rehm.
<i>Koeleria paniculata</i> ...	<i>Puccinia Koeleriae</i> Arth.
<i>Kyllingia triceps</i> ...	<i>Tripthragmium Koeleriae</i> Syd.
<i>Lachnea hemisphaerica</i> ...	<i>Puccinia mysorensis</i> Syd. et Bull.
<i>Lactarius torminosus</i> ...	<i>Stephanoma strigosum</i> Wallr.
<i>Lactuca</i> sp. ...	<i>Hypomyces torminosus</i> (Mont.) Tul.
" ...	<i>Bremia Lactucae</i> Regel.
" <i>dissecta</i> D. Don.	<i>Septoria Lactucae</i> Peck.
" <i>muralis</i> ...	<i>Bremia Lactucae</i> Regel.
" <i>poliochella</i> ...	<i>Puccinia Opizii</i> Bubak.
" <i>scariola</i> ...	<i>Aecidium Lactucinum</i> Lindr.
<i>Lady-bird Beetle</i> ...	<i>Puccinia hemisphaerica</i> (Peck.) Ell. et Ever.
<i>Lagenaria vulgaris</i> ...	<i>Bremia Lactucae</i> Reg.
" ...	<i>Botrytis Basiana</i> Bats.
" ...	<i>Oidium erysiphoides</i> Fr.
" ...	<i>Sphaerotheca Humuli</i> (DC.) Burt.
" ...	var. <i>fuliginea</i> Schlecht.
<i>Lagerstroemia</i> sp. ...	<i>Sphaerella citrullina</i> Sm.
" <i>indica rosea</i> ...	<i>Rhytisma Lagerstroemiae</i> Rabb.
" <i>speciosa</i> ...	<i>Trybliella rufula</i> (Spreng.) Sacc.
" ...	<i>Mollisia rufida</i> Syd.
<i>Lamium</i> ...	<i>Rhytisma ? Lagerstroemiae</i> Rabb.
<i>Larix leptolepis</i> Hork. ...	<i>Mollisia Tencii</i> (Fuck.) Rehm.
" ...	<i>Phoma pityella</i> Sacc.
" ...	usually in association with <i>Diplodia</i> .
<i>Larix occidentalis</i> ...	<i>Fomes Pini</i> (Brot.) Lloyd.
" ...	<i>Hypodermella Larici</i> Tubenf.
" ...	<i>Polyporus sulphureus</i> Fr.
" ...	<i>Stereum sulcatum</i> .
<i>Lathyrus</i> sp. ...	<i>Trametes carnea</i> Nees.
" <i>maritimus</i> ...	<i>Erysiphe Polygoni</i> DC.
" <i>montanus</i> Bernh.	<i>Septoria fulvescens</i> Sacc.
" <i>niger</i> ...	<i>Uromyces Orobi</i> (Pers.) Plowr.
" <i>pauciflorus</i> ...	<i>Ascochyta Orobi</i> Sacc.
" <i>platyphyllus</i> ...	<i>Uromyces Faba</i> (Pers.) De By.
" <i>sativus</i> ...	<i>Leptosphaeria Niessleana</i> Rabb.
" <i>sphaericus</i> ...	<i>Peronospora Viciae</i> (Berk.) De By.
" <i>sylvestris</i> Linn.	<i>Rhizoctonia Napi</i> West.
<i>Launea asplenifolia</i> Hook. f.	<i>Uromyces Faba</i> (Pers.) De By.
" <i>nudicaulis</i> Hook.	<i>Uromyces Faba</i> (Pers.) De Bary.
" ...	<i>Puccinia Butleri</i> Syd.
" ...	<i>Bremia Lactucae</i> Regel.
" ...	<i>Puccinia Inayati</i> Syd.
" ...	<i>Puccinia Sonchi</i> Rob. & Leam. (Uredo only).
<i>Lawsonia alba</i> ...	<i>Asterina Lawsoniae</i> P. Henn. et E. Nym.
" <i>intermis</i> ...	<i>Asterina Lawsoniae</i> P. Henn. et E. Nym.
<i>Lecanium corni</i> on <i>Morus</i> .	<i>Cordyceps clavulata</i> (Schw.) E. & E.

Host.	Fungi.
<i>Lupinus mexicana</i> H. B. K.	<i>Uromyces Lupini</i> B. et C.
" <i>mutabilis</i> ...	<i>Fusarium roseum</i> Link.
<i>Luzula campestris</i> ...	<i>Puccinia obscura</i> Schröt.
<i>Lycchnis indica</i> ...	<i>Uromyces Behenii</i> (D C.) Ung.
<i>Lycopersicum esculentum</i> Mill. ...	<i>Cladosporium fulvum</i> Cke.
	<i>Fusarium Lycopersici</i> Sacc.
	<i>Hypochnus Solani</i> Prill. & Delacroix.
	<i>Macrosporium Lycopersici</i> Plowr.
	<i>Phytophthora infestans</i> (Mont.) De By.
	<i>Rhizoctonia Solani</i> Kuhn.
<i>Lycopodium annotinum</i> ...	<i>Sphaerella lycopodina</i> Karst.
<i>Lycopus americanus</i> L. ...	<i>Aecidium Lycopi</i> Ger.
" <i>europæus</i> ...	<i>Puccinia angustata</i> Peck.
<i>Lynceyria vulgaris</i> Cass. ...	<i>Septoria Lycopi</i> Pass.
Leaves <i>Coriaceous</i> ...	<i>Puccinia Lynceyridis-Caricis</i> Ed. Fis.
Leaves of <i>Pyrola</i> ...	<i>Meliola cladotricha</i> Lev.
Leaves of different grasses ...	<i>Chrysomyxa Pirolæ</i> (DC.) Rostr.
Leaves and stems <i>Citrus</i> ...	<i>Dematium hispidulum</i> (Pers.) Fr.
Leaves <i>Carex</i> ...	<i>Colletotrichum glaucosporides</i> Penz.
	<i>Goniosporium puccinioides</i> (Kze. et Schm.) Lk.
Leaves <i>Bamboo</i> in the ground ...	<i>Stegia subvelata</i> Rehm. vr. <i>Winteri</i> Rehm.
<i>Machilus</i> ...	<i>Sterum elegans</i> Mey.
<i>Magnolia grandiflora</i> ...	<i>Cephaleuros virescens</i> Kunze.
<i>Mahonia aquifolium</i> L. ...	<i>Cephaleuros virescens</i> Kunze.
<i>Maianthemum bifolium</i> D. C. ...	<i>Puccinia graminis</i> Pers.
<i>Mallotus philippinensis</i> Muell. ...	<i>Botrytis vulgaris</i> Fr.
	<i>Cephaleuros virescens</i> K.
<i>Malus malus</i> (L.) Britt. ...	<i>Phyllosticta marmorata</i> Cke.
<i>Mangifera indica</i> ...	<i>Gymnosporangium Juniperi-Virginianæ</i> Schw.
	<i>Cephaleuros virescens</i> K.
	<i>Circinotrichum maculiforme</i> Nees.
	<i>Coccomyces vilis</i> Syd. et Butl.
	<i>Colletotrichum glaucosporioides</i> Penz.
	<i>Colletotrichum mangiferæ</i> .
	<i>Cytosphaera mangiferæ</i> Died.
	<i>Dothiorella mangiferæ</i> Syd.
	<i>Glauosporium Mange</i> Noack.
	<i>Glauosporium Raciborskii</i> P. Henn.
	<i>Hendersonia oreberrima</i> Syd. et Butl.
	<i>Hexagonia similis</i> Berk.
	<i>Hydnum Gleadowii</i> Massee.
	<i>Lenzites platyphylla</i> Lev.
	<i>Limacinula</i> sp.
	<i>Capnodium ramosum</i> Cke.
	<i>Massarina usambarenis</i> (P. Henn) v. Hohnel.
	<i>Meliola Magnifera</i> Earle.
	<i>Oidium erysiphoides</i> Fr.
	<i>Pestalozzia funerea</i> Des. var. <i>Mangiferæ</i> Sacc.
	<i>Pestalozzia Mangiferæ</i> Butl.
	<i>Polystictus Persoonii</i> Fr.
	<i>Rhinocladium corticolum</i> Mass.
	<i>Rosellinia Mangiferæ</i> Syd.
<i>Manihot Glaziovii</i> Muell. Arg. ...	<i>Botryodiplodia Theobromæ</i> Pat.
" <i>piabhyensis</i> Ule. ...	<i>Cercospora Cearæ</i> Petch.
" <i>utilissima</i> ...	<i>Botryodiplodia manihotis</i> Syd.
	<i>Diplodia Manihoti</i> Sacc.
	<i>Glauosporium Manihotis</i> P. Henn.
	<i>Ophiobolus Manihotis</i> Syd.
	<i>Septoglaucum Manihotis</i> A. Zimm.

Host.	Fungi.
<i>Manisuris</i> ...	<i>Ustilago erythræensis</i> Syd.
" <i>granularis</i> ...	<i>Ustilago erythræensis</i> Syd.
<i>Mardenia</i> ...	<i>Asterina travancorensis</i> Syd.
<i>Mauba buxi'olia</i> ...	<i>Aecidium bicolor</i> Sacc.
<i>Medicago denticulata</i> ...	<i>Peronospora Trifoliorum</i> De By.
" <i>lupulina</i> ...	<i>Uromyces striatus</i> Schrot.
" <i>sativa</i> ...	<i>Parodiella persisporioides</i> (B. et C.) Speg.
	<i>Peronospora Trifoliorum</i> (De By.).
	<i>Pseudopeziza Medicaginis</i> (Lib.) Sacc.
	<i>Rhizoctonia Napi</i> West.
	<i>Peronospora Trifoliorum</i> De By.
	<i>Pseudopeziza Medicaginis</i> (Lib.) Sacc.
	<i>Rhizoctonia destruens</i> Tassi.
	<i>Rhizoctonia Medicaginis</i> DC.
	<i>Uromyces straitus</i> (Schrot.) Uredo.
	<i>Urophylyctis Alfalfæ</i> (V. Lagerh.) Magn.
<i>Melastoma</i> ...	<i>Munkrodothis Melastomata</i> (V. N.) Thies. et Syd.
<i>Melampsora</i> (<i>Adhatoda vasica</i>)	(<i>Phyllachora aggregatula</i> Syd.)
<i>Melastoma fuscum</i> ...	<i>Ramularia Uredinis</i> (Voss.) Sacc.
<i>Melia Azedarach</i> ...	<i>Phyllachora aggregatula</i> Syd.
" <i>Azadirachta</i> ...	<i>Cercospora leucosticta</i> E. et Ever.
	<i>Cercospora subseasilis</i> Syd.
	<i>Cercospora leucosticta</i> E. et E.
	<i>Oidium erysiphoides</i> .
<i>Meliaceæ</i> (<i>Turraæ</i>) ...	<i>Diplochorella indica</i> (Sacc.) Thies. et Syd.
<i>Melilotus alba</i> ...	<i>Erysiphe Martii</i> Lev.
" <i>indica</i> All. <i>parviflora</i> Desf.	<i>Erysiphe Polygoni</i> DC.
" <i>indica</i> ...	<i>Peronospora Trifoliorum</i> De Bary.
" <i>parviflora</i> ...	<i>Sarcopodium roseum</i> (Cda.) Fr.
<i>Meliocoma arrotiana</i> ...	<i>Cercospora Davisii</i> Ell. et Ev.
" <i>simplicifolia</i> ...	<i>Erysiphe Polygoni</i> DC.
<i>Menispermum canadensis</i> ...	<i>Peronospora Trifoliorum</i> De By.
" <i>cordifolium</i> ...	<i>Peronospora Trifoliorum</i> De By.
<i>Mentha sylvestris</i> L. ...	<i>Aecidium Melicome-myrianthæ</i> P. Henn et Shirai.
<i>Menziesia glabella</i> ...	<i>Aecidium Melicome-myrianthæ</i> P. Henn et Shirai.
<i>Mercurialis perennis</i> Linn	<i>Cercospora Menispermii</i> Ell et Holw.
<i>Merendera persica</i> Boiss ...	<i>Cercospora Menispermii</i> Ell. et Holw.
<i>Merremia umbellata</i> <i>Ipomea cymosa</i> ...	<i>Puccinia Menthae</i> Pers.
" <i>vitifolia</i> ...	<i>Rhytisma Arbuti</i> Phill.
<i>Mesua ferrea</i> L. ...	<i>Synchytrium Mercurialis</i> (Lib.) Fuck.
	<i>Aecidium Merenderæ</i> Syd.
<i>Mium athamanticum</i> ...	<i>Aecidium Kaernbachii</i> P. Henn.
<i>Michelia niligirica</i> ...	<i>Aecidium Kaernbachii</i> P. Henn.
<i>Micranthus sp.</i> ...	<i>Fomes applanatus</i> (Pers.) Wallr.
<i>Microchloa setacea</i> Br. ...	<i>Polyporus corvialis</i> Berk.
<i>Milletia sp.</i> ...	<i>Triphragmium echinatum</i> Lev.
<i>Mimosa albidæ</i> H. & B. ...	<i>Phyllachorella Michelia</i> Syd.
" <i>floribunda</i> Rob	<i>Ustilago Kusanoi</i> Syd.
" <i>caerulea</i> Rose ...	<i>Ustilago Microchloæ</i> Syd. et Butl.
" <i>stipitata</i> ...	<i>Phyllachora luzonensis</i> P. Henn.
<i>Mimusops Elengi</i> ...	<i>Ravenelia Mimosa albidæ</i> P. Diet.
<i>Moehningia mu'osa</i> L. ...	<i>Ravenelia Mimosa albidæ</i> P. Diet.
<i>Molinia caerulea</i> Moench	<i>Ravenelia Mimosa caeruleæ</i> Diet.
" <i>Japonica</i> ...	<i>Revenelia fragans</i> Long.
<i>Morinda tostulosa</i> L. ...	<i>Uromyces Mimusopidis</i> Cke.
	<i>Puccinia A'enariæ</i> (Schum.) Wint.
	<i>Puccinia Molisaiæ</i> Tul.
	<i>Puccinia Molisaiæ</i> Tul.
	<i>Puccinia Menthae</i> Pers.
	var. <i>americana</i> Bromil.

Host.	Fungi.
Morinda tinctoria Roxb. ...	Cercospora Morindae Syd.
Morus sp. ...	Aecidium Mori Barcl.
	Aschersonia placenta Berk.
	Cryptovalsa Rabenhorstii (Nke.) Sacc.
	Cercospora moricola Cooke.
	Clasterosporium Mori Syd.
	Coniophora arida (Fr.) Cke.
	Diplodia Butleri Syd.
	Diplodia Mori West.
	Diplodia morina Syd.
	Fomes rimosus Berk.
	Fusarium lateritium Nees.
	Phyllactinia Corylea (Pers.) Karst.
	Septogloeum Mori (Lev.) Brisei and Cava.
Morus alba ...	Aecidium Mori Barcl.
	Clasterosporium Mori Syd.
	Coryneum Mori Nemera.
	Cytospora (?) atra (Bon.) Sacc.
	Phleospora Mori (Lev.) Sacc.
	Phyllactinia Corylea (Pers.) Karst.
	Septogloeum Mori (Lev.) Brisei and Cava.
" indica ...	Aecidium Mori Bart.
" rubra ...	Nectria verrucosa (Schw.) Sacc.
" serrata ...	Aecidium Mori Bart.
Mosses (Muscineae) ...	Lachnea umbrorum (Fr.) Gill.
Mucuna sp. ...	Uromyces Mucunae Rabenh.
" pruriens ...	Uromyces Mucunae Rabenh.
Muhlenbergia racemosa ...	Puccinia Muhlenbergiae Arth. et Holw.
Mulgedium alpinum Cass ...	Puccinia Mulgedii Syd.
" siberica ...	Puccinia minusensis Theum.
Murraya Koenigii ...	Phyllostictina Murrayae Syd.
Musa Sapientium ...	Diplodia Musae Died.
	Gloeosporium Musarum Cooke et Massee. (Banana anthracnose).
Musa ...	Macrophoma Musae (Cke.) Berk et Vagl.
Myriactis nepalensis ...	Gloeosporium Musarum Cke et Massee.
	Aecidium Compositarum Mart.
	var. Myriactidis Barcl.
Myrsine sp. ...	Septoria Myriactidis Syd.
" africana ...	Uromyces Myrsinae Diet.
	Corymbia fruticicola (Pat.) v. Hobnel.
Narthecium ossifragum ...	Heterosporium Magnusianum Jamp.
Nasturtium palustre ...	Cystopus candidus (Pers.) Lev.
Natal culture. ...	Mucor exiticans Massee.
Neowashingtonia flamentosa ...	Sphaerodictya Neowashingtoniae Shear.
Nepheleum litchi Cambes ...	Cephauros virascens K.
Nerium odoratum ...	Botryodiplodia Nerii Syd.
	Cercospora neriella Sacc.
Nests of white ants ...	Xylaria nigripes (Kl.) Sacc.
	Scelerotium stipitatum Berk.
Neyraudia madagascariensis ...	Puccinia Neyraudiae Syd.
Nicotiana Tabacum ...	Cercospora Nicotianae Ell. et Ever.
	Erysiphe Cichoracearum DC.
	Macrosporium tabacinum Ell.
	Pythium Butleri Sabrm.
	Rhizoctonia Solani Kuhn.
	Oidium Tabaci Thun.

Host.	Fungi.
<i>ipa fruticans</i> ...	<i>Ophiobolus nipae</i> P. Henn.
<i>ymphaea</i> ...	<i>Ramphospora Nymphaeae</i> Cunn.
<i>imum sp.</i> ...	<i>Coleosporium Plectranthi</i> Barcl.
" <i>canum</i> ...	<i>Aecidium Ocimi</i> P. Henn.
<i>dina Wodier</i> ...	<i>Chrysomyxa Butleri</i> Syd.
<i>mothera serrulata</i> ...	<i>Meliola geniculata</i> Syd. et Butl.
<i>idenlandia aspera</i> D. C.	<i>Puccinia Peckii</i> (De Toni) Kell.
<i>ea</i> ...	<i>Coleosporium Oldenlandiae</i> (Masses) Butl.
<i>ea dioica</i> ...	<i>Cystop. sora Oleae</i> Butl.
<i>phiurus corymbosus</i> Gaertn.	<i>Meliola amphotricha</i> Fr.
<i>ipilia amentacea</i> ...	<i>Cephalosporium viridescens</i> Kunze.
<i>plismenus compositas</i> Beauv.	<i>Cystospora Oleae</i> Butl.
<i>rganum vulgare</i> ...	<i>Uredo Ophiuri</i> Syd. et Butl.
<i>Ornithogalus umbellatus</i> L.	<i>Ustilago cornata</i> Butl.
<i>Orobancha cernua</i> ...	<i>Asterina crebra</i> Syd.
<i>Oroxylum indicum</i> ...	<i>Meliola Opilias</i> Syd.
<i>Oryza sativa</i> ...	<i>Dicrechidium levigatum</i> Syd. et Butl.
	<i>Puccinia Opilimeni</i> Syd.
	<i>Ustilago vittata</i> Berk.
	<i>Puccinia Menthae</i> Pers.
	<i>Puccinia Rubraamnei</i> P. Magn.
	<i>Puccinia Liliacearum</i> Duby.
	<i>Rhizoctonia Napi</i> West.
	<i>Coniothyrium Oroxyli</i> P. Henn.
	<i>Cercospora Oryzae</i> Miyake.
	<i>Entyloma Oryzae</i> Syd.
	<i>Ephelis Oryzae</i> Syd.
	<i>Epicoccum hyalopae</i> Miyake.
	<i>Leptosphaeria culmifraga</i> (Fr.) Ces. et De Not.
	<i>Melanconium glumarum</i> Miyake.
	<i>Melanospora Zamiae</i> Corda.
	<i>Metasphaeria albescentis</i> v. Thuem.
	<i>Nectria Bolbophylli</i> P. Henn.
	<i>Ophiobolus Oryzae</i> Miyake.
	<i>Phaeosphaeria Oryzae</i> Miyake.
	<i>Phyllosticta Miurae</i> J. Miyake.
	<i>Phoma glumarum</i> Ell. et Trey.
	<i>Pericarpia Oryzae</i> Cav.
	<i>Pyrenochaeta Oryzae</i> Miyake.
	<i>Rhizoctonia destruens</i> Tass.
	<i>Sclerospora macrospora</i> Sacc.
	<i>Sclerotium glumale</i> Ces.
	<i>Sclerotium Oryzae</i> Catt.
	<i>Sphaerella Malinverniana</i> Catt. M.
	<i>Sphaelia Oryzae</i> Massee.
	<i>Sporichium angulatum</i> Catt.
	<i>Tilletia horrida</i> Tak.
	<i>Ustilaginoides virens</i> (Cke.) Tak.
<i>Oryzopsis sp.</i> ...	<i>Phyllachora Graminis</i> (Pers.) Fock.
" <i>molinoidea</i> ...	<i>Puccinia Oryzopsisidis</i> Syd. et Butl.
<i>Osmanthus fragrans</i> Lour.	<i>Aecidium osmanthi</i> Syd. & Butl.
<i>Osmaronia cerasiformis</i> ...	<i>Septogloeum Nuttallii</i> Harkn.
<i>Osmorrhiza brevistylis</i> ...	<i>Septoria Osmorrhizae</i> Peck.
" <i>longistylis</i> ...	<i>Ramularia reticulata</i> Ell. et Ever.
" <i>cinnamomea</i> ...	<i>Leptostromella filicina</i> (B. & C.) Sacc.
" <i>Lamberti</i> Parsh.	<i>Uredo Oxytropidis</i> Peck.
" <i>pilosa</i> DC.	<i>Uromyces Astragali</i> (Oesip.) Sacc.
" <i>oetida</i> ...	<i>Aecidium Paeletiae</i> Dit.

Host.	Fungi.
<i>Paspalum ischnosanthum</i> Trin. Royleanum Nees.	<i>Ustilago Royleana</i> Syd. et Butl.
" <i>Kora</i> ...	<i>Phellia japonica</i> P. Henn.
" <i>longiflorum</i> ...	<i>Cerebella inquinans</i> (B. et Br.) Petch.
" <i>Royleanum</i> ...	<i>Cerebella inquinans</i> (B. et Br.) Petch.
" <i>sanguinale</i> ...	<i>Dactylaria parasitans</i> Cav.
" (Panicle) <i>sanguinale</i> ...	<i>Puccinia Paspali</i> Tracy. et Earle.
" <i>sanguinale</i> var. <i>ciliaris</i> ...	<i>Ustilago Rabenhorstiana</i> J. Kuhn.
" <i>scrobiculatum</i> ...	<i>Cerebella inquinans</i> (B. et Br.) Petch.
	<i>Cerebella inquinans</i> (B. et Br.) Petch.
	<i>Sorosporium paspali</i> McAlp.
<i>Pavetta hispidula</i> ...	<i>Uredo Paspali-scrobiculati</i> Syd.
" <i>indica</i> ...	<i>Acididium flavidum</i> B. & Br.
<i>Pedilanthus tithymaloides</i> ...	<i>Acididium flavidum</i> B. et Br.
<i>Pelargonium australe</i> Jacq. ...	<i>Puccinia Pavettae</i> Berk.
" <i>Zonale</i> ...	<i>Diplodia Pedilanthi</i> Syd.
<i>Pennisetum</i> ...	<i>Diplodia Pedilanthi</i> Syd.
" <i>cenchroides</i> ...	<i>Puccinia Morrisoni</i> McAlp.
" <i>orientale</i> ...	<i>Fusarium Pelargonii</i> Crou.
" <i>typhoideum</i> Rich. ...	<i>Chaetomella atra</i> Fack.
	<i>Cerebella cenchroides</i> Subrm.
	<i>Beniowskia Penniseti</i> Wake.
	<i>Acrothecium Penniseti</i> Mitra.
	<i>Puccinia Penniseti</i> Zimm.
	<i>Sclerospora graminicola</i> (Schroet.) Sacc.
	<i>Tolyposporium Penicillariae</i> Bref.
<i>Perularia odoratissima</i> Sm. pallida Wight.	<i>Acididium ponderosum</i> Syd.
<i>Perilla cymoides</i> Linn. ...	<i>Coleosporium Perillae</i> Syd.
<i>Peristrophe</i> sp. ...	<i>Acididium Peristropheae</i> Syd.
" <i>bicalyculata</i> ...	<i>Synchytrium Rytzi</i> Syd.
<i>Perymenium discolor</i> Schrad. ...	<i>Plasmopara Wildeniana</i> P. Henn.
<i>Petasites</i> sp. ...	<i>Uromyces cucullatus</i> Syd.
	<i>Puccinia conglomerata</i> (Strasse) Huze and Schm.
<i>Peucedanum alsaticum</i> ...	<i>Leptosphaeria modesta</i> (Desm.) Karst.
" <i>Oreoclinum</i> Moench ...	<i>Puccinia Oreoclini</i> (Str.) Korn
<i>Phaca frigida</i> L. ...	<i>Uromyces Phacae-frigidae</i> (Wahlbg.) Lagh.
<i>Phalaris arundinacea</i> Linn. ...	<i>Puccinia sessilis</i> Schneid.
" <i>minor</i> Retz ...	<i>Puccinia glumarum</i> Erika. & Henn.
<i>Phaseolus</i> sp. ...	<i>Uromyces appendiculatus</i> (Pers.) Lk.
" <i>aconitifolius</i> Jacq. ...	<i>Cercospora cruenta</i> Sacc.
	<i>Sphaerotheca Humuli</i> (DC) Barr.
	var. <i>fuliginea</i> Schlecht.
" <i>acutifolius</i> var. <i>latifolius</i> ...	<i>Rhizoctonia Solani</i> Kuhn.
" <i>Mungo</i> ...	<i>Rhizoctonia Solani</i> Kuhn.
" var. <i>radiatus</i> ...	<i>Acanthostigma heterochaeta</i> Syd. et Butl.
	<i>Ascochyta Phaseolarum</i> Sacc.
	<i>Cercospora cruenta</i> Sacc.
	<i>Oidium erysiphoides</i> Fr.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Uromyces appendiculatus</i> (Pers.) Lk.
" <i>radix</i> ...	<i>Gloeosporium Lindemuthianum</i> Sacc. et P. Magn.
" <i>radiatus</i> (Mung.) ...	<i>Isariopsis griseola</i> Sacc.
" <i>vulgaris</i> ...	<i>Cercospora cruenta</i> Sacc.
	<i>Cicinobolus Cesatii</i> De Br.
	<i>Ascochyta Phaseolarum</i> Sacc.
	<i>Cercospora cruenta</i> Sacc.
	<i>Rhizoctonia Solani</i> Kuhn.

Host.	Fungi.
<i>Phegopteris dryopteris</i> ...	Colletotrichum Lindemuthianum (Sacc. & Magn.) Scribn. Glomeris Lindemuthianum Sacc. et Magn. Uromyces appendiculatus (Pers.) Lk. Hyalospora Polyodii-dryopteridis (Mug. et Nestl.) P. Magn.
<i>Philadelphus grandiflorus</i> ...	Ascochyta Philadelphi Sacc. et Speg.
<i>Phillyrea anrustifolia</i> ...	Zaghouania Phillyrea Pat.
<i>Phlomis stewartii</i> ...	Erysiphe Galeopsideis DC.
<i>Phlox decussata</i> ...	Septoria Phlogis Sacc. et Speg.
<i>Phoenix</i> ...	Exosporium palmivorum Sacc. Graphiola Phoenixis (Mong.) Poit. Meliola palmicola Wint. Pestalozzia pinnarum Butl.
" <i>acaulis</i> ...	Graphiola Phoenixis (Mong.) Poit.
" <i>dactylifera</i> ...	Graphiola Phoenixis (Mong.) Poit.
" <i>humilis</i> ...	Meliola palmicola Wint. Exosporium palmivorum Sacc.
" <i>sylvestris</i> ...	Meliola palmicola Wint. Exosporium palmivorum Sacc. Graphiola applanata Butl. Graphiola Phoenixis (Mong.) Poit. Meliola palmicola Wint. Pestalozzia pinnarum Butl.
<i>Phragmites communis</i> ...	Lachnum Arundinis (Fr.) Rehm. Mollisia arundinaceae (DC.) Phil. Puccinia invenusta Syd. Puccinia Trailii Plowz. Scirrhia rimosa (Alb. et Schw.) Fock. Scirrhia depauperata (Desm.) Fock. Tuberculina persicina (Ditm.) Sacc. (parasitic on Uredos. r.)
<i>Phyllanthus distichus</i> Muell.	Coniosporium Arundinis (Corda.) Sacc.
" <i>Emblia</i> Linn.	Phakosora Phyllanthi Diet.
" <i>reticulatus</i> ...	Ravenelia Emblicae Syd. Uile.
<i>Phyllostachys bambusoides</i> ...	Aecidium phyllanthium Syd. Coniosporium punctiforme Sacc. Phyllosticta Take Miyake & Hara.
" <i>quilloi</i> ...	Ustilago Shirasiana Henn.
" <i>reticulata</i> ...	Mycosphaerella bambusifolia Miyake et Hara.
<i>Physalis</i> ...	Cercospora physalicola Ell. et Bart.
" <i>minima</i> ...	Cercospora diffusa E. et E.
" <i>var indica</i> Linn.	Entyloma Physalidis (Kabb. and Cko.) Wint.
<i>Physcia stellaris</i> ...	Uromyces Physciae (DC.) Ung.
<i>Phyteuma orbiculare</i> Linn.	Ramularia Phyteumatis Sacc. et Wint.
" <i>spicatum</i> ...	Gromyces Phyteumatis (DC.) Ung. Echinodontium tinctorum Ellis. Peridermium decolorans Peck. Polyporus borealis Wahlbg.
<i>Picea Engelmanni</i> ...	Aecidium conorum-piceae Rees. Aecidium Piceae Barc. Barclayella deformans (Barc.) Diet. Peridermium Piceae Barc. Peridermium Thomsoni (Berk.) Barc. Dothidella Piceae Syd.
" <i>excelsa</i> Lk. ...	Rhytisma piceum Berk.
" <i>marinda</i> ...	Rhytisma Pieridis Pat.
" <i>ovatifolia</i> ...	Rhytisma piceum Berk. Rhytisma Pieridis Pat. Exobasidium Pieridis P. Henn.

Host.	Fungi.
<i>Pimpinella</i> sp. ...	<i>Puccinia Pimpinellae</i> (Str.) Mart.
" <i>d. v. rsifolia</i> DC.	<i>Puccinia Pimpinellae</i> (Str.) Lk.
<i>inula Banksiana</i> ...	<i>Cronartium Comptoniae</i> Arth.
" <i>contorta</i> ...	<i>Naemacylus nivens</i> (Pers.) Sacc.
" <i>excelsa</i> Wall.	<i>Aecidium brevius</i> Barcl.
	<i>Peridermium brevius</i> Barcl.
	<i>Capnodium Pini</i> B. et C.
	<i>Clavaria fumosa</i> Pers.
	<i>Contothecium effusum</i> Corda.
	<i>Lophodermium Pinastri</i> (Schrad.) Chev.
	<i>Peridermium complanatum</i> Barcl.
	<i>Trametes Pini</i> (Brdt.) Fr.
" "	<i>Aethalium segricum</i> A. doctum.
	= <i>Fuligo ovata</i> Schaef.
" <i>insularis</i> ...	<i>Coltricia benguetensis</i> Murr.
	<i>Fomes unguulatus</i> (Scheff.) Sacc.
	<i>Fomes subangulatus</i> Murr.
	<i>Gloeophyllum edule</i> Murr.
" <i>Khasya</i> Royle	<i>Polyporus subferruginea</i> Berk.
" <i>longifolia</i> ...	<i>Hydnum Auriscalpium</i> L.
	<i>Aecidium complanatum</i> Barcl.
	= <i>Peridermium complanatum</i> Barcl.
" <i>monticola</i> ...	<i>Lophodermium Pinastri</i> Schrad.
	<i>Neopeckia Coulteri</i> (Pk.) Sacc.
	<i>Peniophora crassa</i> Burt.
" <i>ponderosa</i> ...	<i>Fomes laries</i> Rubel.
" <i>silvestris</i> ...	<i>Thelephora terrestris</i> Erh.
	<i>Belonium pineti</i> (Batsch.) Rehm.
	<i>Cenangium acicolum</i> (Fuck.) Rehm.
	<i>Dasyascypha pulverulenta</i> (Lib.) Sacc.
	<i>Dendrodochium affine</i> Sacc.
	<i>Leptothyrium Pinastri</i> Karst.
	<i>Phacidium lacerum</i> Fr.
	<i>Peniophora gigantea</i> (Fr.) Karst.
" <i>Taeda</i> ...	<i>Phialea acrum</i> (Alb. et Schw.) Rehm.
<i>Piper batle</i> ...	<i>Peridermium delicatulum</i> Arth.
	<i>Capnodium batle</i> Syd. et Burt.
	<i>Cephauros virens</i> K.
	<i>Colletotrichum</i> .
	<i>Nectria Bolbophylli</i> P. Henn.
" <i>nigrum</i> ...	<i>Rhizostoma destruens</i> Tassi.
	<i>Cephauros virens</i> Kunze.
	<i>Colletotrichum nigrum</i> Ell. et Harkn.
	<i>Macrophoma piperina</i> Syd.
	<i>Nectria Bolbophylli</i> P. Henn.
	<i>Physalospora piperina</i> Syd.
	<i>Physarum nigrum</i> Rost.
<i>Pisum arvense</i> Linn.	<i>Rosellinia bunodes</i> (B. et Br.) Sacc.
	<i>Perodospira Vieia</i> (Berk.) De Bary.
" <i>sativum</i> Linn.	<i>Uromyces Fabae</i> (Pers.) De Bary.
	<i>Erysiphe Polygoni</i> DC.
	<i>Uromyces Fabae</i> (Pers.) De By.
	<i>Oidium erysiphoides</i> Fr.
	<i>Peronospora Vieia</i> (Berk.) De By.
	<i>Rhizostoma Napi</i> West.
<i>Pithecoctenium hexagonum</i> DC.	<i>Puccinia phlyctopus</i> Syd.
<i>Pithecolobium</i> ...	<i>Diplodia Pithecolobii</i> Died.

Host.	Fungi.
<i>Plantago</i> ...	<i>Septoria plantaginea</i> Pass.
<i>brachyphylla</i> ...	<i>Erysiphe Cichoracearum</i> DC.
<i>lanceolata</i> ...	<i>Phomopsis subordinaria</i> (Desm.) Trav.
<i>major</i> ...	<i>Septoria plantaginea</i> Pass.
<i>media</i> ...	<i>Erysiphe Cichoracearum</i> DC.
<i>Platanus orientalis</i> ...	<i>Phomopsis subordinaria</i> (Desm.) Trev.
<i>Plectranthus scrophularioides</i> Wall. ...	<i>Stigmata Visianica</i> Sacc.
<i>rugosus</i> ...	<i>Acididium Plectranthi</i> Baul.
<i>Plectronia penduncularis</i> ...	<i>Erysiphe Polygoni</i> DC.
<i>Poa flexuosa</i> ...	<i>Peronospora lamii</i> Brawn.
<i>audetica</i> Haenke ...	<i>Hemileia carthii</i> B. & Br.
<i>Podocarpus macrophyllus</i> ...	<i>Puccinia coronata</i> Corda.
<i>Podophyllum peltatum</i> L. ...	<i>Uredo Poae-audetica</i> West.
<i>Pogonatherum saccharoideum</i> ...	<i>Diurina Podocarpi</i> Syd.
<i>Pogonemon</i> sp. ...	<i>Puccinia Podophylli</i> Schw.
<i>Poinciana elata</i> ...	<i>Septoria podophyllina</i> Peck.
<i>pulcherrima</i> L. ...	<i>Phyllachora Pogonatheri</i> Syd.
<i>Polliniagrata</i> ...	<i>Puccinia princeps</i> Syd.
<i>Polygonanthus tuberosa</i> ...	<i>Sergioleum Poinciana</i> Syd.
<i>Polygonatum</i> ...	<i>Ravenelia Humphreysii</i> P. Henn.
<i>verticillatum</i> All. ...	<i>Phyllachora Graminis</i> (Pers.) Fuck.
<i>Polygonum</i> ...	<i>Phoma Polyanthi</i> Died.
<i>sp.</i> ...	<i>Phyllosticta cruenta</i> (Fr.) Kx.
<i>alatum</i> ...	<i>Lachnum nidulus</i> (Sc em. et Kze.) Karst.
<i>alatum</i> Buch Ham. ...	<i>Didymella Kariana</i> Sacc.
<i>alpini</i> ...	<i>Erysiphe Polygoni</i> D C
<i>aviculare</i> ...	<i>Puccinia nitida</i> Baul.
<i>chinense</i> Linn. ...	<i>Puccinia Solmsii</i> P. Henn.
<i>Convolvulus</i> Linn. ...	<i>Ramularia rufo-maculans</i> Peck.
<i>glabrum</i> ...	<i>Septoria polygonicola</i> (Basch.) Sacc.
<i>persicaria</i> ...	<i>Sphaelotheca Hydropiperis</i> (Schum) De Bary.
<i>Posumbu</i> ...	<i>Melanopsichium austro-americanum</i> (Speg.) G. Beck.
<i>serrulatum</i> ...	<i>Puccinia Solmsii</i> P. Henn.
<i>tomentosum</i> Willd. ...	<i>Puccinia Polygoni-alpini</i> Cruchet et Mayor.
<i>Polypodium vulgare</i> ...	<i>Erysiphe Polygoni</i> DC.
<i>Pongamia glabra</i> ...	<i>Dromyces Polygoni</i> (Pers.) Fuck.
<i>mitis</i> ...	<i>Melanopsichium austro-americanum</i> (Speg.) G. Beck.
	<i>Puccinia congesta</i> B. et Br.
	<i>Puccinia nitida</i> Baul.
	<i>Puccinia Solmsii</i> P. Henn.
	<i>Ustilago emodensis</i> Berk.
	<i>Ustilago tuberculiformis</i> Syd. ...
	<i>Puccinia Polig ni</i> (Pers.)
	<i>Acididium (f) Polygoni-cuspidati</i> Diet.
	<i>Melanopsichium austro-americanum</i> (Speg.) G. Beck.
	<i>Sphaelotheca Hydropiperis</i> (Schum) De By.
	<i>Ustilago utriculosa</i> (Nees.) Tul.
	<i>Puccinia Polygoni-amphibii</i> Pers.
	<i>Sphaelotheca Hydropiperis</i> (Schum) De By.
	<i>Sphaelotheca Hydropiperis</i> (Schum) De By.
	<i>Sphaelotheca Hydropiperis</i> (Schum) De By.
	<i>Ustilago utriculosa</i> (Nees.) Tul.
	<i>Melamporella Diet-hiana</i> Syd.
	<i>Fuscladium Pongamiae</i> Syd.
	<i>Phyllachora Pongamiae</i> Syd. P. Henn.
	(<i>Phyllachora Pongamiae</i>) (B. et Br.) Petch.
	<i>Phyllosticta Pongamiae</i> , Syd.
	<i>Ravenelia stictica</i> B. et Br.
	<i>Phyllachora Pongamiae</i> P. Henn.

Host.	Fungi.
<i>Prunus persica</i> Benth. & Hk. K	<i>f. Botryodiplodia Persicae</i> Died. <i>Botryosphaeria</i> (?) <i>Pruni-spinosae</i> Delacr. <i>Cercospora persica</i> Sacc. <i>Clasterosporium carpophyllum</i> (Lev.) Aderb. <i>Eoascus deformans</i> (Berk.) Fackl. <i>Metasphaeria crebra</i> Sacc. <i>Phyllosticta</i> ? <i>Persicae</i> Sacc. <i>Phyllosticta prunicola</i> Sacc. <i>Puccinia Pruni-persicae</i> Hori. <i>Puccinia Pruni-spinosae</i> Pers. <i>Sphaerotheca pannosa</i> (Wallr.) Lev. <i>Septocylindrium septatum</i> Bon.
" " <i>vulgaris</i> Mill	<i>Puccinia Pruni-spinosae</i> Pers.
" <i>pisardi</i> ...	<i>Puccinia Pruni-spinosae</i> Pers.
" <i>Padden</i> Roxb. ...	<i>Puccinia Pruni-spinosae</i> Pers.
" <i>virginiana</i> ...	<i>Thecopsis areolata</i> (Wallr.) P. Magn.
<i>Pseudanthistiria hispida</i> ...	<i>Sorosporium Pseudanthistiriae</i> Syd. et Butl.
<i>Pseudotsuga taxifolia</i> ...	<i>Lenzites saepiaria</i> Fr. <i>Melampsora albertensis</i> Arth. <i>Polyporus aurantiacus</i> Pk. <i>Trametes heteromorpha</i> Murr. <i>Cephaleuros virescens</i> Kunze. <i>Melicia Psidii</i> Fr. <i>Pestalotzia Psidii</i> Pat.
<i>Psidium</i> <i>Guyava</i> Linn. ...	<i>Uromyces psophocarpi</i> Syd. <i>Uromyces Psoraleae</i> Peck. <i>Hysterostomella Psychotriae</i> Syd. <i>Uredinopsis Pteridia</i> D. & H. <i>Leptothyrium litigiosum</i> (Desm.) Sacc. <i>Phiala grisella</i> Rehm. <i>Taphrina rhomboidalis</i> Syd. et Butl. <i>Aldona stella-nigra</i> Sacc. <i>Phomopsis Pterocaryae</i> (Syd.) Diadicks. <i>Ramularia cylindroides</i> Sacc. <i>Sterigmatocystis castanea</i> Patt. <i>Phyllosticta Putranjivae</i> Syd. <i>Aecidium Pygei</i> Syd. <i>Melampsoropsis Pyrohae</i> (DC.) Aeth. <i>Cephaleuros virescens</i> Kunze. <i>Entomosporium maculatum</i> Lev. <i>Fusicladium pirinum</i> (Lib.) Fackl. <i>Gymnosporangium Sabinae</i> (Dieck.) Wint. <i>Lophodermium hysterioides</i> (Pers.) Sacc. <i>Nectria cinnabarina</i> (Tode.) Fr. <i>Phyllosticta Coryleae</i> (Pers.) Karst. <i>Phyllosticta pirina</i> Sacc. <i>Sphaerella sentina</i> (Fr.) Sacc.
<i>Psophocarpus tetragonalobus</i> ...	<i>Marsonia Coronariae</i> Sacc. et Devern.
<i>Psoralea lanceolata</i> Pursh. ...	<i>Coniothecium chomatosporum</i> Cda.
<i>Psychortia luzonensis</i> ...	<i>Coniothecium Questieri</i> Desm.
<i>Pteridium aquilinum pubescens</i> ...	<i>Coryneum follicolatum</i> Fekl.
<i>Pteris aquilina</i> Linn. ...	<i>Fusicladium dendriticum</i> (Wallr.) Fackl. <i>Gloeosporium fructigenum</i> Berk. <i>Gloiospora rufo-maculans</i> (Berk.) Spauld and Schenk. <i>Leptothyrium Poirii</i> (Mont. et Ra.) Sacc. <i>Orbilia lasia</i> (E. et Be.) Sacc. <i>Phyllosticta Persicae</i> Sacc.
" <i>quadriaurita</i> ...	<i>Podosphaera leucotricha</i> Ell. et Ev.
<i>Pterocarpus indicus</i> ...	<i>Clasterosporium carpophyllum</i> (Lev.) Aderb.
<i>Pterocarya caucasica</i> ...	
<i>Pulmonaria officinalis</i> Linn. ...	
<i>Punica Granatum</i> ...	
<i>Putranjiva Roxburghii</i> ...	
<i>Pygeum</i> sp. ...	
<i>Pyrola secunda</i> ...	
<i>Pyrus communis</i> Linn. ...	
" <i>coronaria</i> ...	
" <i>Malus</i> Linn. ...	
" <i>Psidia</i> Ham. ...	

Host	Fungi.
<i>Pyrus sinensis</i> ...	<i>Entomosporium maculatum</i> Lev.
<i>Quercus</i> ...	<i>Fusicladium pirinum</i> (Lib.) Fuck.
" <i>acuta</i> ...	<i>Gymnosporangium cunninghamianum</i> Barc. (Accidial form)
" <i>alba</i> ...	<i>Phyllactinia Corylea</i> (Pers.) Karst.
" <i>chrysolepis</i> ...	<i>Septoria Pyri</i> Miyake.
" <i>coccinea</i> Wangerh.	<i>Phyllosticta exigua</i> Syd.
" <i>coccinea</i> ...	<i>Sclerotinia pseudo-tuberosa</i> Rehm.
" <i>Gambelii</i> ...	<i>Zukalia erysipina</i> Syd.
" <i>garryana</i> ...	<i>Phyllosticta Shiraiana</i> Syd.
" <i>glandulifera</i> ...	<i>Coccioidea quercicola</i> F. Henn.
" <i>incana</i> ...	<i>Urnula Craterinum</i> (Schw.) Fr.
" <i>lazonensis</i> ...	<i>Dimersporium echinatum</i> Ell. et Ev.
" <i>marylandica</i> ...	<i>Belonium sulphureo-tinctum</i> Rehm.
" <i>pedunculata</i> ...	<i>Ciboria Sydowiana</i> Rehm.
" <i>rubra</i> ...	<i>Calopactis singularis</i> Syd.
" <i>rubra</i> ...	<i>Stereum hirsutum</i> (Willd.) Fr.
" <i>sessiliflora</i> Salisb.	<i>Conartium Quercus</i> (Bond.) Sch.
<i>Ranunculus</i> ...	<i>Loranthus vestitus</i> Wall.
" ...	<i>Hæronema orbiculare</i> Syd.
" <i>diffusus</i> ...	<i>Polyporus givus</i> Schw.
" <i>hirtellus</i> ...	<i>Ciboria firma</i> (Pers.) Fuck.
" <i>laetus</i> ...	<i>Crepidotus chinomophilus</i> Berk. et Br.
<i>Raphanus sativus</i> Link.	<i>Cylindrium elongatum</i> Bon.
" ...	<i>Helotium conformatum</i> Karst.
<i>Rhamnus</i> sp.	<i>Laestadia Cookeana</i> (Auerw.) Sacc.
" <i>alnifolia</i> ...	<i>Taphrina coerulescens</i> (Mong. et Desm.) Tul.
" <i>cathartica</i> ...	<i>Anthostoma atropunctatum</i> (Schw.) Sacc.
" <i>dahuricus</i> Pak.	<i>Endothia radicalis</i> Fa.
" <i>Frangula</i> Linn.	<i>Helotium imberbe</i> (Bill.) Fr.
" <i>procumbens</i> ...	<i>Eutyloma Ranunculi</i> (Bonor.) Schroet.
" <i>virgatus</i> Roxb.	<i>Erysiphe polygoni</i> DC.
<i>Rheum</i> ...	<i>Phialea turbinata</i> Syd.
" sp. ...	<i>Ramularia Ranunculi</i> Peck.
<i>Rhododendron</i> ...	<i>Erysiphe Polygoni</i> DC.
" <i>arborea</i> ...	<i>Acididium Ranunculacearum</i> DC.
" <i>campanulatum</i> B. Don.	<i>Erysiphe Polygoni</i> DC.
" ...	<i>Alternaria Brassicae</i> (Berk.) Sacc.
<i>Rhus</i> ...	<i>Cystopus candidus</i> (Pers.) Lev.
	<i>Oidium erysipoides</i> Kr.
	<i>Peronospora parasitica</i> (Pers.) de By.
	<i>Puccinia himalensis</i> Barc.
	<i>Puccinia Rhamni</i> (Pers.) Wettst.
	<i>Phyllosticta rhamnigena</i> Sacc.
	<i>Puccinia himalensis</i> (Barc.) Diet.
	<i>Puccinia coronata</i> (Corda.) Kleb. (Accidium)
	<i>Puccinia coronata</i> Corda.
	<i>Puccinia himalensis</i> (Barc.) Diet.
	<i>Ramularia Rhei</i> Allesch.
	<i>Puccinia Phragmitis</i> (Schum) Koern.
	<i>Chrysomyxa Rhododendri</i> (DC.) De By.
	<i>Exobasidium Butleri</i> Syd.
	<i>Chrysomyxa Dietelii</i> Syd.
	<i>Chrysomyxa himalensis</i> Barc.
	<i>Exobasidium Butleri</i> Syd.
	<i>Chrysomyxa himalayensis</i> Barc.
	<i>Dicoccia himalayensis</i> Diet.
	<i>Pestalozzia Guepinii</i> Desm.
	<i>Ceratosporium fuscens</i> Schw.

Host.	Fungi.
<i>Rhus diversiloba</i> ...	<i>Pileolaria Toxicodendron</i> (Berk. et Ray.) Arth.
" <i>toxicodendron</i> ...	<i>-Uromyces Toxicodendri</i> Berk. et Rav.
<i>Ribes alpinum</i> Linn. ...	<i>Phyllactia rhoicola</i> Ell. et Ev.
" <i>floridum</i> ...	<i>Gloeosporium variabile</i> Laubert.
" <i>Grossularia</i> ...	<i>Puccinia riparia</i> Holway. (Aecidium.)
" <i>nigrum</i> Linn. ...	<i>Fomes Ribia</i> (Schum) Fr.
" <i>petraeum</i> ...	<i>Cronartium ribicolum</i> Diet.
<i>Ricinus communis</i> Linn. ...	<i>Scleroderma ribesia</i> (Pers.) Karst.
	<i>Sphaerella Grossulariae</i> (Fr.) Auerw.
	<i>Scleroderma repanda</i> (Fr.) Rehm.
	<i>Cercospora ricinella</i> Sacc. and Berk.
	<i>Diplodia ricinicola</i> Sacc.
	<i>Melampsora Ricini</i> (Biv-Bern.) Pass.
	<i>Melampsorella Ricini</i> Biv-Bernh.
	<i>Uromyces ventricosa</i> (Dur. et Mont.) Cke.
	<i>Phytophthora parasitica</i> Pastur.
<i>Ricoria ovata</i> ...	<i>Peridium De Baryanum</i> Hesse.
<i>Robinia pseudacacia</i> ...	<i>Stereum fasciatum</i> Schwein.
	<i>Fomes rimosus</i> Berk.
<i>Rosa</i> sp. ...	<i>Helotium citrinum</i> (Hedw.) Fr.
	<i>Phomopsis oncostoma</i> (Theum.) V. Hosh.
	<i>Actinonema Rosae</i> (Lib.) Fr.
	<i>Botryosphaeria Dothidea</i> (Mong. et Fr.) Cass et De Not.
	<i>Cercospora rosicola</i> Pass.
	<i>Hypoxylon rubiginosum</i> (Pers.) Fr.
	<i>Marsonia Rosae</i> (Bonord) Br. and Cav.
	= <i>Actinonema Rosae</i> .
	<i>Massaria marginata</i> Fuck. <i>Myxosporium Rosae</i> Fuck.
	<i>Pestalozzia funerea</i> Desm.
	<i>Phragmidium Rosae-moschatae</i> Diet.
	<i>Poria punctata</i> Fr.
	<i>Sphaerella rosigena</i> Ell. et Ever.
	<i>Septoria Rosae</i> Desmaz.
	<i>Septoria Rosarum</i> West.
<i>Rosa</i> (wild rose) ...	<i>Sphaerotheca pannosa</i> (Wallr.) Lev. (Oidium only.)
" sp. ...	<i>Sphaerotheca pannosa</i> (Wallr.) Lev.
<i>Rosa</i> ...	<i>Valsa ceratophora</i> Tul. Sar Rosarum De Not.
" <i>alpina</i> ...	<i>Phragmidium Rosae-alpinae</i> (DC.) Wint.
" <i>Beggeriana</i> ...	<i>Phragmidium egenulum</i> Syd. et Butl.
" <i>blanda</i> ...	<i>Earlea speciosa</i> (Fr.) Arth.
" <i>centifolia</i> ...	<i>Cercospora rosicola</i> Pass.
" <i>dameascena</i> ...	<i>Phragmidium Rosae-moschatae</i> Diet.
" <i>heliophylla</i> ...	<i>Cercospora rosicola</i> Pass.
" <i>macrophylla</i> ...	<i>Phragmidium subcoertium</i> (Schrk.) Wint.
" <i>moschata</i> ...	<i>Phragmidium speciosum</i> (Fr.) Cke.
	<i>Apicopora rhodophila</i> Sacc.
	<i>Phragmidium Butleri</i> Syd.
	<i>Pestalozzia depazeoides</i> Othh.
	<i>Phragmidium Rosae-moschatae</i> Diet.
	<i>Sphaerotheca Pannosa</i> (Wallr.) Lev.
" <i>pimpinellifolia</i> ...	<i>Phragmidium Rosae-pimpinellifoliae</i> (Rabb) Diet.
" <i>trachyphylla</i> Rac. ...	<i>Phragmidium tuberculatum</i> J. Muell.
" <i>Webbiana</i> ...	<i>Phragmidium egenulum</i> Syd. et Butl.
	<i>Phragmidium Rosae-moschatae</i> Diet.
<i>Rottboellia compressa</i> Linn. ...	<i>Puccinia cacao</i> McAlp.
	(Uredo only) = <i>Uredo rottboelliae</i> Diet.
" <i>extaltata</i> ...	<i>Uredo ophiuri</i> Syd. et Butl.
	<i>Ustilago Rottboelliae</i> Syd. et Butl.
	<i>Phyllachora Rottboelliae</i> Syd. et Butl.
	<i>Ustilago flagellata</i> Syd.

Host.	Fungi.
<i>Rottboellia speciosa</i> Hack ...	<i>Uromyces Rottboelliae</i> (Diet) Arthur.
<i>Roscoea</i> sp. ...	<i>Puccinia Roscoeae</i> Barel.
<i>Rourea erecta</i> ...	<i>Mycosphaerella Roureae</i> Syd.
<i>Rubia cordifolia</i> Linn. ...	<i>Puccinia Colletiana</i> Barel.
<i>Rubus</i> sp., In the anthers of ...	<i>Paepalopsis deformans</i> Syd.
<i>Rubus</i> ...	<i>Cercospora Rubi</i> Sacc.
<i>Rubus</i> sp. ...	<i>Phragmidium albidum</i> (Kuhn) Ludw.
" ...	<i>Phragmidium Barciayi</i> Diet.
" ...	<i>Phragmidium (Hamasporea)</i> and Korn Longissimum. Thum.
" <i>Bogotensis</i> H. B. K. ...	<i>Spirechina boeseneriana</i> (P. Henn.) Arth.
" <i>caesius</i> ...	<i>Lachnum niveum</i> (Hedw.) f. Karst.
" <i>ellipticus</i> ...	<i>Septoria Rubi</i> West.
" <i>fruticosus</i> Linn. ...	<i>Cercospora Rubi</i> Sacc.
" <i>fruticosus</i> ...	<i>Phragmidium orientale</i> Syd.
" <i>Idaeus</i> L. ...	<i>Kuehneola albida</i> (Kuhn.) P. Magn.
" ...	<i>Phragmidium albidum</i> (Kuhn) Ludw.
" <i>Idaeus</i> L. ...	<i>Phragmidium Rubi</i> (Pers) Wint.
" ...	<i>Didymella applanata</i> (Niessl.) Sacc.
" <i>lasiocarpus</i> ...	<i>Lachnum clandestinum</i> (Bull.) Karst.
" ...	<i>Lachnum niveum</i> (Hedw. f.) Karst.
" <i>lasiocarpus</i> ...	<i>Septoria Rubi</i> West.
" <i>paniculatus</i> Sm ...	<i>Phragmidium assamense</i> Syd.
" <i>parvifolius</i> L. ...	<i>Phragmidium Barclayi</i> Diet.
" <i>villosus</i> ...	<i>Phragmidium burmanicum</i> Syd.
<i>Rudbeckia laciniata</i> L. ...	<i>Septoria Rubi</i> West.
" ...	<i>Phragmidium incompletum</i> Barel.
" <i>longifolia</i> ...	<i>Phragmidium (Uredo only.)</i>
" <i>prostrata</i> Poir ...	" <i>Barnardi</i> Plowr. et Wint.
<i>Rumex</i> sp. ...	<i>Kuehneola albida</i> (Kuhn.) Magn.
" <i>acetosa</i> ...	<i>Uromyces Rudbeckiae</i> Arth. et Holw.
" <i>acetosella</i> ...	<i>Vermicularia Dematium</i> (Pers.) Fr.
" <i>Hydrolypaphum</i> ...	<i>Puccinia lateripes</i> Berk. et Rav.
" <i>nepalensis</i> ...	<i>Puccinia Ruelliae</i> (B. et Br.) Lagh.
" <i>orientalis</i> ...	<i>Puccinia Ruelliae</i> (B. et Br.) Lagh.
" <i>paniculatus</i> ...	<i>Puccinia Ruelliae</i> (B. et Br.) Lagh.
" <i>tingitanus</i> L. ...	<i>Ovalaria obliqua</i> (Cooke.) Oud.
" <i>versicarius</i> ...	<i>Puccinia nepalensis</i> Baro. and Diet.
Roots of <i>Citrus Medica</i> var. <i>Limonis</i> (Lemon.) ...	<i>Ramularia pratensis</i> Sacc.
Root (broken) of a tree ...	<i>Ustilago Goepfertiana</i> Schroot.
<i>Saccharum</i> sp. ...	<i>Phoma nigerrima</i> Syd.
" ...	<i>Puccinia Trailii</i> Plowr.
" ...	<i>Uromyces Acetosae</i> Schrot.
" ...	<i>Puccinia Acetosae</i> (Schum.) Koern.
" ...	<i>Puccinia Phragmitis</i> (Schum.) Koern.
" ...	<i>Erysiphe Polygoni</i> D C.
" ...	<i>Erysiphe Polygoni</i> D C.
" ...	<i>Puccinia nepalensis</i> Baro. et Diet.
" ...	<i>Puccinia Polygoni-vivapari</i> Karst.
" ...	<i>Uromyces tigitanus</i> P. Henn.
" ...	<i>Peronospora Rumicis</i> Cda.
Roots of <i>Citrus Medica</i> var. <i>Limonis</i> (Lemon.) ...	<i>Fusarium Limonis</i> Brios.
Root (broken) of a tree ...	<i>Dinemasporium radicola</i> Butl.
<i>Saccharum</i> sp. ...	<i>Melanconium Sacchari</i> Massee.
" ...	<i>Phyllachora Cyperi</i> Rehm var. <i>Donacis</i> Berl. et F. Sacc.
" ...	<i>Phyllachora Sacchari</i> P. Henn.
" ...	<i>Puccinia Kuehnii</i> (Kreng.) Butl.

Host.	Fungi.
Saccharum arundinaceum Retz. ...	Cintractia pulverulenta Cke, et Mass.
" " var. ciliaris ...	Puccinia Kuehnii (Krug.) Butl.
" fuscum Roxb. ...	Puccinia Kuehnii (Krug.) Butl.
" " ...	Ustilago Sacchari-ciliaris Bref.
" Narenga ...	Coniosporium ? arundinis (Corda.) Sacc.
" officinarum Linn. ...	Puccinia Kuehnii (Krug.) Butl.
	Ustilago Sacchari Rabenh. <i>calamagrostidis</i>
	Puccinia Kuehnii (Krug.) Butl.
	Apiospora camptospora Penz. et Sacc.
	Aschersonia placenta B. et Br.
	On Aleyrodes baradensis Mask.
	Botryodiplodia saccharina Died.
	Capnodium sp.
	Cephalosporium Sacchari Butl.
	Cercospora longipes Butl.
	Colletotrichum falcatum Went.
	= Leptosphaeria Sacchari. V. Breda d. Ham.
	Coniosporium virosum (B. and C.) Sacc.
	Cyatulus limbatus ? Tul.
	Cytospora Sacchari Butl.
	Dactyomyces ? Sacchari B. et Br.
	Fomes lucidus (Leys.) Fr.
	Helminthosporium Sacchari Butl.
	Hendersonina Sacchari Butl.
	Leptosphaeria Sacchari V. Breda d. Ham.
	Melanconium Sacchari Massee.
	= (Trichosphaeria Sacchari) Massee.
	Neocosmospora vasinfecta Sm.
	Phoma saccharina Syd.
	Phyllachora Sacchari P. Henn.
	Puccinia purpurea Cke.
	Sphaeronaema adiposum Butl.
	Stauronema Sacchari Syd. et Butl.
	Thielaviopsis ethacetica Went.
	(Trichosphaeria Sacchari) Massee.
	Melanconium Sacchari Mass.
	Uredo Kuhnii (Krug.) Wakk. et Went.
" Sara ...	Ustilago Sacchari Rabenh.
" spontaneum ...	Puccinia Kuehnii (Krug.) Butl.
	Phyllachora Sacchari P. Henn.
	Phyllachora Sacchari spontanei Syd.
	Phyllachora Cyperi Rehm var. Donacis Berl. et F. Sacc.
	Puccinia Kuehnii (Krug.) Butl.
	Ustilago Sacchari Rabenh.
Salicornia herbacea ...	Pleospora Salicis Fock.
Salix sp. ...	Uromyces Salicorniae (D C.) De By.
	Daedalia confragosa Pers.
	Diatripe albo-pruinosa (Schw) Cke.
	var. salicina Rehm.
	Melampsora "epitea" (Kunx and Sch) Thum.
	P-Melampsora Salicis Capreae (Pers) ? (Barclay).
	Melampsora ? farinosa (Pers.) Schreot.
	Phoma salicina West.
	Phyllosticta salicicola Thum.
	Rhytisma salicinum (Pers) Fr.
" alba Linn. ...	Uncinula Salicis DC.
	Cytospora Salicis (Corda) Babh.
	Marsonia nigricans Ell. et Ever.
	Melampsora Allii-Salicis-albae Kleb.

Host.	Fungi.
<i>Salix aurita</i> ...	<i>Gloeosporium amentorum</i> (Delacr.) Lind.
" <i>bebbiana</i> ...	<i>Valsa salicina</i> (Pera.) Fr.
" <i>cinerea</i> Linn. ...	<i>Helotium conscriptum</i> Karst. var. <i>oblongisporium</i> Rehm.
" <i>Fendleriana</i> ...	<i>Melampsora artica</i> Rostr.
" <i>lasianдра</i> ...	<i>Melampsora Bigelowii</i> Thum.
" <i>repens</i> ...	<i>Rhytisma salicinum</i> Fr.
" <i>tetrasperma</i> Roxb. ...	<i>Melampsora</i> ? <i>epites</i> (Kze and Sahum) Thum. <i>Melampsora farinosa</i> (Pera) Schroet.
" <i>vitellina</i> ...	<i>Helotium salicellum</i> Fries.
<i>Salvia silvestris</i> L. ...	<i>Puccinia Stipae</i> (Opiz.) Hora.
<i>Sambucus canadensis</i> ...	<i>Sphaeropsis Sambuci</i> Peck.
<i>Sambucus Ebulus</i> Linn. <i>Ebulum</i>	<i>Septoria Ebuli</i> Desm. et Rob.
<i>humile</i> Garcke. ...	
<i>Sambucus nigra</i> ...	<i>Cercospora depazeoides</i> (Desm) Sacc.
" <i>glauca</i> ...	<i>Phyllosticta Sambuci</i> Desm.
" <i>racemosa</i> ...	<i>Phoma sambucina</i> Sacc.
Sand dunes near <i>Casuarina equisetifolia</i> Linn.	<i>Poronia arenaria</i> Butl.
<i>Sanicula europaea</i> Linn. ...	<i>Puccinia Sanicula</i> Grev.
<i>Sauzevieria</i> ...	<i>Diplodia Sauzevieriae</i> Syd.
<i>Santalum album</i> Linn. ...	<i>Asterina congesta</i> Cke.
<i>Sapindus saponaria</i> ...	<i>Meliola amphitricha</i> Fr.
<i>Sarothamus scoparius</i> ...	<i>Macrophoma Cornillae</i> (Desm) Neger.
<i>Sasa paniculata</i> ...	<i>Puccinia longicornis</i> Pat. et Har. <i>Puccinia mitriformis</i> S. Ito.
<i>Saussurea</i> ...	<i>Puccinia Saussureae</i> Theum.
<i>Saxifraga</i> ...	<i>Puccinia Saxifragae-ciliatae</i> Baro.
" <i>granulata</i> ...	<i>Melampsora Saxifragarum</i> (DC.) Schroet.
<i>Schedonnardus paniculatus</i> ...	<i>Puccinia Schedonnardi</i> Kell. et Sw.
<i>Schima Wallichii</i> ...	<i>Phyllachora permixta</i> Syd.
<i>Schleichera trijuga</i> ...	<i>Rosellinia bunodes</i> (B. et Br.) Sacc.
<i>Scilla cernua</i> Salisbr. ...	<i>Puccinia Rossiana</i> (Sacc.) Lagh.
<i>Scirpus</i> ...	<i>Physoderma Schroeteri</i> Krieg. <i>Puccinia Scirpi</i> DC. <i>Uromyces Scirpi</i> (Cast) Burr.
" <i>atrovirens</i> Muhl. ...	<i>Puccinia angustata</i> Peck.
" <i>barbatus</i> ...	<i>Puccinia Scirpi</i> DC.
" <i>campestris</i> Willd ...	<i>Uromyces Scirpi</i> (Cast) Burr.
" <i>cyperini</i> ...	<i>Puccinia angustata</i> Peck.
" <i>cyperinus</i> ...	<i>Uromyces Haraeanus</i> Syd.
" <i>lacustris</i> ...	<i>Hypoderma Scirpinum</i> DC.
" <i>maritima</i> ...	<i>Stagonospora maritima</i> Syd.
" <i>Supinus</i> ...	<i>Physoderma Schroeteri</i> Krieg.
" <i>Tabernaemontani</i> ...	<i>Belonium albido-roseum</i> Rehm. <i>Stegia fenestrata</i> (Rob. et Desm) Rehm.
<i>Scleranthus perennis</i> L. ...	<i>Uromyces Scleranthi</i> Rostr.
<i>Scleria</i> ...	<i>Ustilago Butleri</i> Syd.
" <i>elata</i> Thw. ...	<i>Ustilago Butleri</i> Syd.
" <i>sp.</i> ...	<i>Puccinia Xanthopoda</i> Syd.
<i>Scelopendrium officinarum</i> Sw. ...	<i>Uredo Scelopendrii</i> (Fuck.) Schroet.
<i>Scoparia dulcis</i> ...	<i>Rhizoctonia Napi</i> West.
<i>Scrophularia</i> ...	<i>Septoria Scrophulariae</i> Peck.
" <i>nodosa</i> L. ...	<i>Uromyces Scrophulariae</i> (DC.) Wint.
<i>Scutellaria angulosa</i> Benth ...	<i>Aecidium scutellariae</i> Syd.
" <i>repens</i> Buch-Ham ...	<i>Aecidium scutellariae</i> Syd.
<i>Ecale cereale</i> Linn. ...	<i>Chaetomium comatum</i> (Tode) Fr Sacc. <i>Chaetomium elatum</i> Kze. <i>Puccinia dispersa</i> Eriks. & Henn.

Host.	Fungi.
<i>Solanum nigrum</i> ...	<i>Phomopsis vexans</i> Hart.
" <i>tuberosum</i> Linn ...	<i>Phyllosticta hortorum</i> Speg.
	<i>Rhizoctonia Solanii</i> Kuhn.
	<i>Cercospora Feuilleauboisii</i> Sacc.
	<i>Alternaria Solani</i> (E. & M.) Jones & Grout.
	<i>Cercospora concors</i> (Casp.) Sacc.
	<i>Corticium bisporum</i> (Schroet) v. Hob. et Litsch.
	<i>Phytophthora infestans</i> (Mont) De By.
	<i>Fusarium Solani</i> Mart.
	<i>Rhizoctonia destruens</i> Tassi.
	<i>Rhizoctonia Solani</i> Kuhn.
	<i>Spongospora subterranea</i> (Wallr) John.
	<i>Stysanus Stemonites</i> (Pers) Cda.
	<i>Vermicularia varians</i> Duc.
<i>Solidago</i> sp. ...	<i>Rhytisma Solidaginis</i> Schwein.
" <i>canadensis</i> L. ...	<i>Stichospora Solidaginis</i> (Schw) Diet.
" <i>serotina</i> ...	<i>Puccinia extensicola</i> Plowr.
" <i>Virgaurea</i> L. ...	<i>Puccinia Virgaureae</i> (DC.) Lib.
<i>Sonchus arvensis</i> ...	<i>Coleosporium Sonchi</i> (Pers) Lev.
	<i>Bremia Lactucae</i> Regel.
" <i>oleraceus</i> ...	<i>Bremia Lactucae</i> Regel.
<i>Sorbus Aucuparia</i> ...	<i>Dothiora Sorbi</i> (Wahl) Fuck.
	<i>Polyporus rutilans</i> (Pers) Fr.
<i>Sorghum halepense</i> Pers. (Andropogon halepensis Brot.)	<i>Cerebella Sorghi-vulgaris</i> Subrm.
	<i>Helminthosporium turcicum</i> Pass.
	<i>Macrosporium</i> (?) <i>Culmorum</i> Cks. & Harkn.
	<i>Phyllachora Sorghi</i> v. Hohn.
" <i>vulgare</i> Pers ...	<i>Puccinia purpurea</i> Cooke.
	<i>Colletotrichum Lincola-Corda</i> <i>g. antheris</i> <i>g. liliacearum</i>
	<i>Phyllosticta sorghina</i> Sacc.
	<i>Puccinia purpurea</i> Cke.
	<i>Sclerospora graminicola</i> (Sacc) Sch. var. <i>Andropogonis</i>
	<i>Sorghi</i> Kulk.
	<i>Sclerospora graminicola</i> (Sacc) Sebrost.
	<i>Sphacelotheca cruenta</i> (Kuhn) Pott.
	<i>Sphacelotheca Sorghi</i> (Link) Clint.
	<i>Striga euphrasioides</i> Benth.
	<i>Ustilago Reiliana</i> Kuhn.
	<i>Tolyposporium filiferum</i> Busse.
<i>Sorghum vulgare</i> var. <i>nigrosens</i> ...	<i>Puccinia purpurea</i> Cke.
<i>Sparganium eurycarp</i> Engelm ...	<i>Uromyces Sparganii</i> Cke et Peck.
<i>Spartina cynosuroides</i> Willd. ...	<i>Puccinia peridermiospora</i> (Ell. et Tra) Arth.
" Schreberi F. Gmel. <i>cynosuroides</i> Roth.	<i>Puccinia seymouriana</i> Arth.
<i>Spergularia salina</i> ...	<i>Uromyces sparsus</i> (Kze. et Schum) Lev.
<i>Spermacoce</i> ...	<i>Puccinia lateritia</i> B. & C.
" <i>stricta</i> Linn ...	<i>Puccinia lateritia</i> B. & C.
<i>Sphaeralcea angustifolia</i> G. Don ...	<i>Puccinia Sphaeralceae</i> Ell. et Ev.
<i>Spinacea oleracea</i> ...	<i>Cercospora beticola</i> Sacc.
	<i>Peronospora effusa</i> (Grev) Rbh.
<i>Spiraea filipendula</i> ...	<i>Triphragmium Filipendulae</i> (Lasch) Pass.
<i>Spodiopogon albidus</i> ...	<i>Puccinia pachypes</i> Syd.
" <i>Byronis</i> Trin ...	<i>Sorosporium flagellatum</i> Syd. et Butl.
<i>Ischaemum timorense</i> Kunth ...	<i>Uredo Ischaemi</i> Syd. et Butl.
<i>Spondias mangifera</i> ...	<i>Aschersonia cinnabarina</i> P. Henn.
	<i>Chrysomyxa aliena</i> Syd. et Butl.
<i>Sporobolus cuspidatus</i> ...	<i>Puccinia testa</i> Arth.

Host.	Fungi.
<i>Sporobolus</i> sp.	<i>Uredo ignobilis</i> Syd.
" <i>diander</i> Beauv.	<i>Uredo ignobilis</i> Syd.
" <i>elongatus</i>	<i>Helminthosporium ravenelii</i> B. & C.
<i>Statice Limonium</i>	<i>Phleospora Jaapiana</i> P. Magn.
<i>Stellaria nemorum</i>	<i>Uromyces Limonii</i> (DC.) Lev.
<i>Stevia salicifolia</i> Cav.	<i>Puccinia Arenariae</i> (Schum.) Wint.
<i>Stipa</i>	<i>Coleosporium Steviae</i> Arth.
" <i>sp</i>	<i>Diplodina Butleri</i> Died.
" "	<i>Epichloe typhina</i> (Pers.) Tul.
" "	<i>Puccinia coronata</i> Corda.
" "	<i>Puccinia oligocarpa</i> Syd. et Butl.
" <i>capillata</i> Linn.	<i>Septoria Stipina</i> Died.
" <i>sibirica</i> Lam.	<i>Puccinia Stipae</i> (Op.) Hora.
" <i>viridula</i> Trin.	<i>Erysiphe graminis</i> DC.
<i>Stizolobium Deeringianum</i> Bort.	<i>Uromyces muscoriensis</i> Syd.
Stone	<i>Puccinia subterilis</i> Ell. et Ever.
<i>Stranvaesia glaucescens</i> Lindl.	<i>Uromyces Mucunae</i> Babb.
<i>Strobilanthes</i> sp.	<i>Xylaria nigripes</i> (Kl.) Sacc.
" <i>alatum</i>	<i>Aecidium Stranvaesia</i> Syd.
<i>Styloidium graminifolium</i> Sw.	<i>Puccinia Pollinae</i> Barcl. (Aecidium.)
<i>Suaeda fruticosa</i>	<i>Puccinia Styliidi</i> McAlp.
" <i>maritima</i>	<i>Uromyces Chenopodii</i> (Duby) Schroet.
<i>Symphoricarpos racemosus</i>	<i>Stagonospora Suaedae</i> Syd.
<i>Swietenia Mahagonia</i> Jacq.	<i>Uromyces Chenopodii</i> (Duby) Schroet.
<i>Symplocarpi foetidi</i>	<i>Puccinia Crandallii</i> Pamm et Hume. = <i>Aecidium abundans</i> PK.
<i>Symplocarpus foetidus</i>	<i>Puccinia Symphoricarpi</i> Harkn.
<i>Symplocos</i>	<i>Cephaleuros virescens</i> K.
" <i>sp</i>	<i>Cercospora Symplocarpi</i> Peck.
" <i>lucida</i>	<i>Macrosporium Symplocarpi</i> Syd.
<i>Symplocos theaeifolia</i>	<i>Asterina indica</i> Syd.
Fallen capsules of <i>Cedrela Toona</i> Roxb.	<i>Cephaleuros virescens</i> K.
<i>Tabernaemontana coronaria</i>	<i>Cercospora symploci</i> Butl.
" <i>Heyneana</i>	<i>Oidium erysiphoides</i> Fr.
" <i>Wallichii</i>	<i>Phyllosticta Symploci</i> Syd.
<i>Tagetes lucida</i> Cav.	<i>Phacidium symplocinum</i> Syd.
" <i>multifida</i> D. C. <i>filifolia</i> Lag.	<i>Exobasidium indicum</i> Syd. et Butl.
<i>Tamarindus indica</i>	<i>Exobasidium indicum</i> Syd. et Butl.
<i>Tamarix gallica</i>	<i>Xylaria helioidea</i> Penz. & Sacc.
<i>Taraxacum erythrospermum</i>	<i>Choanephora Cunninghamiana</i> Curr.
" <i>officinale</i> Weber	<i>Puccinia Engleriana</i> P. Henn.
" "	<i>Gleosporium Tabernaemontanae</i> Speg.
" <i>Wattii</i>	<i>Puccinia tageticola</i> Diet. & Holw.
	<i>Puccinia tageticola</i> D. & H.
	<i>Exosporium Tamarindi</i> Syd.
	<i>Hendersonia Tamarindi</i> Syd.
	<i>Hypoxylon atropurpureum</i> Fr.
	<i>Hypoxylon vividum</i> B. et Br.
	<i>Meliola Tamarindi</i> Syd.
	<i>Oidium erysiphoides</i> Fr.
	<i>Xylaria euglossa</i> Fr.
	<i>Botryosphaeria Tamaricis</i> (Cke.) Thies et Syd.
	(= <i>Bagnisiella Tamaricis</i> (Cke) Sacc.)
	<i>Puccinia Taraxaci</i> (Rebent) Plowr.
	<i>Puccinia Taraxaci</i> (Rebent) Plowr. (Uredo.)
	<i>Sphaerotheca Humuli</i> (DC.) Barr.
	var. <i>fuliginea</i> Schlecht.
	<i>Puccinia Taraxaci</i> (Rabenh) Plowr.

Host.	Fungi.
Tasmanian sleepers ...	Schizophyllum commune Fr.
Taxus baccata Linn ...	Dioparthe taxicola Sacc. et Syd. Sirothyrium Taxi Syd. Phoma hysterella Sacc.
Tecoma sp. ...	Puccinia exitiosa Syd. & Holw.
Tectona grandis Linn ...	Aschersonia cinnabarina P. Henn. Aschersonia confuena P. Henn. Crepidotus reversus B. et Br. Hexagonia polygramma Mont. Hirneola polytricha Mont. Phyllosticta Tectonae Syd. et Butl. Uncinula Tectonae Sol. Uredo Tectonae Rac.
Tephrosi candida ...	Cephaleuros virescens Kunze.
Terminalia ...	Asterina magnifica Syd. et Butl.
" Arjuna Wight...	Cephaleuros virescens K.
" belerica ...	Xylaria P trichopoda Penz. & Sacc.
" Cattappa ...	Cercospora Cattappae Henn. Dothidea Terminaliae Syd. =Polyrhizon Terminaliae Syd. Gloeosporium Terminaliae Syd. et Butl. Meliola amphitricha Fr. Phyllosticta Cattappae Syd.
" myriocarpa ...	Atractium flammeum Berk. et Rav.
Tenacium capitatum L. ...	Puccinia majoricensis Mani.
" Scorodonia ...	Belonium separabile (Karet) Rehm.
Thalictrum sp. ...	Oidiopsis taurica (Lev) Salmon.
" minus L. ...	Erysiphe Polygoni DC.
Themeda (Anthistiria) triandra ...	Puccinia burmanica Syd. et Butl.
Thesium sp. ...	Puccinia Stonemaniae Syd. et Evans.
Thuja occidentalis ...	Keithia thujina Durand. Phomopsis Thujae Diedicke.
" plicata ...	Keithia thujina Durand. Peniophora carnea Burt. Peniophora glebulosa Bres. Polyporus dichorus Fr. Poria Weirii Merrill.
Thymus Serpyllium L. ...	Puccinia caulicola Schr.
Thysanolaena Agrostis Nees ...	Puccinia Stipae (Opiz.) Hora. Acarifera Arn. et Nees. Arthrobotryum velutinum Butl. Coniosporium Arundinis (Corda) Sacc.
Thyselinum palustre Hoffm. ...	Puccinia bullata (Pers.) Wint.
Tilia platyphylla ...	Cercospora exitiosa Syd. Helminthosporium macrocarpum Grev. Physalospora Malbranchei Karst. Cercospora Menispermii Ell. et Holw.
Tinospora cordifolia Miers. Menispermum cordifolium Willd. ...	Phyllachora dolichospora Syd.
Tinospora cordifolia ...	Uredo Toddaliae Petch.
Toddalia aculeata ...	Puccinia Tragopogonis (Pers.) Cda.
Tragopogon pratense ...	Rhizoctonia violacea Tul.
Trichosanthes ...	Plasmopara cubensis (B. & C.) Humph.
" cucumerina ...	Erysiphe Cichoracearum D. C.
" dioica ...	Plasmopara cubensis (B. & C.) Humph.
Trientalis europaea Linn ...	Tubercinia Trientalis Berk. et Br. (Conidial form.)
Trifolium alexandrinum ...	Cercospora helvols Sacc. Rhizoctonia Solani Khan.
" alpestre Linn. ...	Cercospora zebrina Pass.

Host.		Fungi.
<i>Trifolium medium</i> Huds.	...	<i>Erysiphe Pisi</i> DC.
" <i>pratense</i> Linn.	...	<i>Pseudopeziza Trifolii</i> (Biv. Bernh.) Fuck.
" <i>repens</i> Linn.	<i>PUromyces Trifolii</i> (Hedw.) Lev.
" <i>resupinatum</i> L.	...	<i>Polythrincium Trifolii</i> Kze.
" <i>resupinatum</i>	<i>Polythrincium Trifolii</i> Kze.
<i>Trigonella Foenum-graceum</i> Linn.	...	<i>Uromyces Trifolii</i> (Hedw.) Lev.
		<i>Cercospora Traversiana</i> Sacc.
		<i>Oidiopsis taurica</i> (Lev.) Salmon.
		<i>Rhizoctonia Solani</i> Kuhn.
		<i>Erysiphe Polygoni</i> DC.
" <i>polycerata</i>	<i>Uromyces Trigonellae</i> Pass.
<i>Tripeacum dactyloides</i> L.	...	<i>Peronospora Viciae</i> (Berk.) De By.
<i>Triticum monococcum</i>	<i>Puccinia Pattersoniae</i> Syd.
" <i>vulgare</i> Vill	<i>Puccinia graminis</i> Pers.
		<i>Cladosporium barbareum</i> (Pers.) Lk.
		<i>Erysiphe graminis</i> D C.
		<i>Helminthosporium sativum</i> (P.) K. & B.
Var. Michigan Brouce-wheat	...	<i>Puccinia glumarum</i> Erik. & Henn. (Telentospora.)
		<i>Puccinia glumarum</i> Erik. & Henn.
		<i>Puccinia graminis</i> Pers.
		<i>Puccinia poeuliformis</i> (Jacq.) Wett.
		<i>Puccinia Rubigo-vera</i> Dint. (D C.)
		<i>Puccinia triticea</i> Erik.
		<i>Rhizoctonia Napi</i> West.
		<i>Rhizoctonia destruens</i> Tass.
		<i>Septoria Tritici</i> Desm.
		<i>Tilletia levis</i> Kuhn.
		<i>Tilletia Tritici</i> (Bjerk) Wint.
		<i>Tylenchus scandens</i> (Ear cockle of wheat).
		<i>Urocystis Tritici</i> Koern.
		<i>Ustilago Tritici</i> (Pers.) Jens.
		Var. <i>folicola</i> Henn
		<i>Puccinia glumarum</i> Erik. & Henn.
		<i>Oidiopsis taurica</i> (Lev.) Salmon.
<i>Tropaeolum majus</i>	<i>Botrytis parasitica</i> Cav.
<i>Tulipa Gesneriana</i>	<i>Rhizina inflata</i> (Schaff.) Quel.
<i>Tuga heterophylla</i>	<i>Stereum sanghinolentum</i> (Alb. et Schw.) Fr.
" <i>mertensiana</i>	<i>Herpotrichia nigra</i> Hartig.
Dead Twigs	<i>Cryptovalsa planiscula</i> Syd. et Butl.
		<i>Diatrype chlorosarca</i> B. et Br.
		<i>Eutypella indica</i> Syd.
		<i>Peroneutypella ambiens</i> Syd.
		<i>Tryblidiella rufula</i> (Spreng.) Sacc.
		<i>Irpeix canascens</i> Jungh.
		<i>Reticularia venosa</i> B. & C.
		<i>Xerotus lateritius</i> B. & C.
		<i>Massarina usumbarensis</i> P. Henn. V. Hohnel.
		<i>Trichothecium roseum</i> (Pers.) Link.
<i>Ulmus campestris</i>	<i>Mollisia Riccia</i> Sacc.
<i>Umbilicus pendulinus</i> D. C.	...	<i>Puccinia Umbilici</i> Guep.
<i>Uncaria</i>	<i>Cephaleuros virescens</i> Kunze.
<i>Urtica</i> sp	<i>Puccinia Urticae</i> Barc.
" <i>dioica</i> Linn.	<i>Cylindrocolla Urticae</i> (Pers.) Bon.
		<i>Ramularia Urticae</i> Ces.
" <i>parviflora</i> Roxb.	<i>Puccinia Carcis</i> (Schum) Reb. (Aecidia.)
<i>Vaccinium</i> sp.	...	<i>Calypsotheca Goepfertiana</i> J. Kuhn.
" <i>caespitosum</i>	<i>Pucciniastrum Myrtilli</i> (Schw) Arth.
" <i>uliginosum</i> Linn.	...	<i>Exobasidium Vaccinii</i> (Fuck) Wor.
		<i>Lachnum crystallinum</i> (Fuck) Rehm.

Host.	Fungi.
<i>Viola odorata</i> Linn.	<i>Phyllosticta tricoloris</i> Sacc.
" "	<i>Phyllosticta violae</i> Desm.
" <i>Patrinii</i> D C.	<i>Thielavia basicola</i> Loef.
" <i>serpens</i> Wall.	<i>Septoria hyalina</i> Ell. et Ev.
<i>Viscosia viscosa</i> Ascher.	<i>Puccinia violae</i> (Schum) D C.
<i>Viscum album</i> Linn.	<i>Uromyces cristatus</i> Schw. et Niessl.
<i>Vitex</i>	<i>Sphaeropsis Visci</i> (Solms) Sacc.
" <i>flavens</i>	<i>Sphaeropsis Friedrichroda</i> (Thur.).
" <i>negundo</i>	<i>Cercospora Vitis</i> Ell. et Ever.
<i>Vitis adnata</i>	<i>Uredo Vitis-polygamae</i> P. Henn.
" <i>flexuosa</i> Thunb.	<i>Ramularia Vitis</i> Syd.
" <i>Phimalayana</i>	<i>Kuehneola Vitis</i> Butl.
" <i>latifolia</i> Roxb.	<i>Phakopsora Vitis</i> (Thum) Syd.
" <i>odoratissima</i>	<i>Phakopsora cronartiformis</i> (Bacc) Diet.
" <i>quadrangularis</i>	<i>Kuehneola Vitis</i> Butl.
" <i>riparia</i> ...	<i>Dendrophoma vitigena</i> Sacc.
" <i>vinifera</i> Linn	<i>Mykoxyrinx arabica</i> (P. Henn.) Penz.
" "	<i>Gleospodium ampelophagum</i> (De By) Sacc.
" "	<i>Cercospora viticola</i> (Ces.) Sacc.
" "	<i>Cercospora Vitis</i> Sacc.
" "	<i>Diaporthe (Euporthe) viticola</i> Nitis.
" "	<i>Eutypella Vitis</i> (Schw) Ell. et Ever.
" "	<i>Gleospodium ampelophagum</i> (De By.) Sacc.
" "	<i>Peronospora viticola</i> de Bary.
" "	<i>Phoma ampelocarpa</i> Pass.
" "	<i>Plasmopara viticola</i> Berk & Curt.
<i>Voandzeia subterranea</i>	<i>Poria (P) barbaeformis</i> B. & C.
<i>Webera corymbosa</i> Willd.	<i>Uncinula necator</i> Schwein Form <i>Oidium Tuckeri</i> Berk.
" "	<i>Hypochnus Solani</i> Prill. et Delarr.
" "	<i>Asterina incisa</i> Syd.
" "	<i>Meliola asterioides</i> Wint. var. <i>Major</i> Gail.
<i>Wedelia biflora</i> D C.	<i>Puccinia spongiosa</i> B. & Br.
" <i>urticaefolia</i>	<i>Uredo Wedeliae-biflorae</i> Syd.
<i>Wikstroemia canescens</i>	<i>Uredo Wedeliae-biflorae</i> Syd.
<i>Willemetia hieracioides</i> Monn.	<i>Melampsora Yoshinagai</i> P. Henn.
<i>Withania coagulans</i>	<i>Puccinia Willemetiae</i> Bubak.
Wood	<i>Aecidium Dietelianum</i> P. Henn.
Wood (Pine?)	<i>Polystictus versicolor</i> (Linn.) Fr.
Wood	<i>Coniophora arida</i> (Fr.) Cooke.
" "	<i>Dactalea suberosa</i> Masses.
" "	<i>Lenzites Beckleri</i> Berk.
" "	<i>Polystictus discipes</i> Berk.
" "	<i>Polystictus elongatus</i> Berk.
" "	<i>Polystictus flabelliformis</i> Kl.
" "	<i>Polystictus hirsutus</i> Fr.
" "	<i>Polystictus hololeucus</i> Kiehr.
" "	<i>Polystictus occidentalis</i> Kl.
" "	<i>Polystictus sanguineus</i> (L.) Mry.
" "	<i>Polystictus sideroides</i> Lev.
" of <i>Magnifera indica</i>	<i>Polystictus submembranaceus</i> Saut.
" and ground	<i>Polystictus villosus</i> Masses.
Dead wood	<i>Cyathus microsporus</i> Tul.
" "	<i>Camillea bacillum</i> Mont.
" "	<i>Cryptovalsa indica</i> Syd.
" "	<i>Hexagonia similis</i> Berk.
" "	<i>Hydnum Gleadowii</i> Masses. P.
" "	<i>Hypoxylophora investiens</i> (Schw.) Berk.
" "	<i>Hypoxylophora pistillare</i> P. Henn.
" "	<i>Mytilia lapidescens</i> Hor.

Host.	Fungi.
Deadwood	<i>Nectria heterosperma</i> Kalch. et Cke. <i>Panus obraceus</i> Massee. <i>Rosellinia andurnensis</i> Ces. et De Not. <i>Schizophyllum commune</i> Fr. <i>Sphaerostilbe gracilipes</i> Tul. Mycelial strands. <i>Stemonitis splendens</i> Rost. <i>Antennaria scoriacea</i> Berk. <i>(Auricularia Butleri)</i> Massee. <i>Daldinia concentrica</i> (Bolt) Ces. et De Not. <i>= Phlebia reflexa</i> Berk. <i>Fomes australis</i> Fr. <i>Hexagonia similis</i> Berk. <i>Hexagonia speciosa</i> Fr. <i>Hypoxyton vividum</i> B et Br. <i>Lenzites abietina</i> (Bull.) Fr. <i>Lenzites applanata</i> Fr. <i>Panus torulosus</i> Fr. <i>Polyporus arcularius</i> (Balsch) Fr. <i>Polyporus scruposus</i> Fr. <i>Polystictus Personnii</i> Fr. <i>Stereum elegans</i> Mey. <i>Stereum lobatum</i> Fr. <i>Stereum papyraceum</i> Massee. <i>Xylaria allantoidea</i> Berk. <i>Xylaria aspera</i> Mass. <i>Xylaria englossa</i> Fr. <i>Xylaria Hypoxyton</i> (L.) Grev. <i>Xylaria involuta</i> Kl. <i>Xylaria plebeja</i> Ces. <i>Xylaria tuberosa</i> (Pers.) Cke. <i>Xylaria deserticola</i> Spog. <i>Fomes lucidus</i> (Leys) Fr. <i>Xylaria aspera</i> Massee. <i>Polyporus sulphureus</i> Fr. <i>Hexagonia pulchella</i> Lev. <i>Guepinia amosa</i> Curr. <i>Daedalea deliquescens</i> (Bull.) Luby. <i>Dasyphypha resinifera</i> V. Hohn. <i>Pseudophacidium indicum</i> Syd. <i>Dasyphypha distinguenda</i> (Kerst) Sacc. <i>Schizophyllum commune</i> Fr. <i>Trichia scabra</i> Rost. <i>Trichia varia</i> Pers. <i>Daedalea flabellum</i> B. <i>Polystictus Xanthopus</i> Fr. <i>Polyporus colossus</i> Fr. <i>Aecidium spissum</i> Syd. <i>Aecidium Xylopiæ</i> P. Henn. <i>Diplodia Agaves</i> Niessl. <i>Puccinia Zaluzanias</i> Arth. <i>Meliola amphitricha</i> Fr. <i>Helminthosporium taroicum</i> Pass. <i>Physoderma Zeae</i> Maydis Shaw. <i>Puccinia Maydis</i> Bereng. <i>Puccinia Sorgbi</i> Schw. <i>Sclerospora Maydis</i> (Rac) Butl. <i>Ustilago Reiliana</i> Kuhn. <i>Ustilago Zeae</i> (Beckm.) Ung.
and twigs	
Bark of dead wood	
Old wood	
On old wood in the ground	
Rotting wood	
Rotten	
Decayed logs	
Prostrate log	
Old logs	
On fir hedge poles	
On barked pine props	
Dead stem	
Tilia-stump	
Tree stump	
Acer-stump	
Tree stump	
Dead tree trunk	
On a tree trunk	
Xanthoxylum sp.	
Xylopia sp.	
Yucca aloifolia Linn.	
Zaluzanja asperrima Sch.	
Zanthoxylum ovulifolium	
Zeae Mays Linn.	

Host.	Fungi.
<i>Zingiber Cassiniana</i> Roxb.	... <i>Taphrina maculans</i> Butl.
" <i>officinale</i> <i>Corticium vagum</i> B. & C. var <i>Solani</i> Burt.
" <i>Neocosmospora vasinfecta</i> Smith.
" <i>Zerumbet</i> <i>Pythium Butleri</i> Sabrm.
<i>Zinnia</i> <i>Taphrina maculans</i> Butl.
" <i>elegans</i> <i>Fusarium roseum</i> Link.
" <i>aquatica</i> <i>Choanephora Simsoni</i> Cunn.
<i>Zizyphus</i> <i>Choanephora Simsoni</i> Cunn.
" <i>Jajuba</i> Lamk. <i>Uromyces coronatus</i> Yosh.
" <i>Cladosporium Zizyphi</i> Karst.
" <i>Cephaleurus virescens</i> K.
" <i>Cladosporium Zizyphi</i> Karst.
" <i>Eutypella Zizyphi</i> Syd. et Butl.
" <i>Oenoplia</i> <i>Hexagonia similis</i> Berk.
" <i>rugosa</i> <i>Hypoxylen? hypomiltum</i> Mont.
" <i>Oidium erysipoides</i> Fr.
" <i>Phakopsora Zizyphi-vulgaris</i> (P. Henn.) Diet.
" <i>Cronartium Zizyphi</i> Syd. et Butl.
" <i>Cronartium Zyzyphi</i> Syd. et Butl.

